


## DRONE SURVEY MAP OF MORIDESOI BEEL





PACKAGE NO.:

03

MORIDESOI BEEL DEVELOPMENT BLOCK:

NORTH WEST REVENUE VILLAGE:

NAMDEURI

DISTRICT:

**JORHAT** 

8.43 Ha

PROJECT TITLE:
Sustainable Wetlands and Integrated
Fisheries Transformation (SWIFT) Project

CLIENT:


CONSULTANT :



DWG TITLE:

DRONE SURVEY MAP OF MORIDESOI BEEL

DATE:			
CHECKED BY	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
DATE:	DATE:	DATE:	DATE:
ΓEAM LEAD	A.E.	E.E.	S.E.




## LEGENDS:

BEEL BOUNDARY	
WATER AREA	*********
THIN AND FLOATING WATER HYACINTHS AND OTHER AQUATIC WEEDS ETC.	::::::::::::::::::::::::::::::::::::::
THICK AND FLOATING WATER HYACINTHS AND OTHER AQUATIC WEEDS ETC.	
THICK AND FLOATING TARANIES, DALANIES, PITANIES AND OTHER MARGINAL AQUATIC WEEDS ETC. UPTO A DEPTH OF 50 cm.	
MEDIUM AND FLOATING TARANIES, DALANIES, PITANIES AND OTHER MARGINAL AQUATIC WEEDS ETC. UPTO A DEPTH OF 50 cm to 80 cm.	
HEAVY AND FLOATING TARANIES, DALANIES, PITANIES AND OTHER MARGINAL AQUATIC WEEDS ETC. UPTO A DEPTH OF 80 cm to 120 cm.	++++

 $(\mathbf{B})$ 

	AREA DETAILS						
SYMBOL	DESCRIPTION	AREA (Sq. m)					
A	Thin and floating water hyacinths and other aquatic weeds etc.	0					
B	Thick and floating water hyacinths and other aquatic weeds etc.	58591.25					
C	Thick and floating Taranies, Dalanies, Pitanies and other marginal aquatic weeds etc. upto a depth of 50 cm.	23522.19					
D	Medium and floating Taranies, Dalanies, Pitanies and other marginal aquatic weeds etc. upto a depth of 50 cm to 80 cm	0					
E	Heavy and floating Taranies, Dalanies, Pitanies and other marginal aquatic weeds etc. upto a depth of 80 cm to 120 cm	0					




DWG TITLE :


DEWEEDING LAYOUT OF


MORIDESOI BEEL

DATE :


DATE:			
CHECKED BY:	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
DATE:	DATE:	DATE:	DATE:
ΓEAM LEAD	A.E.	E.E.	S.E.







# TYPICAL PLAN & SECTION OF REARING TANK



## **PLAN**

## **SECTION**

#### SCALE: NOT TO SCALE

#### PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project






CONSULTANT:





#### DWG TITLE


TYPICAL PLAN & SECTION OF REARING TANK OF 1500 SQM

ECKED BY:	TO:	BY:	BY:
TE:	DATE:	DATE:	DATE:
EAM LEAD	A E	E.E.	SE












## **PLAN**







#### NOTES:

- 1. All dimensions are in millimetres.
- 2. All dimensions are to be read and not to be scaled.
- 3. Grade of Concrete used: M-20.
- 4. Grade of Steel Reinf. used: TMT (Grade-500) 5. Clear cover for reinf. bars:
- i) In Foundations 50 mm.
- ii) In Columns 40 mm.
- 25 mm. iii) In Beams - 20 mm. iv) In Slabs
- 6. Not more than one third of the total number of main bars shall be over-lapped at any section of a column.
- 7. Laps, anchorage of reinf. bars shall be as per I.S.456-2000. 8. Maximum size of Coarse Aggregate shall be 20 mm and
- 9. Aggregate shall comply with the requirements of
- I.S.:383-1970.
- 10. Lap / Development length = 50 x 'd'where, 'd' = diameter of reinforcing bar.
- 11. In addition to Lintels, R.C.C. band at sill level
- should also be provided.
- 12. Use R.C.C. bands also in all vertical sides of openings. 13. Protruding rods to be provided in columns for
- embedding all brick walls.
- 14. Joints between walls & beams may be embedded with epoxy based joint filling compounds.
- 15. All Reinforcement detailing should meet all the general requirements of IS:4326 and IS:13920.
- drawings. Architectural drawings shall be followed in the event of any discrepancy with due regard to the Structural requirements. Any major deviations shall be brought to the notice of the Engineer-in-charge.

#### **SCALE: NOT TO SCALE**

#### PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project

#### CLIENT:

**ARIAS SOCIETY** 


#### CONSULTANT:

SHUBH CONSULTANTS AND TECHNOCRATS LLP

DWG TITLE: STANDARD DRAWING PLAN & CROSS-SECTION OF FISH LANDING SHED CUM COMMUNITY CENTRE

•	
	Ц,

CHECKED BY	: SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
DATE:	DATE:	DATE:	DATE:
TEAM LEAD	A.E.	E.E.	S.E.



#### GENERAL NOTES -

#### **Drawing Basis**

- All dimensions are in millimetres (mm) unless otherwise stated.
- Dimensions shall be verified on site prior to construction; discrepancies to be reported to Engineer-in-Charge.

#### Concrete Works

- Footing: 550 × 550 × 150 RCC M20 (IS 456, IS 3370).
- Pedestal: 150 × 150 × 600 RCC above footing.
- Provide PCC 1:5:10, 100 mm thick blinding below footings (recommended).
- All reinforcement Fe-500D TMT; cover to reinforcement = 40 mm (footings/pedestals).

#### Steel Works

- Main posts: SHS 50 × 50 × 4 mm.
- Horizontal bracing: SHS 50  $\times$  50  $\times$  4 mm (at two intermediate levels).
- Diagonal bracing: SHS 30 × 30 × 4 mm.
- Platform joists: 5 nos. SHS 25 × 25 × 2.5 mm at equal spacing.
- Handrail: SHS 25 × 25 × 2.5 mm, 1.0 m high above deck.
- Ladder: 450 mm clear width, SHS 25 × 25 side members with MS flats as rungs at 300 mm c/c.
- All steel to conform to IS 2062; fabrication as per IS 800.

#### Connections & Base Plates

- Provide MS base plates (10 mm thick) at post bottoms, anchored into pedestal with 4 nos. 16 mm dia foundation bolts, grouted with non-shrink grout.
- Provide stiffener cleats, gusset plates, and welds as per design.
- All bolts/welds to conform to IS 1367/IS 816.

#### Corrosion Protection & Painting

- Structural steel to receive one coat zinc-rich primer + 2 coats epoxy/polyurethane paint (minimum 100 microns DFT).
- Alternatively, all steel members may be hot-dip galvanized (minimum 80 microns zinc coating).

#### Tank & Plumbing

 Water tank: 1,000 litres capacity, IS 12701 marked, provided with cover and locking arrangement.

#### **PROJECT TITLE:**

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project

CLIENT: ARIAS SOCIETY


CONSULTANT: SHUBH CONSULTANTS AND TECHNOCRATS LLP


#### **DWG TITLE:**

### STANDARD DRAWING

#### **1000L TANK WITH STAGING**

DATE:			
CHECKED BY	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
TEAM LEAD	A.E.	E.E.	S.E.





#### PROJECT TITLE:

Sustainable Wetlands and Integrated Fisheries Transformation (SWIFT) Project

CLIENT: ARIAS SOCIETY

CONSULTANT: SHUBH CONSULTANTS AND TECHNOCRATS LLP

TECHNOCKAT


#### DWG TITLE:

STANDARD DRAWING


INFORMATION BOARD

n	Δ	т	$\mathbf{F}$	•	
$\boldsymbol{\nu}$	_			•	


СНЕСКЕД ВУ	SUBMITTED TO:	RECOMMENDED BY:	APPROVED BY:
TEAM LEAD	A.E.	E.E.	S.E.



KATAL/CATTLE FISHING STRUCTURE AT BEEL/WETLAND FISHERIES. (FRONT-ELEVATION)



KATAL/CATTLE FISHING STRUCTURE AT BEEL/WETLAND FISHERIES. (SIDE-ELEVATION)



PEN CULTURE STRUCTURE AT BEEL/WETLAND FISHERIES. (FRONT-ELEVATION)

