



## **ARIAS SOCIETY**

### **Assam Rural Infrastructure and Agricultural Services Society**

(An Autonomous Body of the Govt. of Assam)

**Project Management Unit (PMU) of the Asian Development Bank financed  
Assam Sustainable Wetland and Integrated Fisheries Transformation (SWIFT) Project  
Agriculture complex, Khanapara, G.S. Road, Guwahati-781022(Assam, India)**

Tel:+91361-2332004; website:www.arias.in; email: swift-spd@arias.in

## **Assam Sustainable Wetland and Integrated Fisheries Transformation (SWIFT) Project (PROJECT NO: 57042-001)**

### **Procurement of Works Bidding Document**

*[Based on the Standard Bidding Document (Dec-2021) of the ADB for Procurement of Works through Single-Stage: Two-Envelope Bidding Procedure, for projects governed by Procurement Regulations for ADB Borrowers: Goods, Works, Nonconsulting and Consulting Services-2017]*

**for**

## **Conservation, Restoration and Rejuvenation works of the Khoribari Borbilla Beel under Bongaigaon District under Assam SWIFT Project**

### **Vol-1 (Main Bidding Document)**

Issued on : **10 March, 2026**  
Invitation for Bids No. : ARIAS /ADB-SWIFT/CW10-40  
OCB No : ARIAS /ADB-SWIFT/OCB-59  
Employer : ARIAS Society, Agriculture Complex  
Khanapara, Assam -22  
Country : India

**Note: Exemption for Bid Security for SC / ST or any other organisation / agency shall not be applicable. The Bid Security amount is fixed as shown in the bid document. The bidders shall make no change in the amount of Bid Security at the time of submission of Bids online.**

**Checklist**

<b>Sl. no.</b>	<b>Essential information/documents needed to qualify <u>technically</u></b>	<b>Yes/No</b>	<b>Page No</b>
1.	<b>Tender Fee</b> <i>(must be submitted online only)</i>		
2.	<b>Bid Security</b> <i>(At the option of the Bidder the Bid Security may be submitted online through <a href="https://assamtenders.gov.in">https://assamtenders.gov.in</a> or through hard copy of the Bank Guarantee in the manner specified at ITB Clause 19.1)</i>		
3.	<b>Letter of Technical Bid</b>		
4.	<b>Technical Proposal</b>		
i.	Form PER – 1: Proposed Personnel		
ii.	Form PER – 2: Resume of Proposed Personnel		
iii.	Form EQU: Equipment		
iv.	Site Organization: a. Site organization information b. Method Statement c. Mobilization Schedule d. Construction Schedule e. Environmental, Health and Safety Management Plan (EHSMP)		
V	Environmental, Health and Safety Code of Conduct for Contractor’s Personnel Form		
5.	<b>Bidders Qualification:</b>		
i.	Form ELI -1: Bidder’s Information Sheet a. In case of a single entity, articles of incorporation or constitution and company incorporation/registration of the legal entity b. Authorization to represent the firm or Joint Venture c. In case of a Joint Venture, a letter of intent to form a Joint Venture or Joint Venture agreement d. In case of a government-owned enterprise, any additional documents not covered under (a.) above		
ii.	Form ELI -2: Joint Venture Information Sheet a. Articles of incorporation or constitution and company incorporation/registration of the legal entity b. Authorization to represent the firm. c. In the case of a government-owned enterprise, documents establishing legal and financial autonomy and compliance with commercial law		
iii.	Form CON -1: Historical Contract Non-performance		
iv.	Form CON -2: EHS Performance Declaration		
v.	Form FIN -1: Historical Financial Performance <i>(audited by a certified accountant)</i> a. Financial statements (balance sheets including all related notes, and income statements) for the last 3 years		
vi.	Form FIN -2: Average Annual Construction Turnover		
vii.	Form FIN -3: Availability of Financial Resources <i>(To be substantiated by a letter from the bank issuing the line of credit.)</i>		
viii.	Form FIN- 4: Financial Resources Requirement		
ix.	Form FIN-5: Self-Assessment Tool for Bidder’s Compliance to Financial Resources		
x.	Form EXP –1: Contracts of Similar Size and Nature		
xi.	Form EXP -2: Construction Experience in Key Activities <i>along with Signed Contract Agreement and Certificate of Completion of the Works.</i>		
xii.	Form EXP –3: Specific Experience in Managing Environmental, Health and Safety Aspects		
xiii.	Form EXP – 5: Environmental, Health and Safety Documentation		
xiv.	Form EXP – 6: Environmental, Health and Safety Dedicated Personnel		

## **Preface**

This Bidding Document for the Procurement of Works has been prepared by the PMU in ARIAS Society and is based on the Standard Bidding Document for the Procurement of Works–Small Contracts (*SBD Works-Small*) issued by the Asian Development Bank dated December’2021.

ADB’s *SBD Works-Small* has the structure and the provisions of the Master Procurement Document entitled “Bidding Documents for the Procurement of Works–Small Contracts”, prepared by multilateral development banks and other public international financial institutions except where ADB-specific considerations have required a change.



## **ARIAS SOCIETY**

### **Assam Rural Infrastructure and Agricultural Services Society**

(An Autonomous Body of the Govt. of Assam)

**Project Management Unit (PMU) of the Asian Development Bank financed  
Assam Sustainable Wetland and Integrated Fisheries Transformation (SWIFT) Project  
Agriculture complex, Khanapara, G.S. Road, Guwahati-781022 (Assam, India)**

Tel:+91361-2332004; website:www.arias.in; email: swift-spd@arias.in

### **INVITATION FOR BIDS**

**Date : 10 March, 2026**

**Project No. : 57042-001**

**Title : Assam Sustainable Wetland and Integrated Fisheries Transformation  
(SWIFT) Project**

**Contract No. and Title: Conservation, Restoration and Rejuvenation works of the  
'Khoribari Borbilla Beel' under Bongaigaon District under the Assam SWIFT Project**

**Deadline for Submission of Bids: 31 March, 2026**

1. The Government of Assam through Government of India has applied for financing from the Asian Development Bank (ADB) toward the cost of Assam Sustainable Wetland and Integrated Fisheries Transformation (SWIFT) Project. Part of this financing will be used for payments under the Contract named above. Bidding is open to Bidders from eligible source countries of ADB.
2. ARIAS Society ("the Employer") invites bids from eligible Bidders for the Construction and Completion of **Conservation, Restoration and Rejuvenation works of the Khoribari Borbilla Beel' under Bongaigaon District under the Assam SWIFT Project** ("the Works").
3. Open competitive bidding will be conducted in accordance with ADB's Procurement Regulations for ADB Borrowers: Goods, Works, Non-consulting and Consulting Services (2017) and is open to all Bidders from eligible countries as described in the Bidding Document.
4. Only eligible Bidders with the following key qualifications defined in the Bidding Document may participate in this bidding:
  - (a) Average Annual Construction Turnover For last three (3) years (**2022-23, 2023-24 and 2024-25**) equal to or more than **INR 5.26 Crore (Rupees Five Crore and Twenty Six Lakh only)**,
  - (b) Successfully or substantially completed at least **one** similar works contract within the last **Seven (7)** years, where the value of the Bidder's participation **exceeds INR 2.10 Crore (Rupees Two Crore Ten Lakh only)**,
  - (c) Has experience in Construction of **Civil works related to water resources management structures.**
  - (d) Meet other financial, personnel and equipment requirements as indicated in the bid document.

**However, for complete eligibility and qualification requirements, Section-3 of the bidding document shall be referred.**

5. To obtain further information and inspect the bidding documents, Bidders should contact: **The ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati - 781022 (Assam, India) [Tel:+91361-2332004; email: [swift-spd@arias.in](mailto:swift-spd@arias.in)]**
6. The bidding document is available online on <http://assamtenders.gov.in> from **10:00 A.M. of 10 March, 2026 to 02:00 P.M. of 31 March, 2026** for a non-refundable fee to be submitted online, physical submission of Demand Draft is not required. Bidders will be required to register on the website, which is free of cost. The bidders would be responsible for ensuring that any addendum available on the website is also downloaded and incorporated.
7. For submission of the bid, the bidder is required to have Digital Signature Certificate (DSC) from one of the Certifying Authorities authorised by Government of India for issuing DSC. Aspiring bidders who have not obtained the user ID and password for participating in e-procurement in this Project, may obtain the same from the website: <http://assamtenders.gov.in>. A non-refundable fee is required to be paid **for Rs. 5200/- (Rupees Five Thousand Two Hundred only)** along with the bid i.e. before **02:00 P.M. of 31 March, 2026**. The method of payment shall be online on <http://www.assamtenders.gov.in> by selecting “Pay online” option of e-procurement.
8. Bids must be submitted online on <http://www.assamtenders.gov.in> on or before **02:00 P.M. of 31 March, 2026** and the ‘Technical Part’ of the bids will be opened online at **02:15 P.M. of 31 March, 2026** . The “Financial Part” shall remain unopened in the e-procurement system until the second public Bid opening for the financial part. Any bid or modifications to bid (including discount) received outside e-procurement system will not be considered. If the office happens to be closed on the date of opening of the bids as specified, the bids will be opened on the next working day at the same time. The electronic bidding system would not allow any late submission of bids.
9. All Bids must be accompanied by a Bid Security of the amount specified for the work. Bid security shall have to be valid for 28 days beyond the validity of the bid. **Exemption for Bid Security for SC / ST or any other organisation / agency shall not be applicable. The Bid Security amount is fixed as shown in the bid document. The bidders shall make no change in the amount of Bid Security at the time of submission of Bids online.**
10. A pre-bid meeting will be held on **11:00 A.M. of 18 March, 2026** at the **ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati - 781022 (Assam, India)** to clarify the issues and to answer questions on any matter that may be raised at that stage as stated in ITB of ‘Instructions to Bidders’ of the bidding document. Bidders are advised to download the bidding document prior to the pre-bid meeting in order for bidders to have a good understanding of the scope of work under this contract for discussion and clarification at the pre-bid meeting.
11. Other details can be seen in the bidding document. The Employer shall not be held liable for any delays due to system failure beyond its control. Even though the system will attempt to notify the bidders of any bid updates, the Employer shall not be liable for any information not received by the bidder. It is the bidders’ responsibility to verify the website for the latest information related to this bid.

**Sd/-**  
**State Project Director**  
**ARIAS Society**

## **TABLE OF CONTENTS - SUMMARY DESCRIPTION**

<b>PART I</b>	<b>BIDDING PROCEDURES</b>	
	<b>Section 1 -Instructions to Bidders (ITB)-----</b>	<b>1-1</b>
	This section specifies the procedures Bidders should follow when preparing and submitting their Bids. Information is also provided on the submission, opening, evaluation of bids, and on the award of contract.	
	<b>Section 2 -Bid Data Sheet (BDS)-----</b>	<b>2-1</b>
	This section consists of provisions that are specific to each procurement and supplement the information or requirements included in Section 1 (Instructions to Bidders).	
	<b>Section 3 -Evaluation and Qualification Criteria (EQC) -----</b>	<b>3-1</b>
	This section contains the criteria to determine the lowest evaluated bid and the qualifications of the Bidder to perform the contract.	
	<b>Section 4 -Bidding Forms (BDF) -----</b>	<b>4-1</b>
	This section contains the forms to be completed by the Bidder and submitted as part of its Bid.	
	<b>Section 5 -Eligible Countries (ELC) -----</b>	<b>5-1</b>
	This section contains the list of eligible countries.	
<b>PART II</b>	<b>REQUIREMENTS</b>	
	<b>Section 6 -Employer's Requirements (ERQ) -----</b>	<b>6-1</b>
	This section contains the Specification, Drawings, Supplementary Information that describe the Works to be procured, Personnel Requirements, and Equipment Requirements.	
<b>PART III</b>	<b>CONDITIONS OF CONTRACT AND CONTRACT FORMS</b>	
	<b>Section 7 -General Conditions of Contract (GCC) -----</b>	<b>7-1</b>
	This section contains the general clauses to be applied in all contracts. These Conditions are subject to the variations and additions set out in Section 8 (Particular Conditions of Contract).	
	<b>Section 8 -Particular Conditions of Contract (PCC) -----</b>	<b>8-1</b>
	This section contains provisions which are specific to each contract and which modify or supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract.	
	<b>Section 9 -Contract Forms (COF) -----</b>	<b>9-1</b>
	This section contains forms that, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.	

**SECTION 1: INSTRUCTIONS TO BIDDERS**

**Table of Clauses**

<b>A. General</b> .....	<b>9</b>
<b>1. Scope of Bid</b>	<b>9</b>
<b>2. Source of Funds</b>	<b>9</b>
<b>3. Fraud and Corruption</b>	<b>9</b>
<b>4. Eligible Bidders</b>	<b>12</b>
<b>5. Eligible Materials, Equipment and Services</b>	<b>14</b>
<b>B. Contents of Bidding Document</b> .....	<b>14</b>
<b>6. Sections of Bidding Document</b>	<b>14</b>
<b>7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting</b>	<b>15</b>
<b>8. Amendment of Bidding Document</b>	<b>15</b>
<b>C. Preparation of Bids</b> .....	<b>16</b>
<b>9. Cost of Bidding</b>	<b>16</b>
<b>10. Language of Bid</b>	<b>16</b>
<b>11. Documents Comprising the Bid</b>	<b>16</b>
<b>12. Letters of Bid and Schedules</b>	<b>17</b>
<b>13. Alternative Bids</b>	<b>17</b>
<b>14. Bid Prices and Discounts</b>	<b>17</b>
<b>15. Currencies of Bid and Payment</b>	<b>18</b>
<b>16. Documents Comprising the Technical Proposal</b>	<b>18</b>
<b>17. Documents Establishing the Qualifications of the Bidder</b>	<b>18</b>
<b>18. Period of Validity of Bids</b>	<b>19</b>
<b>19. Bid Security/Bid-Securing Declaration</b>	<b>19</b>
<b>20. Format and Signing of Bid</b>	<b>20</b>
<b>D. Submission and Opening of Bids</b> .....	<b>21</b>
<b>21. Sealing and Marking of Bids</b>	<b>21</b>
<b>22. Deadline for Submission of Bids</b>	<b>21</b>
<b>23. Late Bids</b>	<b>21</b>
<b>24. Withdrawal, Substitution, and Modification of Bids</b>	<b>22</b>
<b>25. Bid Opening</b>	<b>22</b>
<b>E. Evaluation and Comparison of Bids</b> .....	<b>24</b>
<b>26. Confidentiality</b>	<b>24</b>
<b>27. Clarification of Bids</b>	<b>24</b>
<b>28. Deviations, Reservations, and Omissions</b>	<b>24</b>
<b>29. Examination of Technical Bids</b>	<b>24</b>

<b>30. Responsiveness of Technical Bid</b>	<b>25</b>
<b>31. Nonmaterial Nonconformities</b>	<b>25</b>
<b>32. Qualification of the Bidder</b>	<b>26</b>
<b>33. Subcontractors</b>	<b>26</b>
<b>34. Correction of Arithmetical Errors</b>	<b>26</b>
<b>35. Conversion to Single Currency</b>	<b>27</b>
<b>36. Domestic Preference</b>	<b>27</b>
<b>37. Evaluation and Comparison of Price Bids</b>	<b>27</b>
<b>38. Abnormally Low Bids</b>	<b>27</b>
<b>39. Unbalanced or Front-Loaded Bids</b>	<b>28</b>
<b>40. Employer’s Right to Accept Any Bid, and to Reject Any or All Bids</b>	<b>28</b>
<b>41. Notice of Intention for Award of Contract</b>	<b>29</b>
<b>F. Award of Contract .....</b>	<b>29</b>
<b>42. Award Criteria</b>	<b>29</b>
<b>43. Notification of Award</b>	<b>29</b>
<b>44. Signing of Contract</b>	<b>29</b>
<b>45. Performance Security</b>	<b>30</b>
<b>46. Bidding-Related Complaints</b>	<b>30</b>



## SECTION 1: INSTRUCTIONS TO BIDDERS

### A. General

#### 1. Scope of Bid

- 1.1 In connection with the Invitation for Bids (IFB) indicated in the Bid Data Sheet (BDS), the Employer, as indicated in the BDS, issues this Bidding Document for the procurement of the Works as specified in Section 6 (Employer's Requirements). The name, identification, and number of contracts of this bidding are provided in the BDS.
- 1.2 Throughout this Bidding Document,
- (a) the term "in writing" means communicated in written form and delivered against receipt;
  - (b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular; and
  - (c) "day" means calendar day.

#### 2. Source of Funds

- 2.1 The Borrower or Recipient (hereinafter called "Borrower") indicated in the BDS has applied for or received financing (hereinafter called "funds") from the Asian Development Bank (hereinafter called "ADB") toward the cost of the project named in the BDS. The Borrower intends to apply a portion of the funds to eligible payments under the contract(s) for which this Bidding Document is issued.
- 2.2 Payments by ADB will be made only at the request of the Borrower and upon approval by ADB in accordance with the terms and conditions of the Financing Agreement between the Borrower and ADB (hereinafter called "Financing Agreement"), and will be subject in all respects to the terms and conditions of that Financing Agreement. No party other than the Borrower shall derive any rights from the Financing Agreement or have any claim to the funds.

#### 3. Fraud and Corruption

- 3.1 ADB requires Borrowers (including beneficiaries of ADB-financed activity) and their personnel, as well as firms and individuals participating in an ADB-financed activity, including but not limited to, Bidders, Suppliers, and Contractors, agents, subcontractors, subconsultants, service providers, subsuppliers, manufacturers (including their respective officers, directors, employees and personnel) under ADB-financed contracts to observe the highest standard of ethics during the procurement and execution of such contracts in accordance with ADB's Anticorruption Policy (1998, as amended from time to time). In pursuance of this policy, ADB
- (a) defines, for the purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
    - (ii) "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

- (iii) “coercive practice” means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - (iv) “collusive practice” means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
  - (v) “abuse” means theft, waste, or improper use of assets related to ADB-related activity, either committed intentionally or through reckless disregard;
  - (vi) “conflict of interest” means any situation in which a party has interests that could improperly influence that party’s performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations; and
  - (vii) “integrity violation” is any act, as defined under ADB’s Integrity Principles and Guidelines(2015, as amended from time to time), which violates ADB’s Anticorruption Policy, including (i) to (vi) above and the following: obstructive practice, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB’s Anticorruption Policy, including failure to adhere to the highest ethical standard.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award or any of its officers, directors, employees, personnel, subconsultants, subcontractors, service providers, suppliers or manufacturers has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;
  - (c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the Borrower or of a beneficiary of ADB financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the Borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation, including by failing to inform ADB in a timely manner at the time they knew of the integrity violations;
  - (d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB’s Anticorruption Policy and Integrity Principles and Guidelines, including declaring ineligible, either indefinitely or for a stated period of time, to participate<sup>1</sup> in ADB-financed, -administered, or -supported activities or to benefit from an ADB-financed, -administered, or -supported contract,

---

<sup>1</sup> Whether as a Contractor, Subcontractor, Consultant, Manufacturer or Supplier, or Service Provider; or in any other capacity (different names are used depending on the particular Bidding Document).

financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and

- (e) will have the right to require that a provision be included in bidding documents and in contracts financed, administered, or supported by ADB, requiring Bidders, suppliers, and contractors, consultants, manufacturers, service providers and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, to permit ADB or its representative to inspect the site and their assets, accounts and records and other documents relating to the bid submission and contract performance and to have them audited by auditors appointed by ADB.

3.2 All Bidders, consultants, contractors, suppliers, manufacturers, service providers, and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, are obliged to cooperate fully in any investigation when requested by ADB to do so. As determined on a case by case basis by ADB, such cooperation includes, but is not limited to, the following:

- (a) being available to be interviewed and replying fully and truthfully to all questions asked;
- (b) providing ADB with any items requested that are within the party's control including, but not limited to, documents and other physical objects;
- (c) upon written request by ADB, authorizing other related entities to release directly to ADB such information that is specifically and materially related, directly or indirectly, to the said entities or issues which are the subject of the investigation;
- (d) cooperating with all reasonable requests to search or physically inspect their person and/or work areas, including files, electronic databases, and personal property used on ADB activities, or that utilizes ADB's Information and Communications Technology (ICT) resources or systems (including mobile phones, personal electronic devices, and electronic storage devices such as external disk drives);
- (e) cooperating in any testing requested by ADB, including but not limited to, fingerprint identification, handwriting analysis, and physical examination and analysis; and
- (f) preserving and protecting confidentiality of all information discussed with, and as required by, ADB.

3.3 All Bidders, consultants, contractors and suppliers shall require their officers, directors, employees, personnel, agents to ensure that, in its contracts with its subconsultants, Subcontractors and other third parties engaged or involved in ADB-related activities, such subconsultants, Subcontractors and other third parties similarly are obliged to cooperate fully

in any investigation when requested by ADB to do so.

- 3.4 The Employer hereby puts the Bidder on notice that the Bidder or any Joint Venture partner of the Bidder (if any) may not be able to receive any payments under the Contract if the Bidder or any of its Joint Venture partners, as appropriate, is, or is owned (in whole or in part) by a person or entity subject to applicable sanctions.
- 3.5 Furthermore, Bidders shall be aware of the provisions of GCC 28.3 and 73.2 (i).

#### **4. Eligible Bidders**

- 4.1 A Bidder may be a natural person, private entity, or government-owned enterprise subject to ITB 4.5 – or any combination of them with a formal intent to enter into an agreement or under an existing agreement in the form of a Joint Venture. In the case of a Joint Venture:
  - (a) all partners shall be jointly and severally liable; and
  - (b) the Joint Venture shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the Joint Venture during the bidding process and, in the event the Joint Venture is awarded the Contract, during contract execution.
- 4.2 A Bidder, and all parties constituting the Bidder, shall have the nationality of an eligible country, in accordance with Section 5 (Eligible Countries). A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed Subcontractors or Suppliers for any part of the Contract including related services.
- 4.3 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process if any of, including but not limited to, the following apply:
  - (a) they have controlling shareholders in common; or
  - (b) they receive or have received any direct or indirect subsidy from any of them; or
  - (c) they have the same legal representative for purposes of this bid; or
  - (d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to material information about or improperly influence the Bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
  - (e) a Bidder participates in more than one bid in this bidding process, either individually or as a partner in a Joint Venture, except for alternative offers permitted under ITB 13 of the Bidding Document. This will result in the disqualification of all Bids in which it is involved. However, subject to any finding of a conflict of interest in terms of ITB 4.3 (a)-(d) above, this does not limit the participation of

a Bidder as a Subcontractor in another Bid or of a firm as a Subcontractor in more than one Bid; or

- (f) a Bidder, Joint Venture partner, associates, parent company, or any affiliated entity, participated as a Consultant in the preparation of the design or technical specifications of the works that are the subject of the Bid; or
- (g) a Bidder was affiliated with a firm or entity that has been hired (or is proposed to be hired) by the Employer or Borrower as Engineer for the contract; or
- (h) a Bidder would be providing goods, works, or nonconsulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the BDS ITB 2.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or
- (i) a Bidder that has a financial or familial relationship with staff of the Employer including project implementing/executing agency, or of a recipient of a part of the loan who: (i) are directly or indirectly involved in the preparation of the bidding documents or specifications of the contract, and/or the bid evaluation process of such contract; or (ii) would be involved in the implementation or supervision of such contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to ADB throughout the procurement process and execution of the contract.

4.4 A firm will not be eligible to participate in any procurement activities under an ADB-financed, -administered, or -supported project while under temporary suspension or debarment by ADB pursuant to its Anticorruption Policy (see ITB 3), whether such debarment was directly imposed by ADB, or enforced by ADB pursuant to the Agreement for Mutual Enforcement of Debarment Decisions. A bid from a temporarily suspended or debarred firm will be rejected and such bid may be in breach of debarment conditions, thereby subject to further ADB's investigation.

4.5 Government-owned enterprises in the Employer's country shall be eligible only if they can establish that they (i) are legally and financially autonomous, (ii) operate under commercial law, and (iii) are not a dependent agency of the Employer.

4.6 A Bidder shall not be under suspension from Bidding by the Employer as the result of the execution of a Bid-Securing Declaration.

4.7 Bidders shall provide such evidence of their continued eligibility satisfactory to the Employer, as the Employer shall reasonably request.

4.8 Bidders shall be excluded if, by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's country prohibits any import of goods from, or

payments to, a particular country, person or entity in respect of goods or services originating in that country. Where the Borrower's country prohibits payments to a particular person or entity or for particular goods or services by such an act of compliance, that firm shall be excluded.

**5. Eligible Materials, Equipment and Services**

- 5.1 The materials, equipment, and services to be supplied under the Contract shall have their origin in eligible source countries as defined in ITB 4.2 above and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, Bidders may be required to provide evidence of the origin of materials, equipment, and services.
- 5.2 For purposes of ITB 5.1 above, "origin" means the place where the materials and equipment are mined, grown, produced, or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components.

**B. Contents of Bidding Document**

**6. Sections of Bidding Document**

- 6.1 The Bidding Document consists of Parts I, II, and III, which include all the sections indicated below, and should be read in conjunction with any addenda issued in accordance with ITB 8.

**PART I Bidding Procedures**

Section 1 Instructions to Bidders (ITB)

Section 2 Bid Data Sheet (BDS)

Section 3 Evaluation and Qualification Criteria (EQC)

Section 4 Bidding Forms (BDF)

Section 5 Eligible Countries (ELC)

**PART II Requirements**

Section 6 Employer's Requirements (ERQ)

**PART III Conditions of Contract and Contract Forms**

Section 7 General Conditions of Contract (GCC)

Section 8 Particular Conditions of Contract (PCC)

Section 9 Contract Forms (COF)

- 6.2 The IFB issued by the Employer is not part of the Bidding Document.
- 6.3 The Employer is not responsible for the completeness of the Bidding Document and their Addenda, if they were not obtained directly from the source stated by the Employer in the IFB.
- 6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document. Failure to furnish all information or documentation required by the Bidding Document may result in the rejection of the bid.

**7. Clarification of Bidding Document, Site Visit, Pre-Bid Meeting**

- 7.1 A prospective Bidder requiring any clarification on the Bidding Document shall contact the Employer in writing at the Employer's address indicated in the BDS or raise his inquiries during the pre-bid meeting if provided for in accordance with ITB 7.4. The Employer will respond in writing to any request for clarification, provided that such request is received prior to the deadline for submission of bids, within a period given in the BDS. The Employer shall forward copies of its response to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3, including a description of the inquiry but without identifying its source. Should the Employer deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so following the procedure under ITB 8 and ITB 22.2.
- 7.2 The Bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself, on its own risk and responsibility, all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.
- 7.3 The Bidder and any of its personnel or agents will be granted permission by the Employer to enter its premises and lands for the purpose of such visit, but only upon the express condition that the Bidder, its personnel, and agents will release and indemnify the Employer and its personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.
- 7.4 The Bidder's designated representative is invited to attend a pre-bid meeting, if provided for in the BDS. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 7.5 The Bidder is requested to submit any questions in writing, to reach the Employer not later than 1 week before the meeting.
- 7.6 Minutes of the pre-bid meeting, including the text of the questions raised, without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Document in accordance with ITB 6.3. Any modification to the Bidding Document that may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an addendum pursuant to ITB 8 and not through the minutes of the pre-bid meeting.
- 7.7 Nonattendance at the pre-bid meeting will not be a cause for disqualification of a Bidder.

**8. Amendment of Bidding Document**

- 8.1 At any time prior to the deadline for submission of Bids, the Employer may amend the Bidding Document by issuing addenda.
- 8.2 Any addendum issued shall be part of the Bidding Document and shall be communicated in writing to all who have obtained the Bidding Document from the Employer in accordance with ITB 6.3.

- 8.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Employer may, at its discretion, extend the deadline for the submission of Bids, pursuant to ITB 22.2.

### **C. Preparation of Bids**

- 9. Cost of Bidding** 9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

- 10. Language of Bid** 10.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the BDS. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS, in which case, for purposes of interpretation of the Bid, such translation shall govern.

- 11. Documents Comprising the Bid** 11.1 The Bid shall comprise two envelopes submitted simultaneously, one called the Technical Bid containing the documents listed in ITB 11.2 and the other the Price Bid containing the documents listed in ITB 11.3, both envelopes enclosed together in an outer single envelope.

- 11.2 The Technical Bid shall comprise the following:

- (a) Letter of Technical Bid;
- (b) Bid Security or Bid-Securing Declaration, in accordance with ITB 19;
- (c) alternative Bids, at Bidder's option and if permissible, in accordance with ITB 13;
- (d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 20.2;
- (e) documentary evidence in accordance with ITB 17, establishing the Bidder's qualifications to perform the contract;
- (f) Technical Proposal in accordance with ITB 16;
- (g) any other document required in the BDS.

- 11.3 The Price Bid shall comprise the following:

- (a) Letter of Price Bid;
- (b) completed Price Schedules, in accordance with ITB 12 and ITB 14, or as stipulated in the BDS;
- (c) alternative price Bids, at Bidder's option and if permissible, in accordance with ITB 13;
- (d) any other document required in the BDS.

- 11.4 In addition to the requirements under ITB 11.2, Bids submitted by a Joint Venture shall include a copy of the Joint Venture Agreement entered into by all partners. Alternatively, a Letter of Intent to execute a Joint Venture Agreement in the event of a successful Bid shall be signed by all partners and submitted with the Bid, together with a copy of the proposed agreement.



**12. Letters of Bid and Schedules**

12.1 The Letters of Technical Bid and Price Bid, and the Schedules, and all documents listed under Clause 11, shall be prepared using the relevant forms furnished in Section 4 (Bidding Forms). The forms must be completed without any alterations to the text, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested and as required in the BDS.

**13. Alternative Bids**

13.1 Unless otherwise indicated in the BDS, alternative Bids shall not be considered.

13.2 When alternative times for completion are explicitly invited, a statement to that effect will be included in the BDS, as will the method of evaluating different times for completion.

13.3 When specified in the BDS pursuant to ITB 13.1, and subject to ITB 13.4 below, Bidders wishing to offer technical alternatives to the requirements of the Bidding Document must first price the Employer's design as described in the Bidding Document and shall further provide all information necessary for a complete evaluation of the alternative by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the lowest evaluated Bidder conforming to the basic technical requirements shall be considered by the Employer.

13.4 When specified in the BDS, Bidders are permitted to submit alternative technical solutions for specified parts of the Works. Such parts will be identified in the BDS and described in Section 6 (Employer's Requirements). The method for their evaluation will be stipulated in Section 3 (Evaluation and Qualification Criteria).

**14. Bid Prices and Discounts**

14.1 The prices and discounts quoted by the Bidder in the Letter of Price Bid and in the Schedules shall conform to the requirements specified below.

14.2 The Bidder shall submit a bid for the whole of the works described in ITB 1.1 by filling in prices for all items of the Works, as identified in Section 4 (Bidding Forms). In case of admeasurement contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates for other items and prices in the Bill of Quantities. Unit rates and prices for all items of the Works described in the Bill of Quantities shall be expressed in positive values. If unit rates and prices are expressed in negative values, the bid will be rejected.

14.3 The price to be quoted in the Letter of Price Bid shall be the total price of the Bid, excluding any discounts offered. Absence of the total bid price in the Letter of Price Bid may result in the rejection of the Bid.

14.4 The Bidder shall quote any discounts and the methodology for their application in the Letter of Price Bid, in accordance with ITB 12.1.

14.5 The prices shall be either fixed or adjustable as specified in the BDS.

(a) In the case of Fixed Price, prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account. A Bid submitted with an adjustable price will be treated as nonresponsive and rejected.

(b) In the case of Adjustable Price, prices quoted by the Bidder shall be subject to adjustment during performance of the contract to reflect changes in the cost elements such as labor, material, transport, and contractor's equipment in accordance with the provisions of the Conditions of Contract. A Bid submitted with a fixed price will be treated as nonresponsive and be rejected. The Bidder shall furnish the indexes and weightings for the price adjustment formulas in the Tables of Adjustment Data included in Section 4 (Bidding Forms) and the Employer may require the Bidder to justify its proposed indexes and weightings. Any bid that omits indexes and weightings shall be subject to clarification with the Bidder.

14.6 If so indicated in ITB 1.1, bids are being invited for individual contracts or for any combination of contracts (packages). Bidders wishing to offer any price reduction for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Price reductions or discounts shall be submitted in accordance with ITB 14.4, provided the Bids for all contracts are submitted and opened at the same time.

14.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 28 days prior to the deadline for submission of bids, shall be included in the rates and prices and the total Bid Price submitted by the Bidder.

**15. Currencies of Bid and Payment**

15.1 The currency(ies) of the Bid and payment shall be as specified in the BDS.

15.2 Bidders may be required by the Employer to justify, to the Employer's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the prices shown in the appropriate form(s) of Section 4, in which case a detailed breakdown of the foreign currency requirements shall be provided by Bidders.

**16. Documents Comprising the Technical Proposal**

16.1 The Bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule, environmental, health and safety (EHS) management plan commensurate with the proposed scope of works, EHS Code of Conduct, and any other information as stipulated in Section 4 (Bidding Forms), in sufficient detail to demonstrate the adequacy of the Bidders' proposal to meet the work requirements and the completion time.

**17. Documents Establishing the Qualifications of the Bidder**

17.1 To establish its qualifications to perform the Contract in accordance with Section 3 (Evaluation and Qualification Criteria) the Bidder shall provide the information requested in the corresponding information sheets included in Section 4 (Bidding Forms).

17.2 Domestic Bidders, individually or in Joint Ventures, applying for eligibility for domestic preference shall supply all information required to satisfy the criteria for eligibility in accordance with ITB 35.

**18. Period of  
Validity of Bids**

18.1 Bids shall remain valid for the bid validity period specified in the BDS. The bid validity period starts from the date fixed for the bid submission deadline date prescribed by the Employer in accordance with ITB 22.1. A bid valid for a shorter period shall be rejected by the Employer as nonresponsive.

18.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing. If a bid security is requested in accordance with ITB 19, it shall also be extended 28 days beyond the deadline of the extended validity period. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request shall not be required or permitted to modify its Bid.

**19. Bid  
Security/Bid-  
Securing  
Declaration**

19.1 Unless otherwise specified in the BDS, the Bidder shall furnish as part of its Bid, in original form, either a Bid-Securing Declaration or a bid security as specified in the BDS. In the case of a bid security, the amount and currency shall be as specified in the BDS.

19.2 If a Bid-Securing Declaration is required pursuant to ITB 19.1, it shall use the form included in Section 4 (Bidding Forms). The Employer will declare a Bidder ineligible to be awarded a Contract for a specified period of time, as indicated in the BDS, if the Bid-Securing Declaration is executed.

19.3 If a bid security is specified pursuant to ITB 19.1, the bid security shall be, at the Bidder's option, in any of the following forms:

- (a) an unconditional bank guarantee (hard copy of the bank guarantee or in the form of SWIFT message MT760), or
- (b) an irrevocable letter of credit, or
- (c) a cashier's or certified check.

all from a reputable bank from an eligible country as described in Section 5 (Eligible Countries). In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section 4 (Bidding Forms) or another form acceptable to the Employer. The form must include the complete name of the Bidder. The bid security shall be valid for 28 days beyond the original validity period of the bid, or beyond any period of extension if requested under ITB 18.2.

19.4 Unless otherwise specified in the BDS, any Bid not accompanied by a substantially compliant bid security or Bid-Securing Declaration, if one is required in accordance with ITB 19.1, shall be rejected by the Employer as nonresponsive.

19.5 If a bid security is specified pursuant to ITB 19.1, the bid security of substantially nonresponsive Technical Bids shall be returned before opening the Price Bids. The bid security of unsuccessful Bidders at Price Bid evaluation shall be returned promptly upon the successful Bidder's furnishing of the performance security pursuant to ITB 45.

- 19.6 If a bid security is specified pursuant to ITB 19.1, the bid security of the successful Bidder shall be returned promptly once the successful Bidder has signed the Contract and furnished the required performance security.
- 19.7 The bid security may be forfeited or the Bid-Securing Declaration executed, if
- (a) notwithstanding ITB 24.3, a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid, except as provided in ITB 18.2; or
  - (b) the successful Bidder fails to
    - (i) sign the Contract in accordance with ITB 44;
    - (ii) furnish a performance security in accordance with ITB 45;
    - (iii) accept arithmetical corrections in accordance with ITB 34; or
    - (iv) furnish a domestic preference security, if applicable, in accordance with ITB 45.
- 19.8 If the bid security is required as per ITB 19.1, the bid security of a Joint Venture shall be in the name of the Joint Venture that submits the Bid. If the Joint Venture has not been legally constituted at the time of bidding, the bid security shall be in the name of any or all of the Joint Venture partners. If the Bid-Securing Declaration is required as per ITB 19.1, the Bid-Securing Declaration of a Joint Venture shall be in the name of the Joint Venture that submits the Bid. If the Joint Venture has not been legally constituted at the time of bidding, the Bid-Securing Declaration shall be in the names of all future partners as named in the letter of intent mentioned in ITB 4.1.

## **20. Format and Signing of Bid**

- 20.1 The Bidder shall prepare one original set of the Technical Bid and one original of the Price Bid comprising the Bid as described in ITB 11 and clearly mark it "ORIGINAL - TECHNICAL BID" and "ORIGINAL - PRICE BID." Alternative Bids, if permitted in accordance with ITB 13, shall be clearly marked "ALTERNATIVE." In addition, the Bidder shall submit copies of the Bid in the number specified in the BDS, and clearly mark each of them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 20.2 The original and all copies of the Bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the BDS and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. If a Bidder submits a deficient authorization, the Bid shall not be rejected in the first instance. The Employer shall request the Bidder to submit an acceptable authorization within the number of days as specified in the BDS. Failure to provide an acceptable authorization within the period stated in the Employer's request shall cause the rejection of the Bid. If either the Letter of Technical Bid or Letter of Price Bid or the Bid-Securing Declaration (if applicable) is not signed, the Bid shall be rejected.

20.3 Any amendments such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Bid.

#### **D. Submission and Opening of Bids**

##### **21. Sealing and Marking of Bids**

21.1 Bidders shall submit their Bids as specified in the BDS. Procedures for submission, sealing, and marking are as follows:

(a) Bidders submitting Bids by mail or by hand shall enclose the original of the Technical Bid, the original of the Price Bid, and each copy of the Technical Bid and each copy of the Price Bid, in separate sealed envelopes, duly marking the envelopes as "ORIGINAL - TECHNICAL BID," "ORIGINAL - PRICE BID," and "COPY NO... - TECHNICAL BID," and "COPY NO.... - PRICE BID." These envelopes, the first containing the originals and the others containing copies, shall then be enclosed in one single envelope per set. If permitted in accordance with ITB 13, alternative Bids shall be similarly sealed, marked and included in the sets. The rest of the procedure shall be in accordance with ITB 21.2 and ITB 21.3.

(b) Bidders submitting Bids electronically shall follow the electronic bid submission procedures specified in the BDS.

21.2 The inner and outer envelopes shall

(a) bear the name and address of the Bidder;

(b) be addressed to the Employer as provided in BDS 22.1; and

(c) bear the specific identification of this bidding process indicated in the BDS 1.1.

21.3 The outer envelopes and the inner envelopes containing the Technical Bid shall bear a warning not to open before the time and date for the opening of Technical Bid, in accordance with ITB 25.1.

21.4 The inner envelopes containing the Price Bid shall bear a warning not to open until advised by the Employer in accordance with ITB 25.7.

21.5 If all envelopes are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the Bid.

##### **22. Deadline for Submission of Bids**

22.1 Bids must be received by the Employer at the address and no later than the date and time indicated in the BDS.

22.2 The Employer may, at its discretion, extend the deadline for the submission of Bids by amending the Bidding Document in accordance with ITB 8, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.

##### **23. Late Bids**

23.1 The Employer shall not consider any Bid that arrives after the deadline for submission of bids, in accordance with ITB 22. Any Bid received by the Employer after the deadline for submission of Bids shall be declared late, rejected, and returned unopened to the Bidder.

**24. Withdrawal, Substitution, and Modification of Bids**

- 24.1 A Bidder may withdraw, substitute, or modify its Bid – Technical or Price – after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB 20.2 (except for withdrawal notices, which do not require copies). The corresponding substitution or modification of the Bid must accompany the respective written notice. All notices must be
- (a) prepared and submitted in accordance with ITB 20 and ITB 21 (except for withdrawal notices, which do not require copies), and in addition, the respective envelopes shall be clearly marked “WITHDRAWAL,” “SUBSTITUTION,” “MODIFICATION;” and
  - (b) received by the Employer prior to the deadline prescribed for submission of Bids, in accordance with ITB 22.
- 24.2 Bids requested to be withdrawn in accordance with ITB 24.1 shall be returned unopened to the Bidders.
- 24.3 No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of Bids and the expiration of the period of bid validity specified by the Bidder on the Letters of Technical Bid and Price Bid or any extension thereof.

**25. Bid Opening**

- 25.1 The Employer shall open the Technical Bids in public at the address, on the date, and time specified in the BDS in the presence of Bidders` designated representatives and anyone who choose to attend. Any specific electronic bid opening procedures required if electronic bidding is permitted in accordance with ITB 21.1, shall be as specified in the BDS. The Price Bids will remain unopened and will be held in custody of the Employer until the specified time of their opening. If the Technical Bid and Price Bid are submitted together in one envelope, the Employer may reject the entire Bid. Alternatively, the Price Bid may be immediately resealed for later evaluation.
- 25.2 First, envelopes marked “WITHDRAWAL” shall be opened and read out and the envelope with the corresponding Bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening.
- 25.3 Second, outer envelopes marked “SUBSTITUTION” shall be opened. The inner envelopes containing the Substitution Technical Bid and/or Substitution Price Bid shall be exchanged for the corresponding envelopes being substituted, which are to be returned to the Bidder unopened. Only the Substitution Technical Bid, if any, shall be opened, read out, and recorded. Substitution Price Bid will remain unopened in accordance with ITB 25.1. No envelope shall be substituted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out and recorded at bid opening.
- 25.4 Next, outer envelopes marked “MODIFICATION” shall be opened. No Technical Bid and/or Price Bid shall be modified unless the corresponding modification notice contains a valid authorization to request the modification and is read out and recorded at the opening of Technical Bids. Only the Technical Bids, both Original as well as Modification, are to be opened, read out, and recorded at the opening. Price Bids, both Original and Modification, will remain unopened in accordance with ITB 25.1.

25.5 All other envelopes holding the Technical Bids shall be opened one at a time, and the following read out and recorded:

- (a) the name of the Bidder;
- (b) whether there is a modification or substitution;
- (c) the presence of a bid security or a Bid-Securing Declaration, if required; and
- (d) any other details as the Employer may consider appropriate.

Only Technical Bids and alternative Technical Bids read out and recorded at bid opening shall be considered for evaluation. Unless otherwise specified in the BDS, all pages of the Letter of Technical Bid are to be initialed by at least three representatives of the Employer attending the bid opening. No Bid shall be rejected at the opening of Technical Bids except for late bids, in accordance with ITB 23.1.

25.6 The Employer shall prepare a record of the opening of Technical Bids that shall include, as a minimum, the name of the Bidder and whether there is a withdrawal, substitution, or modification; alternative proposals; and the presence or absence of a bid security or a Bid-Securing Declaration, if one was required. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders who submitted Bids on time, and posted online when electronic bidding is permitted.

25.7 At the end of the evaluation of the Technical Bids, the Employer will invite bidders who have submitted substantially responsive Technical Bids and who have been determined as being qualified for award to attend the opening of the Price Bids. The date, time, and location of the opening of Price Bids will be advised in writing by the Employer. Bidders shall be given reasonable notice for the opening of Price Bids.

25.8 The Employer will notify in writing Bidders who have been rejected for submitting nonresponsive Technical Bids and return their Price Bids unopened together with their bid securities, before opening the Price Bids of the substantially responsive Bidders.

25.9 The Employer shall conduct the opening of Price Bids of all Bidders who submitted substantially responsive Technical Bids, in the presence of Bidders' representatives who choose to attend at the address, on the date, and time specified by the Employer. The Bidder's representatives who are present shall be requested to sign a register evidencing their attendance.

25.10 All envelopes containing Price Bids shall be opened one at a time and the following read out and recorded:

- (a) the name of the Bidder;
- (b) whether there is a modification or substitution;
- (c) the Bid Prices, including any discounts and alternative offers; and
- (d) any other details as the Employer may consider appropriate.

Only Price Bids, discounts, and alternative offers read out and recorded during the opening of Price Bids shall be considered for evaluation. Unless otherwise specified in the BDS, all pages of the Letter of Price Bid and Schedules are to be initialed by at least three representatives of the Employer attending the bid opening. No Bid shall be rejected at the opening of Price Bids.

25.11 The Employer shall prepare a record of the opening of Price Bids that shall include, as a minimum, the name of the Bidder, the Bid Price (per lot if applicable), any discounts, and alternative offers. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders who submitted Bids on time, and posted online when electronic bidding is permitted.

## **E. Evaluation and Comparison of Bids**

### **26. Confidentiality**

26.1 Information relating to the examination, evaluation, comparison, and post-qualification of Bids and recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until on the publication of Contract award.

26.2 Any attempt by a Bidder to influence the Employer in the evaluation of the Bids or Contract award decisions may result in the rejection of its Bid.

26.3 Notwithstanding ITB 26.2, from the time of bid opening to the time of Contract award, if any Bidder wishes to contact the Employer on any matter related to the bidding process, it may do so in writing.

### **27. Clarification of Bids**

27.1 To assist in the examination, evaluation, and comparison of the Technical and Price Bids, the Employer may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change in the substance of the Technical Bid or prices in the Price Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Price Bids, in accordance with ITB 33.

27.2 If a Bidder does not provide clarifications of its Bid by the date and time set in the Employer's request for clarification, its Bid may be rejected.

### **28. Deviations, Reservations, and Omissions**

28.1 During the evaluation of bids, the following definitions apply:

- (a) "Deviation" is a departure from the requirements specified in the Bidding Document;
- (b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and
- (c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.

### **29. Examination of Technical Bids**

29.1 The Employer shall examine the Technical Bid to confirm that all documents and technical documentation requested in ITB 11.2 have been provided, and to determine the completeness of each document submitted.



29.2 The Employer shall confirm that the following documents and information have been provided in the Technical Bid. If any of these documents or information is missing, the offer shall be rejected.

- (a) Letter of Technical Bid;
- (b) written confirmation of authorization to commit the Bidder;
- (c) Bid Security or Bid-Securing Declaration, if applicable; and
- (d) Technical Proposal in accordance with ITB 16.

**30. Responsiveness of Technical Bid**

30.1 The Employer's determination of a Bid's responsiveness is to be based on the contents of the Bid itself, as defined in ITB 11.

30.2 A substantially responsive Technical Bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that,

- (a) if accepted, would:
  - (i) affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or
  - (ii) limit in any substantial way, inconsistent with the Bidding Document, the Employer's rights or the Bidder's obligations under the proposed Contract; or
- (b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive Bids.

30.3 The Employer shall examine the technical aspects of the Bid submitted in accordance with ITB 16, Technical Proposal, in particular, to confirm that all requirements of Section 6 (Employer's Requirements) have been met without any material deviation, reservation, or omission.

30.4 If a Bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

**31. Nonmaterial Nonconformities**

31.1 Provided that a Bid is substantially responsive, the Employer may waive any nonconformities in the Bid that do not constitute a material deviation, reservation, or omission.

31.2 Provided that a Technical Bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the Technical Bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the Price Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.

31.3 Provided that a Technical Bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component.

The adjustment shall be made using the method indicated in Section 3 (Evaluation and Qualification Criteria).

**32. Qualification of the Bidder**

32.1 The Employer shall determine to its satisfaction during the evaluation of Technical Bids whether Bidders meet the qualifying criteria specified in Section 3 (Evaluation and Qualification Criteria).

32.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 17.1. Unless permitted in the BDS, the determination shall not take into consideration the qualifications of other firms such as the Bidder's subsidiaries, parent entities, or affiliates.

32.3 An affirmative determination shall be a prerequisite for the opening and evaluation of a Bidder's Price Bid. The Employer reserves the right to reject the bid of any bidder found to be in circumstances described in GCC 73.2(c). A negative determination shall result into the disqualification of the Bid, in which event the Employer shall return the unopened Price Bid to the Bidder.

**33. Subcontractors**

33.1 Unless otherwise stated in the BDS, the Employer does not intend for the contractor to execute any specific elements of the Works through nominated subcontractors.

33.2 If Subcontractors are proposed for any of the key activities listed in Section 3 (Evaluation and Qualification) Criteria 2.4.2, they shall be considered as "Specialist Subcontractors" and shall meet qualification requirements for the relevant key activities.

**34. Correction of Arithmetical Errors**

34.1 During the evaluation of Price Bids, the Employer shall correct arithmetical errors on the following basis:

(a) Only for admeasurement contracts, if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Employer there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected.

(b) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected.

(c) If there is a discrepancy between the bid price in the Summary of Bill of Quantities and the bid amount in item (c) of the Letter of Price Bid, the bid price in the Summary of Bill of Quantities will prevail and the bid amount in item (c) of the Letter of Price Bid will be corrected.

(d) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a), (b) and (c) above.

34.2 If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its bid security may be forfeited or its Bid-Securing Declaration executed.

- 35. Conversion to Single Currency** 35.1 For evaluation and comparison purposes, the currency(ies) of the Bid shall be converted into a single currency as specified in the BDS.
- 36. Domestic Preference** 36.1 Unless otherwise specified in the BDS, domestic preference shall not apply.
- 37. Evaluation and Comparison of Price Bids**
- 37.1 The Employer shall use the criteria and methodologies listed in this Clause. No other evaluation criteria or methodologies shall be permitted.
- 37.2 To evaluate the Price Bid, the Employer shall consider the following:
- (a) the bid price, excluding Provisional Sums and the provision, if any, for contingencies in the Summary Bill of Quantities for admeasurement contracts, or Schedule of Prices for lump sum contracts, but including Daywork items, where priced competitively;
  - (b) price adjustment for correction of arithmetic errors in accordance with ITB 34.1;
  - (c) price adjustment due to discounts offered in accordance with ITB 14.4;
  - (d) converting the amount resulting from applying (a) to (c) above, if relevant, to a single currency in accordance with ITB 35;
  - (e) adjustment for nonmaterial nonconformities in accordance with ITB 31.3;
  - (f) assessment whether the bid is abnormally low in accordance with ITB 38; and
  - (g) application of all the evaluation factors indicated in Section 3 (Evaluation and Qualification Criteria).
- 37.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.
- 37.4 If this Bidding Document allows Bidders to quote separate prices for different contracts, and to award multiple contracts to a single Bidder, the methodology to determine the lowest evaluated price of the contract combinations, including any discounts offered in the Letter of Price Bid, is specified in Section 3 (Evaluation and Qualification Criteria).
- 37.5 The Employer shall compare all substantially responsive Bids to determine the lowest evaluated Bid, in accordance with ITB 37.2.
- 38. Abnormally Low Bids**
- 38.1 An abnormally low bid is one where the bid price, in combination with other elements of the bid, appears to be so low that it raises concerns as to the capability of the Bidder to perform the contract for the offered bid price.
- 38.2 When the offered bid price appears to be abnormally low, the Employer shall undertake a three-step review process as follows:
- (a) identify abnormally low costs and unit rates by comparing them with the engineer's estimates, other substantially responsive bids, or recently awarded similar contracts;

- (b) clarify and analyze the bidder's resource inputs and pricing, including overheads, contingencies and profit margins; and
- (c) decide whether to accept or reject the bid.

38.3 With regard to ITB 38.2 (b) above, the Employer will seek a written explanation from the bidder of the reasons for the offered bid price, including a detailed analysis of costs and unit prices, by reference to the scope, proposed methodology, schedule, and allocation of risks and responsibilities. This may also include information regarding the economy of the manufacturing process; the services to be provided, or the construction method to be used; the technical solutions to be adopted; and any exceptionally favorable conditions available to the bidder for the works, equipment or services proposed.

38.4 After examining the explanation given and the detailed the price analyses presented by the bidder, the Employer may:

- (a) accept the bid, if the evidence provided satisfactorily accounts for the low bid price and costs, in which case the bid is not considered abnormally low;
- (b) accept the bid, but require that the amount of the performance security be increased at the expense of the bidder to a level sufficient to protect the Employer against financial loss. The amount of the performance security shall generally be not more than 20% of the contract price; or
- (c) reject the bid if the evidence provided does not satisfactorily account for the low bid price, and make a similar determination for the next ranked bid, if required.

**39. Unbalanced or Front-Loaded Bids**

39.1 If the Bid, which results in the lowest evaluated Bid Price, is seriously unbalanced or front-loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed, as well as the pricing and sources of materials, equipment and labor.

39.2 After the evaluation of the information and detailed price analyses presented by the Bidder, the Employer may as appropriate:

- (a) accept the Bid; or
- (b) accept the Bid, but require that the total amount of the Performance Security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract subject to ITB 45.2; or
- (c) reject the Bid and make a similar determination for the next ranked bid.

**40. Employer's Right to Accept Any Bid, and to Reject Any or All Bids**

40.1 The Employer reserves the right to accept or reject any Bid, and to annul the bidding process and reject all Bids at any time prior to contract award, without thereby incurring any liability to Bidders. In case of annulment, all Bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.

**41. Notice of Intention for Award of Contract**

41.1 If Standstill provisions apply as specified in the BDS, the standstill period shall be defined in the BDS to specify the duration subsequent to notification of intention for award of contract (before making the actual contract award) within which any unsuccessful bidder can challenge the proposed award.

**F. Award of Contract**

**42. Award Criteria**

42.1 The Employer shall award the Contract to the Bidder whose offer has been determined in line with ITB 35 to ITB 37 above to be the lowest evaluated Bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

**43. Notification of Award**

43.1 Prior to the expiration of the period of bid validity and upon expiry of the standstill period specified in ITB 40.1, or upon satisfactory resolution of a complaint filed within standstill period, if applicable, the Employer shall transmit the Notification of Award through issuance of Letter of Acceptance using the form included in Section 9 (Contract Forms) to the successful Bidder, in writing, that its Bid has been accepted. At the same time, the Employer shall also notify all other Bidders of the results of the bidding.

43.2 Unless standstill period applies, upon notification of award through issuance of Letter of Acceptance, unsuccessful Bidders may request in writing to the Employer for a debriefing seeking explanations on the grounds on which their Bids were not selected. The Employer shall promptly respond in writing and/or in a debriefing meeting to any unsuccessful Bidder who, after publication of contract award, requests a debriefing.

43.3 Until a formal contract is prepared and executed, the notification of award through issuance of Letter of Acceptance shall constitute a binding Contract.

43.4 Within 2 weeks of the award of contract or expiry of the standstill period, where such period applies, or, if a complaint has been filed within the standstill period, upon receipt of ADB's confirmation of satisfactory resolution of the complaint, the borrower shall publish in an English language newspaper or widely known and freely accessible website the results identifying the bid and lot or package numbers, as applicable and the following information:

- (a) name of each Bidder who submitted a Bid;
- (b) bid prices as read out at bid opening;
- (c) name and evaluated prices of each Bid that was evaluated;
- (d) name of Bidders whose bids were rejected and the reasons for their rejection; and
- (e) name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded.

**44. Signing of Contract**

44.1 Promptly after notification, the Employer shall send the successful Bidder the Contract Agreement.

44.2 Within 28 days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Employer.

**45. Performance Security**

45.1 Within 28 days of the receipt of notification of award through issuance of Letter of Acceptance from the Employer, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, subject to ITB 38 and ITB 39, using for that purpose the Performance Security Form included in Section 9 (Contract Forms), or another form acceptable to the Employer. If the bank issuing performance security is located outside the Employer's country, it shall be counter-guaranteed or encashable by a bank in the Employer's country.

45.2 Failure of the successful Bidder to submit the abovementioned performance security or to sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security or execution of the Bid-Securing Declaration. In that event, the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Employer to be qualified to perform the Contract satisfactorily.

45.3 The above provision shall also apply to the furnishing of a domestic preference security, if so required.

**46. Bidding-Related Complaints**

46.1 The procedures for dealing with Bidding-Related Complaints arising out of this bidding process are specified in the BDS.

## SECTION 2: BID DATA SHEET

### A. General

ITB 1.1	The number of the Invitation for Bids (IFB) is: <b>ARIAS /ADB-SWIFT/CW10-40</b>
ITB 1.1	The Employer is: <b>ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati, Assam-781022, India, Telephone: 0361 – 2332004, E-mail: <a href="mailto:swiftspd@arias.in">swiftspd@arias.in</a></b>
ITB 1.1	The name of the bidding process is: <b>Open Competitive Bidding</b> The identification number of the bidding process is: <b>ARIAS /ADB-SWIFT/OCB-59</b> The number and identification of lots comprising this bidding process is: <b>Not Applicable</b>
ITB 2.1	The Borrower is: <b>Government of India</b>
ITB 2.1	The name of the Project is: <b>Assam Sustainable Wetland and Integrated Fisheries Transformation (SWIFT) Project (PROJECT NO.: 57042-001)</b>

### B. Contents of Bidding Documents

ITB 7.1	For <b>clarification purposes</b> only, the Employer's address is: Attention: <b>ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati, Assam-781022, India, Telephone: 0361 – 2332004, E-mail: <a href="mailto:swiftspd@arias.in">swiftspd@arias.in</a></b> Requests for clarification should be received by the Employer no later than: <b>10</b> days prior to the deadline of submission of bids
ITB 7.4	A Pre-Bid meeting will take place. Date: <b>18 March, 2026</b> Time: <b>11:00 A.M.</b> Place: <b>ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati, Assam-781022, India,</b> A site visit will <b>not</b> be organized by the Employer

### C. Preparation of Bids

ITB 10.1	The language of the Bid is: <b>English</b>
ITB 11.2 (g)	The Bidder shall submit with its Technical Bid the following additional documents: <b>Not Applicable</b>
ITB 11.3 (b)	In accordance with ITB 12 and ITB 14, the following schedules shall be submitted with the bid, including the priced <b>Bill of Quantities for admeasurement contracts. The Price Schedules shall be filled up by the bidder online as per the BOQ format.</b>
ITB 11.3 (d)	The Bidder shall submit with its Price Bid the following additional documents: <b>Not Applicable</b>
ITB 12.1	The units and rates in figures entered into the Bill of Quantities and Daywork Schedule <b>should be filled up online.</b>
ITB 13.1	Alternative bids <b>are not</b> permitted
ITB 13.2	Alternative times for completion: <b>Not permitted</b>
ITB 13.4	Alternative technical solutions shall be permitted for the following parts of the Works: <b>Alternative solutions shall not be permitted</b>
ITB 14.5	The prices quoted by the Bidder <b>shall not</b> be subject to adjustment during the performance of the Contract.

<b>ITB 15.1</b>	The prices shall be quoted by the bidder and shall be paid in <b>Indian Rupees (INR)</b>
<b>ITB 18.1</b>	The bid validity period shall be <b>120</b> days.
<b>ITB 19.1</b>	<p>The Bidder shall furnish a bid security in the amount of <b>Rs. 5,26,132/- (Rupees Five Lakh Twnty Six Thousand and One Hundred Thirty Two Rupess only) through online portal-<a href="http://www.assamtenders.gov.in">http://www.assamtenders.gov.in</a></b></p> <p><b>However, at the option of the Bidder, the bid security may be submitted in the form of a irrevocable Bank Guarantee as mentioned in ITB 19.1 issued in the name of the ‘State Project Director, ARIAS Society’, as per the format attached to the Bidding Document.</b></p> <p>Scanned Copy of the Bank Guarantee shall be uploaded along with Technical Bid to be submitted by the Bidder and Original Hard Copy of Bank Guarantee shall be submitted to the <b>‘State Project Director, ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati-781022 (Assam)’ before the deadline for submission of the Bid.’</b></p>
<b>ITB 19.2</b>	The ineligibility period will be: <b>Not applicable</b>
<b>ITB 19.4</b>	No further instruction
<b>ITB 20.1</b>	In addition to the original Bid, the number of copies is: <b>Not applicable</b>
<b>ITB 20.2</b>	The written confirmation of authorization to sign on behalf of the Bidder shall consist of: <i>“An organizational document, board resolution or its equivalent, or power of attorney specifying the representative’s authority to sign the Bid on behalf of, and to legally bind, the Bidder. If the Bidder is an intended or an existing Joint Venture, the power of attorney should be signed by all partners and specify the authority of the named representative of the Joint Venture to sign on behalf of, and legally bind, the intended or existing Joint Venture. If the Joint Venture has not yet been formed, also include evidence from all proposed Joint Venture partners of their intent to enter into a Joint Venture in the event of a contract award in accordance with ITB 11.2.”</i>
<b>ITB 20.2</b>	The Bidder shall submit an acceptable authorization within <b>7 (seven)</b> days.

#### **D. Submission and Opening of Bids**

<b>ITB 21.1</b>	Bidders shall submit their Bids electronically.
<b>ITB 21.1 (b)</b>	<p>Electronic bidding submission procedures shall be:</p> <p>The Employer shall use the following electronic-procurement system to manage this Bidding process:<a href="http://www.assamtenders.gov.in">http://www.assamtenders.gov.in</a></p> <p>Bidders have to submit the bids on the e-procurement portal along with the relevant required documents including the bid processing fee (non refundable) and Bid Security. For this purpose, the bidders shall fill up online, the forms that are available for online filling on the e-portal. The rest of the forms shall be downloaded by the bidders and filled up. The filled up pages shall then be scanned and uploaded on the e-procurement portal along with the scanned copies of the supporting documents.</p> <p>Digital Signature Certificate (DSC) is required for submittingthebids online through <a href="http://www.assamtenders.gov.in">http://www.assamtenders.gov.in</a></p>
<b>ITB 22.1</b>	<p>For <b>bid submission purposes: Bids must be submitted online only through <a href="http://www.assamtenders.gov.in">http://www.assamtenders.gov.in</a></b></p> <p>The Employer’s address is:  Attention: ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati, Assam-781022,India, Telephone: 0361 – 2332004, E-mail: <a href="mailto:swift-spd@arias.in">swift-spd@arias.in</a></p> <p><b>The deadline for bid submission is:</b>  <b>Date: 31 March, 2026</b>  <b>Time: 02: 00 PM</b></p>



<b>ITB 25.1</b>	The opening of the Technical Bid shall take place <b>online</b> on <b>31 March, 2026 at 02:15 P.M.</b>
<b>ITB 25.1</b>	Electronic bid opening procedure shall be as follows: <b>The bids shall be opened online in ARIAS Society office.</b>
<b>ITB 25.5</b>	<b>Not Applicable</b>
<b>ITB 25.10</b>	<b>Not Applicable</b>

#### **E. Evaluation and Comparison of Bids**

<b>ITB 32.2</b>	The qualifications of other firms such as the Bidder's subsidiaries, parent entities, or affiliates <b>shall not be permitted</b>
<b>ITB 33.1</b>	The Employer <b>does not intend</b> or the contractor to execute any specific elements of the Works through nominated subcontractors.
<b>ITB 35.1</b>	Not applicable.
<b>ITB 36.1</b>	Domestic preference <b>shall not</b> apply.
<b>ITB 43.4</b>	<p>Standstill provisions shall apply. The duration of standstill period will be <b>7 (seven) days</b> from the date of notice of intention for award of contract.</p> <p>The Employer shall, at the start of the standstill period, notify in writing each Bidder that submitted a bid, of its intention to award a contract to the successful Bidder at the end of standstill period. The notification using the form included in Section 9 (Contract Forms) shall include the following information:</p> <ul style="list-style-type: none"> <li>(a) the name of each Bidder who submitted a Bid;</li> <li>(b) the bid prices as read out at bid opening;</li> <li>(c) the name and evaluated prices of each Bid that was evaluated;</li> <li>(d) the name of Bidders whose bids were rejected;</li> <li>(e) the name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded;</li> <li>(f) and a statement of the reason(s) the bid of the unsuccessful Bidder to whom the notification is addressed was unsuccessful, unless the price information under (e) of this paragraph already reveals the reason.</li> </ul>

#### **F. Award of Contracts**

<b>ITB 46.1</b>	<p>The procedures for Bidding-Related Complaints are referenced in the Procurement Regulations for ADB Borrowers (Appendix 7). The Bidder should submit its complaint following these procedures, in writing, to:</p> <p>For the attention: <b>ARIAS Society, Agriculture Complex, Khanapara, G.S. Road, Guwahati, Assam-781022,India, Telephone: 0361 – 2332004, E-mail: <u>swift-sp@arias.in</u></b></p>
-----------------	--

### **Section 3: Evaluation and Qualification Criteria**

#### **Table of Criteria**

<b>1.</b>	<b>Evaluation .....</b>	<b>35</b>
<b>1.1</b>	<b>Adequacy of Technical Proposal.....</b>	<b>35</b>
<b>1.2</b>	<b>Completion Time.....</b>	<b>35</b>
<b>1.3</b>	<b>Technical Alternatives.....</b>	<b>35</b>
<b>1.4</b>	<b>Specialist Subcontractors .....</b>	<b>35</b>
<b>1.5</b>	<b>Quantifiable Nonconformities and Omissions .....</b>	<b>35</b>
<b>1.6</b>	<b>Domestic Preference.....</b>	<b>35</b>
<b>1.7</b>	<b>Other Criteria .....</b>	<b>35</b>
<b>1.7.1</b>	<b>Environmental, Health and Safety Management Plan (EHSMP) .....</b>	<b>36</b>
<b>1.7.2</b>	<b>Sustainable Procurement .....</b>	<b>36</b>
<b>1.7.3</b>	<b>Life Cycle costs (for Financial Evaluation) -.....</b>	<b>36</b>
<b>1.8</b>	<b>Multiple Contracts - .....</b>	<b>36</b>
<b>2.</b>	<b>Qualification .....</b>	<b>37</b>
<b>2.1</b>	<b>Eligibility .....</b>	<b>37</b>
<b>2.1.4</b>	<b>Government-Owned Enterprise .....</b>	<b>37</b>
<b>2.1.5</b>	<b>United Nations Eligibility.....</b>	<b>37</b>
<b>2.2</b>	<b>Historical Contract Non-Performance .....</b>	<b>37</b>
<b>2.2.1</b>	<b>History of Non-Performing Contracts.....</b>	<b>37</b>
<b>2.2.2</b>	<b>Suspension Based on Execution of Bid-Securing Declaration.....</b>	<b>38</b>
<b>2.2.3</b>	<b>Pending Litigation and Arbitration .....</b>	<b>38</b>
<b>2.2.4</b>	<b>Declaration: Environmental, Health and Safety Past Performance.....</b>	<b>38</b>
<b>2.3</b>	<b>Financial Situation .....</b>	<b>39</b>
<b>2.3.1</b>	<b>Historical Financial Performance .....</b>	<b>39</b>
<b>2.3.2</b>	<b>Average Annual Construction Turnover.....</b>	<b>39</b>
<b>2.3.3</b>	<b>Financial Resources.....</b>	<b>40</b>
<b>2.4</b>	<b>Construction Experience.....</b>	<b>41</b>
<b>2.4.1</b>	<b>Contracts of Similar Size and Nature.....</b>	<b>41</b>
<b>2.4.2</b>	<b>Construction Experience in Key Activities .....</b>	<b>41</b>
<b>2.4.3</b>	<b>Specific Experience in Managing Environmental, Health and Safety Aspects ...</b>	<b>42</b>
<b>2.5</b>	<b>Organizational Environmental, Health and Safety System.....</b>	<b>42</b>
<b>2.5.1</b>	<b>Environmental, Health and Safety Certification .....</b>	<b>42</b>
<b>2.5.2</b>	<b>Environmental, Health and Safety Documentation.....</b>	<b>42</b>
<b>2.5.3</b>	<b>Environmental, Health and Safety Dedicated Personnel .....</b>	<b>43</b>

### Section 3: Evaluation and Qualification Criteria

#### 1. Evaluation

In addition to the criteria listed in ITB 37.2 (a)–(f), other relevant factors are as follows:

##### 1.1 Adequacy of Technical Proposal

Evaluation of the Bidder's Technical Proposal will include an assessment of the Bidder's technical capacity to successfully implement the contract considering its proposed site organization, method statement, mobilization, and construction schedule (to be described by the Bidder in sufficient detail to demonstrate the adequacy of its work methods, scheduling, and material sourcing) including the extent to which they are presented in a consistent manner and comply with requirements stipulated in Section 6 (Employer's Requirements) without material deviation, reservation, or omission.

Noncompliance with equipment and personnel requirements described in Section 6 (Employer's Requirements) shall not normally be a ground for bid rejection, and such noncompliance will be subject to clarification during bid evaluation and rectification prior to contract award.

##### 1.2 Completion Time

An alternative Completion Time, if permitted under ITB 13.2, will be evaluated as follows: **Not Applicable.**

##### 1.3 Technical Alternatives

Technical alternatives, if permitted under ITB 13.4, will be evaluated as follows: **Not Applicable.**

##### 1.4 Specialist Subcontractors

Only the specific experience of Specialist Subcontractors for key activities specified in criterion 2.4.2 Construction Experience in Key Activities will be considered. The experience of Specialist Subcontractors in contracts of similar size and nature, and their financial resources shall not be added to those of the Bidder for purposes of qualification of the Bidder.

**Not Applicable**

##### 1.5 Quantifiable Nonconformities and Omissions

Subject to ITB 14.2 and ITB 37.2, the evaluated cost of quantifiable nonconformities including omissions, is determined as follows:

“Pursuant to ITB 31.3, the cost of all quantifiable nonmaterial nonconformities shall be evaluated, including omissions in Daywork where competitively priced but excluding omission of prices in the Bill of Quantities. The Employer will make its own assessment of the cost of any nonmaterial nonconformities and omissions for the purpose of ensuring fair comparison of bids.”]

##### 1.6 Domestic Preference

If domestic preference shall apply under ITB 36.1, the procedure will be as follows as: **Not Applicable**

##### 1.7 Other Criteria

Add any other relevant criteria to consider in bid evaluation, such as quality, responsiveness to socio- economic or environmental objectives, sustainable procurement technical requirements that have been specified in Section 6, special security considerations at site, and Bidder's record of achieving the desired results based on experience and performance history. For each criteria, clearly specify the evaluation methodology, e.g. (i) any relevant requirement specified in Section 6 will be evaluated on

a pass/fail (compliance basis), (ii) in addition to evaluating that requirement on a pass/fail (compliance basis), if applicable, specify the monetary adjustments to be applied to bid prices for comparison purposes on account of bids that exceed the specified minimum requirements, or (iii) if merit point scoring is applied in the evaluation, the criteria will be one of the technical factors.

**1.7.1 Environmental, Health and Safety Management Plan (EHSMP)**

The selected bidder shall have to submit the duly filled up EHSMP formats along with the Performance Security, after receiving the LOA or else the LOA issued shall be cancelled by the Employer and the bid security of the selected bidder shall be forfeited by the employer. **For detailed requirement please see Vol-2 of the Bidding Document**

**1.7.2 Sustainable Procurement**

The following sustainable procurement technical requirements will be evaluated on a pass/fail basis. Failure to meet any of the following requirements will result in mandatory rejection of the bid.

**Not Applicable**

**1.7.3 Life Cycle costs (for Financial Evaluation)–**

**Not Applicable**

Life cycle costing \_\_\_\_\_. If life cycle costing applies for Bid evaluation, the methodology and the information expected from Bidders shall be specified.

The factors for calculation of the life cycle cost are

- (i) number of years for life cycle: \_\_\_\_\_,
- (ii) operating costs: \_\_\_\_\_,
- (iii) maintenance costs, including the cost of spare parts for the initial period of operation: \_\_\_\_\_, and
- (iv) Discount rate: \_\_\_\_\_% to be used to discount to present value all annual future costs calculated under (ii) and (iii) above for the period specified in (i).

**1.8 Multiple Contracts–**

**Not Applicable**

If works are grouped in multiple contracts and pursuant to ITB 37.4, the Employer shall evaluate and compare Bids on the basis of a contract, or a combination of contracts, or as a total of contracts in order to arrive at the least-cost combination for the Employer by taking into account discounts offered by Bidders in case of award of multiple contracts.

If a Bidder as defined in ITB 4.1 submits several successful (lowest evaluated substantially responsive) bids, the evaluation will also include an assessment of the Bidder's capacity to meet the following aggregated requirements as presented in the bid:

- Average annual construction turnover,
- Financial resources,
- Equipment to be allocated, and
- Personnel to be fielded.

## 2. Qualification

### 2.1 Eligibility

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
<b>2.1.1 Nationality</b>					
Nationality in accordance with ITB 4.2.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Forms ELI – 1; ELI-2 with attachments
<b>2.1.2 Conflict of Interest</b>					
No conflicts of interest in accordance with ITB 4.3.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid
<b>2.1.3 ADB Eligibility</b>					
Not having been declared ineligible by ADB, as described in ITB 4.4.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid
<b>2.1.4 Government-Owned Enterprise</b>					
Bidder required to meet conditions of ITB 4.5.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Forms ELI - 1, ELI - 2 with attachments
<b>2.1.5 United Nations Eligibility</b>					
Not having been excluded by an act of compliance with a United Nations Security Council resolution in accordance with ITB 4.8	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid

## 2.2 Historical Contract Non-Performance

### 2.2.1 History of Non-Performing Contracts

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Non-performance of a contract <sup>a</sup> did not occur as a result of contractor default since <b>1 January 2020</b>	Must meet requirement	Must meet requirement	Must meet requirement <sup>b</sup>	Not Applicable	Form CON-1

<sup>a</sup>Nonperformance, as decided by the Employer, shall include all contracts where (a) non-performance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Non-performance shall not include contracts where Employers decision was overruled by the dispute resolution mechanism. Non-performance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

<sup>b</sup>This requirement also applies to contracts executed by the Bidder as Joint Venture partner.

### 2.2.2 Suspension Based on Execution of Bid-Securing Declaration

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Not under suspension based on execution of a Bid-Securing Declaration pursuant to ITB 4.6.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Letter of Technical Bid

### 2.2.3 Pending Litigation and Arbitration

Pending litigation and arbitration criterion shall apply.

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
All pending litigation, arbitration, or other material events impacting the net worth and/or liquidity of the bidder, if any, shall be treated as resolved against the Bidder and so shall in total not represent more than . <b>100%</b> of the Bidder's net worth calculated as the difference between total assets and total liabilities.	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form CON – 1

*Note: The employer will determine whether the appending litigation, arbitration or other material events would impact the net worth.*

### 2.2.4 Declaration: Environmental, Health and Safety Past Performance

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Declare any contracts that have been suspended or terminated and/or performance security called by an employer for reasons related to the non-compliance of any environmental, health and safety contractual obligations in the past five years.	Must make the declaration. If the bidder proposes Specialist Sub-contractor/s to meet EQC 2.4.2, those Specialist Sub-contractor/s must also make the declaration	Not applicable	Each partner must make the declaration. If the bidder proposes Specialist Sub-contractor/s to meet EQC 2.4.2, those Specialist Sub-contractor/s must also make the declaration	Not applicable	Form CON-2

## 2.3 Financial Situation

### 2.3.1 Historical Financial Performance

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Submission of audited financial statements <b>certified by a Chartered Accountant (CA) with valid UDIN</b> or, if not required by the law of the Bidder's country, other financial statements acceptable to the Employer, for the last <b>three (3) Financial years (2022-23, 2023-24 and 2024-25)</b> to demonstrate the current soundness of the Bidder's financial position .As a minimum, the Bidder's net worth for the last year, calculated as the difference between total assets and total liabilities should be <b>positive</b> .	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form FIN - 1 with attachments <b>Substantiated by documents certified by a Chartered Accountant (CA) with valid UDIN</b>

### 2.3.2 Average Annual Construction Turnover

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Minimum average annual construction turnover of <b>INR 5.26 Crore (INR Five Crore and Twenty Six Lakh only)</b> , calculated as total certified payments received for contracts in progress or completed, within the last <b>3 financial years (2022-23, 2023-24 and 2024-25)</b> , <b>substantiated by documents certified by a Chartered Accountant (CA) with valid UDIN</b>	Must meet requirement 100%	Must meet requirement 100%	Must meet 24% of the requirement	Must meet 40% of the requirement	Form FIN – 2 <b>Substantiated by documents certified by a Chartered Accountant (CA) with valid UDIN</b>

### 2.3.3 Financial Resources

If the bid evaluation process and the decision for the award of the Contract takes more than 1 year from the date of bid submission, Bidders may be asked to resubmit their current contract commitments and latest information on financial resources supported by latest audited accounts or audited financial statements, or if not required by the law of the Bidder's country, other financial statements acceptable to the Employer, and the Bidders' financial capacity, will be reassessed on this basis.

Criteria Requirement	Compliance Requirements			Documents Submission Requirements	
	Single Entity	Joint Venture			
		All Partners Combined	Each Partner		One Partner
For Single Entities: The Bidder must demonstrate that its financial resources defined in FIN - 3, less its financial obligations for its current contract commitments defined in FIN - 4, meet or exceed the total requirement for the Subject Contract of <b>INR 65.76 Lakh (INR Sixty Five Lakh and Seventy Six Thousand only)</b>	Must meet requirement	Not applicable	Not applicable	Not applicable	Form FIN – 3 and Form FIN – 4
For Joint Ventures: (1) <b>One partner</b> must demonstrate that its financial resources defined in FIN - 3, less its financial obligations for its own current contract commitments defined in FIN - 4, meet or exceed its required share of <b>40%</b> from the total requirement for the Subject Contract. <b>AND</b>	Not applicable	Not applicable	Not applicable	Must meet requirement	Form FIN – 3 and Form FIN – 4
(2) <b>Each partner</b> must demonstrate that its financial resources defined in FIN - 3, less its financial obligations for its own current contract commitments defined in FIN - 4, meet or exceed its required share of <b>24%</b> from the total requirement for the Subject Contract. <b>AND</b>	Not applicable	Not applicable	Must meet requirement	Not applicable	Form FIN – 3 and Form FIN – 4
(3) The <b>joint venture</b> must demonstrate that the combined financial resources of all partners defined in FIN - 3, less all the partners' total financial obligations for the current contract	Not applicable	Must meet requirement	Not applicable	Not applicable	Form FIN – 3 and Form FIN – 4



Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
commitments defined in FIN - 4, meet or exceed the total requirement for the Subject Contract of <b>INR 65.76 Lakh (INR Sixty Five Lakh and Seventy Six Thousand only)</b>					

## 2.4 Construction Experience

### 2.4.1 Contracts of Similar Size and Nature

Criteria	Compliance Requirements			Documents	
Requirement	Single Entity	Joint Venture			Submission Requirements
		All Partners Combined	Each Partner	One Partner	
Participation as a contractor, Joint Venture partner, or Subcontractor, in at least one contract that has been satisfactorily and substantially completed within the <b>last 7 years</b> ending the date of bid publishing and that is similar to the proposed works, where the value of the Bidder's participation <b>exceeds INR 2.10 Crore (INR Two Crore and Ten Lakh only)</b> The similarity of the Bidder's participation shall be based on: <sup>a, b</sup> <b>1. Civil works related to water resources management structures.</b>	Must meet requirement	Not applicable	Not applicable <sup>c</sup>	Must meet requirement	Form EXP – 1

**Note: 90 % (of the contract) to be considered substantially completed**

<sup>a</sup>For contracts under which the Bidder participated as a Joint Venture partner or Subcontractor, only the Bidder's share, by value, shall be considered to meet this requirement.

<sup>b</sup>For contracts implemented by a Joint Venture contractor, if the Bidder comprises the same Joint Venture, the 'Single Entity' requirements will apply.

<sup>c</sup>In case of complex works, the Employer may require each partner to demonstrate one satisfactorily and substantially completed contract of similar nature where such partner's value of participation exceeds 25% of the subject contract value.

### 2.4.2 Construction Experience in Key Activities

**2.4.2 (a)** Must be complied with by the Bidder. In case of a Joint Venture Bidder, the Bidder or at least one of the partners must meet the requirement in the key activity. For contracts under which the Bidder participated as a Joint Venture partner, only the Bidder's designated scope of works under the contracts shall be considered to meet this requirement.

**Table A**

Criteria Requirement	Compliance Requirements		Documents
	Single Entity	Joint Venture	Submission Requirements
For the above or other contracts executed during the period stipulated in 2.4.1, a minimum construction experience in any of the following key activities:	Must meet requirement	Must meet requirement	Form EXP – 2 <sup>a</sup>
<b>Wetland reclamation/ Sluice gate construction/ embankment construction/ Desiltation and excavation/ Aquatic weed management/ Fishery-based eco-restoration</b>			

<sup>a</sup> Submission requirements: Form EXP – 2 shall be supported by documents such as Signed Contract Agreement, Taking-Over Certificate or Contract Completion Certificate indicating the contract name, value, completion date (or percentage of substantial completion), activities performed by Joint Venture partners, and other relevant details sufficient to demonstrate compliance with the requirements.

**2.4.2. (b) The Employer accepts any of the following activities to be subcontracted.** They may be complied with by the Bidder or by its proposed Specialist Subcontractor.

If the key activity is to be undertaken by a Specialist Subcontractor, the Employer shall require evidence of the subcontracting agreement from the Bidder.

**Table B**

Criteria Requirement	Compliance Requirements		Documents
	Single Entity or Its Specialist Subcontractors	Joint Venture or Its Specialist Subcontractors	Submission Requirements
For the above or other contracts executed during the period stipulated in 2.4.1, a minimum construction experience is required in the following key activities:	<b>Not Applicable</b>	<b>Not Applicable</b>	Form EXP – 2 <sup>a</sup>
<b>Not Applicable</b>			

<sup>a</sup>Submission requirements: Form EXP – 2 shall be supported by documents such as Signed Contract Agreement, Taking-Over Certificate or Contract Completion Certificate indicating the contract name, value, completion date (or percentage of substantial completion), activities performed by Joint Venture partners, and other relevant details sufficient to demonstrate compliance with the requirements.

**2.4.3 Specific Experience in Managing Environmental, Health and Safety Aspects - NOT APPLICABLE**

**2.5 Organizational Environmental, Health and Safety System**

**2.5.1 Environmental, Health and Safety Certification - NOT APPLICABLE**

**2.5.2 Environmental, Health and Safety Documentation- NOT APPLICABLE**

**2.5.3 Environmental, Health and Safety Dedicated Personnel**

<b>Criteria</b>	<b>Compliance Requirements</b>		<b>Documents</b>
<b>Requirement</b>	<b>Single Entity or Its Specialist Subcontractors</b>	<b>Joint Venture or Its Specialist Subcontractors</b>	<b>Submission Requirements</b>
Availability of in-house personnel dedicated to EHS issues: <b>1. Environment, Health and Safety Officer</b>	Must meet requirements	All members must meet requirements	Form EXP – 6

**Section 4: Bidding Forms  
Table of Forms**

<b>Letter of Technical Bid .....</b>	<b>4-45</b>
<b>Letter of Price Bid .....</b>	<b>4-49</b>
<b>Bid Security .....</b>	<b>4-51</b>
<b>Bid-Securing Declaration .....</b>	<b>4-10</b>
<b>Affiliate Company Guarantee.....</b>	<b>4-11</b>
<b>Technical Proposal .....</b>	<b>4-12</b>
Personnel .....	4-12
Form PER – 1: Proposed Personnel .....	4-12
Form PER – 2: Resume of Proposed Personnel .....	4-13
Equipment .....	4-14
Site Organization .....	4-15
Method Statement.....	4-15
Mobilization Schedule .....	4-15
Construction Schedule .....	4-15
Environmental, Health and Safety Management Plan .....	4-15
Environmental, Health and Safety Code of Conduct.....	4-16
<b>Bidder's Qualification .....</b>	<b>4-18</b>
Form ELI - 1: Bidder's Information Sheet .....	4-19
Form ELI - 2: Joint Venture Information Sheet .....	4-20
Form CON - 1: Historical Contract Nonperformance.....	4-21
Form CON - 2: EHS Performance Declaration .....	4-22
Form FIN - 1: Historical Financial Performance .....	4-24
Form FIN - 2: Average Annual Construction Turnover .....	4-25
Form FIN - 3: Availability of Financial Resources.....	4-26
Form FIN- 4: Financial Requirement for Current Contract Commitments .....	4-27
Form FIN- 5: Self-Assessment Tool for Bidder's Compliance to Financial Resources.....	4-28
Form EXP - 1: Contracts of Similar Size and Nature.....	4-29
Form EXP -2: Construction Experience in Key Activities.....	4-30
Form EXP – 3: Specific Experience in Managing Environmental, Health and Safety Aspects ...	4-31
Form EXP – 4: Environmental, Health and Safety Certification .....	4-32
Form EXP – 5: Environmental, Health and Safety Documentation .....	4-32
Form EXP – 6: Environmental, Health and Safety Dedicated Personnel .....	4-33
<b>Schedules .....</b>	<b>4-34</b>
Schedule of Payment Currencies.....	4-34
Tables of Adjustment Data .....	4-35
Activity Schedule .....	4-36
Bill of Quantities .....	4-37

**Letter of Technical Bid**

*The Bidder must accomplish the Letter of Technical Bid on its letterhead clearly showing the Bidder's complete name and address.*

Date: .....

OCB No.: .....

Invitation for Bid No.: .....

To:[insert complete name of the Employer]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) 8.
- (b) We acknowledge that we have read and understand ADB's Anticorruption Policy (1998) and Integrity Principles and Guidelines (2015), both as amended from time to time.
- (c) We offer to execute in conformity with the Bidding Documents the following Works: [insert narrative]
- (d) Our Bid consisting of the Technical Bid and the Price Bid shall be valid for a period of [insert bid validity period as specified in ITB 18.1 of the BDS] days starts from the date fixed for the bid submission deadline in accordance with ITB 22.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (e) Our firm, including any Subcontractors or Suppliers for any part of the Contract, have nationalities from eligible countries in accordance with ITB 4.2.
- (f) We, our directors, key officers, key personnel,including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract, do not have any conflict of interest in accordance with ITB 4.3.**

If there is any conflict of interest, please state details:

- (i) Parties involved in the conflict of interest: \_\_\_\_\_
- (ii) Details about the conflict of interest: \_\_\_\_\_

- (g) We are not participating, as a Bidder, either individually or as partner in a Joint Venture, in more than one Bid in this bidding process in accordance with ITB 4.3(e), other than alternative offers submitted in accordance with ITB 13.
- (h) Our firm, Joint Venture partners, our respective direct and indirect shareholders, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors,consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract, are not subject to, or not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Asian Development Bank or a debarment imposed by the Asian Development Bank in accordance

with the Agreement for Mutual Enforcement of Debarment Decisions between the Asian Development Bank and other development banks.<sup>2</sup>

- (i) Our firm, Joint Venture partners, our respective direct and indirect shareholders, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract, are not under ongoing investigation and/or sanctions proceedings by the Asian Development Bank or any multilateral development bank.

If under ongoing investigation and/or sanction proceedings by the Asian Development Bank or any multilateral development bank, please state details:

- (i) Name of the multilateral development bank: \_\_\_\_\_  
(ii) Reason for the ongoing investigation / allegations: \_\_\_\_\_

- (j) Our firm, Joint Venture partners, our respective direct and indirect shareholders, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the Contract, are not temporarily suspended, debarred, declared ineligible, or subject to any national and/or international sanctions by any country, any international organization, any multilateral development bank and other donor agency.

If so temporarily suspended, debarred, declared ineligible, or subject to any national and/or international sanctions by any country, any international organization, any multilateral development bank and other donor agency, please state details (as applicable to each Joint Venture partner, their respective direct or indirect shareholders, directors, key officers, key personnel, associate, parent company, affiliate, subsidiaries, Subcontractors, consultants, subconsultants, manufacturers, service providers and/or Suppliers):

- (i) Name of Institution: \_\_\_\_\_  
(ii) Period of the temporary suspension, debarment, ineligibility, or national or international sanction [start and end date]: \_\_\_\_\_  
(iii) Reason for the temporary suspension, debarment, ineligibility, or national or international sanction: \_\_\_\_\_

- (k) Our firm, Joint Venture partners, associates, parent company affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers, Suppliers, key officers, directors and key personnel have never been charged or convicted with any criminal offense (including felonies but excluding misdemeanors) or infractions and/or violations of ordinance; nor charged or found liable in any civil or administrative proceedings in the last 10 years; or undergoing investigation for such, or subject to any criminal, civil or administrative orders, monitorship or enforcement actions.

If so charged, convicted/found liable, under ongoing investigation, or subject to orders, monitorship or enforcement actions, please state details:

- (i) Nature of the offense, violation, proceedings, investigation, and/or monitorship or enforcement actions: \_\_\_\_\_

---

<sup>2</sup> These institutions include African Development Bank, European Bank for Reconstruction and Development (EBRD), Inter-American Development Bank (IADB), and the World Bank Group. According to paragraph 9 of the Agreement, other international financial institutions may join upon the consent of all Participating Institutions and signature of a Letter of Adherence by the international financial institution substantially in the form provided (Annex B to the Agreement). Upon adherence, such international financial institution shall become a Participating Institution for purposes of the Agreement. Bidders are advised to check [www.adb.org/integrity](http://www.adb.org/integrity) for updates.

- (ii) Court, area of jurisdiction and/or the enforcement agency: \_\_\_\_\_
- (iii) Resolution [*i.e. dismissed; settled; or convicted/duration of penalty*]: \_\_\_\_\_
- (iv) Other relevant details [*please specify*]: \_\_\_\_\_

(l) Our firm, Joint Venture partners, our respective direct and indirect shareholders, directors, key officers, key personnel, associates, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers, can make and receive electronic fund transfer payments through the international banking system or otherwise discharge the Employer's obligation upon initiation of wire transfer.

If unable to make or receive funds through the international banking system or otherwise discharge the Employer's obligation upon initiation of wire transfer, please state the details:

- (i) Nature of the restriction: \_\_\_\_\_
- (ii) Jurisdiction of the restriction: \_\_\_\_\_
- (iii) Other relevant details: \_\_\_\_\_

(m) Our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers, key officers, directors and key personnel are not from a country which is prohibited to export goods or services to, or receive any payments from the Employer's country and/or are not prohibited to receive payments for particular goods or services by the Employer's country by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations.

(n) We have paid, or will pay the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract.<sup>3</sup>

Name of Recipient	Address	Reason	Amount
.....	.....	.....	.....
.....	.....	.....	.....

(o) We understand that it is our obligation to notify the Employer of any changes in connection with the matters described in paragraphs (f), (h), (i), (j), (k), (l), (m) and (n) of this Letter of Technical Bid.

(p) [We are not a government-owned enterprise] / [We are a government-owned enterprise but meet the requirements of ITB 4.5]<sup>4</sup>

(q) We have not been suspended nor declared ineligible by the Employer based on execution of a Bid-Securing Declaration in accordance with ITB 4.6.

(r) At any time following submission of our Bid, we shall permit, and shall cause our Joint Venture partners, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract to permit ADB or its representative to inspect our site, assets, accounts and records and other documents relating to the bid

<sup>3</sup> If none has been paid or is to be paid, indicate "None".

<sup>4</sup> Use one of the two options as appropriate.

submission and to have them audited by auditors appointed by ADB. We understand that failure of this obligation may constitute obstructive practice that may result in debarment and/or contract termination.

- (s) Regardless of whether the contract will be awarded to us, we shall preserve all accounts, records and other documents related to bid submission for at least 3 years from the date of submission of the bid or the period prescribed in applicable law, whichever is longer.
- (t) If we are awarded the contract, we shall preserve all accounts, records and other documents related to the procurement and execution of the contract for at least 5 years after completing the works contemplated in the relevant contracts or the period prescribed in applicable law, whichever is longer.
- (u) If our Bid is accepted, we commit to mobilizing key equipment and personnel in accordance with the requirements set forth in Section 6 (Employer's Requirements) and our technical proposal, or as otherwise agreed with the Employer.
- (v) We certify on behalf of the Bidder, that the information provided in the bid has been fully reviewed, given in good faith, and to the best of our knowledge is true and complete. We understand that it is our obligation to inform the Employer of any changes to the information as and when it becomes known to us. We understand that any misrepresentation that knowingly or recklessly misleads, or attempts to mislead may lead to the automatic rejection of the Bid or cancellation of the contract, if awarded, and may result in remedial actions, in accordance with ADB's Anticorruption Policy(1998, as amended to date) and Integrity Principles and Guidelines (2015, as amended from time to time).

Name .....

In the capacity of .....

Signed .....

Duly authorized to sign the Bid for and on behalf of .....

Date.....



**Letter of Price Bid**

**(Not to be submitted with the technical bid and to be only submitted online as part of the Financial Cover at <https://assamtenders.gov.in>)**

**██████████**  
*The Bidder must accomplish the Letter of Price Bid on its letterhead clearly showing the Bidder's complete name and address.*

Date: .....

OCB No.: .....

Invitation for Bid No.: .....

To:[insert complete name of the Employer]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) 8.
- (b) We acknowledge that we have read and understand ADB's Anticorruption Policy (1998) and Integrity Principles and Guidelines (2015), both as amended from time to time.
- (c) We offer to execute in conformity with the Bidding Documents the following Works: [insert narrative]
- (d) The total price of our Bid, excluding any discounts offered in item (d) below is:

[amount of foreign currency in words], [amount in figures], and [amount of local currency in words], [amount in figures]  
The total bid price from the Summary of Bill of Quantities for admeasurement contracts or Activity Schedule for lump sum contracts should be entered by the bidder inside this box.

*Absence of the total bid price in the Letter of Price Bid may result in the rejection of the bid.*

- (e) The discounts offered and the methodology for their application are as follows: [insert discounts and methodology for their application if any]
- (f) Our Bid shall be valid for a period of [insert bid validity period as specified in ITB 18.1 of the BDS] days starts from the date fixed for the bid submission deadline in accordance with ITB 22.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (g) If our Bid is accepted, we commit to obtain a performance security in accordance with the Bidding Documents.

- (h) We understand that this bid, together with your written acceptance thereof included in your notification of award through the issuance of Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (i) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.
- (j) At any time following submission of our Bid, we shall permit, and shall cause our Joint Venture partners, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract to permit ADB or its representative to inspect our site, assets, accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by ADB. We understand that failure of this obligation may constitute obstructive practice that may result in debarment and/or contract termination.
- (k) Regardless of whether the contract will be awarded to us, we shall preserve all accounts, records and other documents related to bid submission for at least 3 years from the date of submission of the bid or the period prescribed in applicable law, whichever is longer.
- (l) If we are awarded the contract, we shall preserve all accounts, records and other documents related to the procurement and execution of the contract for at least 5 years after completing the works contemplated in the relevant contracts or the period prescribed in applicable law, whichever is longer.
- (m) We confirm and stand by our commitments and other declarations made in connection with the submission of our Letter of Technical Bid.
- (n) We certify on behalf of the Bidder, that the information provided in the bid has been fully reviewed, given in good faith, and to the best of our knowledge is true and complete. We understand that it is our obligation to inform the Employer of any changes to the information as and when it becomes known to us. We understand that any misrepresentation that knowingly or recklessly misleads, or attempts to mislead may lead to the automatic rejection of the Bid or cancellation of the contract, if awarded; and may result in remedial actions, in accordance with ADB's Anticorruption Policy (1998, as amended to date) and Integrity Principles and Guidelines (2015, as amended from time to time).

Name .....

In the capacity of .....

Signed .....

Duly authorized to sign the Bid for and on behalf of .....

Date.....

**Bid Security**

**(At the option of the Bidder the Bid Security may be submitted online through <https://assamtenders.gov.in> or through hard copy of the Bank Guarantee in the manner specified at ITB Clause 19.1)**

**Bank Guarantee**

*[Bank’s name, and address of issuing branch or office]*<sup>5</sup>

**Beneficiary:** ..... *[Name and address of the Employer]*.....

**Date:** .....

**Bid Security No.:** .....

We have been informed that *[name of the Bidder]*(hereinafter called "the Bidder") has submitted to you its bid dated *[please specify]* (hereinafter called "the Bid") for the execution of *[name of contract]* under Invitation for Bids No. *[please specify]* ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we *[name of bank]*hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in words]* *[amount in figures]*upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Letter of Technical Bid and Letter of Price Bid; or
- (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
- (c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails or refuses to execute the Contract Agreement, or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB, or (iii) fails or refuses to furnish the domestic preference security, if required.

This guarantee will expire (a) if the Bidder is the successful Bidder, upon our receipt of copies of the Contract Agreement signed by the Bidder and the Performance Security issued to you upon the instruction of the Bidder; and (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy your notification to the Bidder of the name of the successful Bidder, or (ii) 28 days after the expiration of the Bidder’s bid.

Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revisions, ICC Publication No. 758.<sup>6</sup>

*[Authorized signature(s) and bank’s seal (where appropriate)]*

<sup>5</sup> All italicized text is for use in preparing this form and shall be deleted from the final document.

<sup>6</sup> Or the employer may use "Uniform Rules for Demand Guarantees (URDG) ICC Publication No. 458" as appropriate.

**Bid-Securing Declaration - (Not applicable)**

Date: *[insert date (as day, month and year)]*

Bid No.: *[insert number of bidding process]*

**Alternative No.: [insert identification No if this is a bid for an alternative]**

**To: [insert complete name of the Employer]**

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Borrower for the period of time of *[insert the number of months or years indicated in ITB 19.2 of the BDS]* starting on the date that we receive a notification from the Employer, if we are in breach of our obligation(s) under the bid conditions, because we

(a) have withdrawn our Bid during the period of bid validity specified in the Letter of Technical Bid and Letter of Price Bid; or

(b) do not accept the correction of errors in accordance with the Instruction to Bidders (hereinafter “the ITB”); or

(c) having been notified of the acceptance of our Bid by the Employer during the period of bid validity, (i) fail or refuse to execute the Contract, if required, (ii) fail or refuse to furnish the Performance Security, in accordance with the ITB, or (iii) fail or refuse to furnish the Domestic Preference Security, if required.

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) 28 days after the expiration of our Bid.

Signed: *[insert signature of person whose name and capacity are shown]*

In the capacity of *[insert legal capacity of person signing the Bid-Securing Declaration]*

Name: *[insert complete name of person signing the Bid-Securing Declaration]*

Duly authorized to sign the bid for and on behalf of *[insert complete name of the bidder]*

Dated on \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_

**Corporate Seal [where appropriate]**

**AFFILIATE COMPANY GUARANTEE - (Not Applicable)**

Name of Contract/Contract No.: \_\_\_\_\_

Name and address of Employer: \_\_\_\_\_

[together with successors and assigns].

We have been informed that [(name of Contractor)] (hereinafter called the "Contractor") is submitting an offer for the above-referenced Contract in response to your invitation, and that the conditions of your invitation require its offer to be supported by an affiliate company guarantee.

In consideration of you, the Employer, awarding the Contract to the Contractor, we [name of affiliated company] irrevocably and unconditionally guarantee to you, as a primary obligation, that (i) throughout the duration of the Contract, we will make available to the Contractor our financial, technical capacity, expertise and resources required for the Contractor's satisfactory performance of the Contract; and (ii) we are fully committed, along with the Contractor, to ensuring a satisfactory performance of the Contract.

If the Contractor fails to so perform its obligations and liabilities and comply with the Contract, we will indemnify the Employer against and from all damages, losses and expenses (including legal fees and expenses) which arise from any such failure for which the Contractor is liable to the Employer under the Contract.

This guarantee shall come into full force and effect when the Contract comes into full force and effect. If the Contract does not come into full force and effect within a year of the date of this guarantee, or if you demonstrate that you do not intend to enter into the Contract with the Contractor, this guarantee shall be void and ineffective. This guarantee shall continue in full force and effect until all the Contractor's obligations and liabilities under the Contract have been discharged, when this guarantee shall expire and shall be returned to us, and our liability hereunder shall be discharged absolutely.

This guarantee shall apply and be supplemental to the Contract as amended or varied by the Employer and the Contractor from time to time. We hereby authorize them to agree on any such amendment or variation, the due performance of which and compliance with which by the Contractor are likewise guaranteed hereunder. Our obligations and liabilities under this guarantee shall not be discharged by any allowance of time or other indulgence whatsoever by the Employer to the Contractor, or by any variation or suspension of the works to be executed under the Contract, or by any amendments to the Contract or to the constitution of the Contractor or the Employer, or by any other matters, whether with or without our knowledge or consent.

This guarantee shall be governed by the law of the same country (or other jurisdiction) that governs the Contract and any dispute under this guarantee shall be finally settled under the [Rules or Arbitration provided in the Contract]. We confirm that the benefit of this guarantee may be assigned subject only to the provisions for assignment of the Contract.

Signed by:.....

Signed by: .....

[signature]

[signature]

.....

.....

[name]

[name]

.....

.....

[position in parent/subsidiary company]

[position in parent/subsidiary company]

Date:.....

*If permitted in accordance with ITB 32.2 of the BDS, the Bidder shall provide the Affiliate Company Guarantee Form filled out and signed by each subsidiary, parent entity, or affiliate that the Bidder submits for consideration of the Employer in determining its qualifications.*


**Technical Proposal**

**Personnel**

**Form PER – 1: Proposed Personnel**

Bidder should provide the details of the proposed personnel and their experience record in the relevant Information Forms below for each candidate:

1.	<b>Title of position</b>
	<b>Name</b>
2.	<b>Title of position</b>
	<b>Name</b>
3.	<b>Title of position</b>
	<b>Name</b>
4.	<b>Title of position</b>
	<b>Name</b>
etc.	<b>Title of position</b>
	<b>Name</b>

 *All titles of positions will be as listed in Section 6 (Employer's Requirements).*

**Form PER – 2: Resume of Proposed Personnel**

The Bidder shall provide all the information requested below. Use one form for each position.

<b>Position</b>		
<b>Personnel information</b>	<b>Full Legal Name</b>	<b>Date of birth</b>
	<b>Known as</b>	<b>Place of Birth</b>
	<b>Nationality</b>	<b>Citizenship</b>
	<b>Type of Government ID</b>	<b>ID number</b>
	<b>Attach a copy of ID to this form</b>	
<b>Professional qualifications</b>		
<b>Present employment</b>	<b>Name of employer</b>	
	<b>Address of employer</b>	
	<b>Telephone</b>	<b>Contact (manager / personnel officer)</b>
	<b>Fax</b>	<b>E-mail</b>
	<b>Job title</b>	<b>Years with present employer</b>

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

<b>From</b>	<b>To</b>	<b>Company / Project / Position / Relevant Technical and Management Experience</b>

## Equipment

### Form EQU: Equipment

The Bidder shall provide adequate information and details to demonstrate clearly that it has the capability to meet the equipment requirements indicated in Section 6 (Employer's Requirements), using the Forms below. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Bidder.

<b>Item of Equipment</b>		
<b>Equipment Information</b>	<b>Name of manufacturer</b>	<b>Model and power rating</b>
	<b>Capacity</b>	<b>Year of manufacture</b>
<b>Current Status</b>	<b>Current location</b>	
	<b>Details of current commitments</b>	
<b>Source</b>	<b>Indicate source of the equipment</b> <input type="checkbox"/> Owned <input type="checkbox"/> Rented <input type="checkbox"/> Leased <input type="checkbox"/> Specially manufactured	

Omit the following information for equipment owned by the Bidder.

<b>Owner</b>	<b>Name of owner</b>	
	<b>Address of owner</b>	
	<b>Telephone</b>	<b>Contact name and title</b>
	<b>Fax</b>	<b>Telex</b>
<b>Agreements</b>	<b>Details of rental / lease / manufacture agreements specific to the project</b>	



**Site Organization:**

**Insert Site organization information**

**Method Statement:**

*[insert method Statement – A detailed note should be submitted outlining bidders proposed methodology and program of construction including Environmental Management Plan, backed with equipment, materials and manpower planning and deployment, duly supported with broad calculations and quality control system/assurance procedures proposed to be adopted, justifying their capability of execution and completion of the work as per technical specifications within the stipulated review of completion as per mile stones]*

**Mobilization Schedule**

*Insert Mobilization schedule*

Please reflect the no-objection request and approval step for Site Specific Environmental, Health and Safety Management Plan as per Contract Conditions in the Mobilization Schedule.

**Construction Schedule**

*Insert Construction Schedule*

The construction schedule shall include the following key milestones:

- 
- 
- 

**Environmental, Health and Safety Management Plan (EHSMP)**

The selected bidder shall have to submit the duly filled up EHSMP formats along with the Performance Security, after receiving the LOA or else the LOA issued shall be cancelled by the Employer and the bid security of the selected bidder shall be forfeited by the employer.

## Environmental, Health and Safety Code of Conduct

### Environmental, Health and Safety Code of Conduct for Contractor's Personnel Form

*The minimum content of the EHS Code of Conduct form as set out by the Employer shall not be substantially modified. However, the Bidder may add requirements as appropriate, including to take into account Contract-specific issues/risks.*

*The Bidder shall initial and submit the EHS Code of Conduct form as part of its bid.*

#### **ENVIRONMENTAL, HEALTH AND SAFETY CODE OF CONDUCT FOR CONTRACTOR'S PERSONNEL**

We are the Contractor, [enter name of Contractor]. We have signed a contract with [enter name of Employer] for [enter description of the Works]. These Works will be carried out at [enter the Site and other locations where the Works will be carried out]. Our contract requires us to implement measures to address environmental, health and safety risks related to the Works.

This EHS Code of Conduct is part of our measures to deal with environmental, health and safety risks related to the Works. It applies to all our staff, labourers and other employees at the Works Site or other places where the Works are being carried out. It also applies to the personnel of each subcontractor and any other personnel assisting us in the execution of the Works. All such persons are referred to as "**Contractor's Personnel**" and are subject to this EHS Code of Conduct.

This EHS Code of Conduct identifies the behavior that we require from all Contractor's Personnel.

Our workplace is an environment where unsafe, offensive, abusive or violent behavior will not be tolerated and where all persons should feel comfortable raising issues or concerns without fear of retaliation.

#### **REQUIRED CONDUCT**

Contractor's Personnel shall:

1. carry out his/her duties competently and diligently;
2. comply with this EHS Code of Conduct and all applicable laws, regulations and other requirements, including requirements to protect the health, safety and well-being of other Contractor's Personnel and any other person;
3. maintain a safe working environment including by:
  - (a) ensuring that workplaces, machinery, equipment and processes under each person's control are safe and without risk to health;
  - (b) wearing required personal protective equipment;
  - (c) using appropriate measures relating to chemical, physical and biological substances and agents; and
  - (d) following applicable emergency operating procedures.
4. report work situations that he/she believes are not safe or healthy and remove himself/herself from a work situation which he/she reasonably believes presents an imminent and serious danger to his/her life or health;
5. treat other people with respect, and not discriminate against specific groups such as women, people with disabilities, migrant workers or children;
6. report violations of this EHS Code of Conduct; and

7. not retaliate against any person who reports violations of this EHS Code of Conduct, whether to us or the Employer, or who makes use of the grievance mechanism for Contractor's Personnel or the project's Grievance Redress Mechanism.

**RAISING CONCERNS**

If any person observes behavior that he/she believes may represent a violation of this EHS Code of Conduct, or that otherwise concerns him/her, he/she should raise the issue promptly. This can be done by call [ ] to reach the Contractor's hotline (*if any*) and leave a message.

The person's identity will be kept confidential, unless reporting of allegations is mandated by the country law. Anonymous complaints or allegations may also be submitted and will be given all due and appropriate consideration. We take seriously all reports of possible misconduct and will investigate and take appropriate action. We will provide warm referrals to service providers that may help support the person who experienced the alleged incident, as appropriate.

**CONSEQUENCES OF VIOLATING THE ENVIRONMENTAL, HEALTH AND SAFETY CODE OF CONDUCT**

Any violation of this EHS Code of Conduct by Contractor's Personnel may result in serious consequences, up to and including termination and possible referral to legal authorities.

FOR CONTRACTOR'S PERSONNEL:

I have received a copy of this EHS Code of Conduct written in a language that I comprehend. I understand that if I have any questions about this EHS Code of Conduct, I can contact [*enter name of Contractor's contact person(s) with relevant experience*] requesting an explanation.

Name of Contractor's Personnel: [*insert name*]

Signature: \_\_\_\_\_

Date: [*day month year*]: \_\_\_\_\_

Countersignature of authorized representative of the Contractor:

Signature: \_\_\_\_\_

Date: [*day month year*]: \_\_\_\_\_

**Bidders Qualification**

To establish its qualifications to perform the contract in accordance with Section 3 (Evaluation and Qualification Criteria) the Bidder shall provide the following information requested in the corresponding Information Sheets.

**Form ELI - 1: Bidder's Information Sheet**

<b>Bidder's Information</b>			
		<b>Information of the Bidder</b>	<b>If the Bidder is a subsidiary or branch, information of any parent company / companies</b>
<b>Names</b>	<b>Full legal name(s)</b>		
	<b>Full trading name(s) (if any)</b>		
<b>Addresses</b>	<b>Registered address(es)</b>		
	<b>Trading address(es)</b>		
	<b>Postal address(es) (if different from trading address)</b>		
<b>Type of organization</b>			
<b>Country of constitution / incorporation/ registration</b>			
<b>Year of constitution/ incorporation/ registration</b>			
<b>Corporate or registration number</b>			
<b>In case of a Joint Venture, legal name of each partner</b>			
<b>Bidder's authorized representative</b> (name, address, telephone number(s), fax number(s), e-mail address)			
<p><b>Attached are copies of the following documents.</b></p> <ol style="list-style-type: none"> <li>1) In case of a single entity, articles of incorporation or constitution and company incorporation/registration of the legal entity named above, in accordance with ITB 4.1 and ITB 4.2.</li> <li>2) Authorization to represent the firm or Joint Venture named above, in accordance with ITB 20.2.</li> <li>3) In case of a Joint Venture, a letter of intent to form a Joint Venture or Joint Venture agreement, in accordance with ITB 4.1.</li> <li>4) In case of a government-owned enterprise, any additional documents not covered under 1 above required to comply with ITB 4.5.</li> </ol>			

**Form ELI - 2: Joint Venture Information Sheet**

Each partner of the Joint Venture and Specialist Subcontractor must fill out this form separately.

<b>Joint Venture / Specialist Subcontractor Information</b>		
<b>Bidder's legal name</b>		
	<b>Information of Joint Venture Partner or Specialist Subcontractor</b>	<b>If any Joint Venture Partner or Specialist Subcontractor is a subsidiary or branch, information of any parent company/companies</b>
<b>Names</b>	<b>Full legal name(s)</b>	
	<b>Full trading name(s) (if any)</b>	
<b>Addresses</b>	<b>Registered address(es)</b>	
	<b>Trading address (es)</b>	
	<b>Postal address (es) (if different from trading address)</b>	
<b>Type of organization</b>		
<b>Country of constitution/incorporation/ registration</b>		
<b>Year of constitution/incorporation/ registration</b>		
<b>Corporate or registration number</b>		
<b>Joint Venture Partner's or Specialist Subcontractor's authorized representative information</b> (name, address, telephone number(s), fax number(s), e-mail address)		
<p><b>Attached are copies of the following documents.</b></p> <ol style="list-style-type: none"> <li>1) Articles of incorporation or constitution and company incorporation/registration of the legal entity named above, in accordance with ITB 4.1 and ITB 4.2.</li> <li>2) Authorization to represent the firm named above, in accordance with ITB 20.2.</li> <li>3) In the case of a government-owned enterprise, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB 4.5.</li> </ol>		

**Form CON – 1: Historical Contract Non-performance**

Each Bidder must fill out this form in accordance with Criteria 2.2.1 and 2.2.3 of Section 3 (Evaluation and Qualification Criteria) to describe any history of nonperforming contracts and pending litigation or arbitration formally commenced against it.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner’s name:

Joint Venture Partner: \_\_\_\_\_

<b>Table 1: History of Nonperforming Contracts</b>			
<p><b>Choose one of the following:</b></p> <p><input type="checkbox"/> No nonperforming contracts.</p> <p><input type="checkbox"/> Below is a description of nonperforming contracts involving the Bidder (or each Joint Venture partner if Bidder is a Joint Venture).</p>			
<b>Year</b>	<b>Description</b>	<b>Amount of Non-performed Portion of Contract (\$ equivalent)</b>	<b>Total Contract Amount (\$ equivalent)</b>
<i>[insert year]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Reason(s) for nonperformance: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>	<i>[insert amount]</i>

<b>Table 2: Pending Litigation and Arbitration</b>			
<p><b>Choose one of the following:</b></p> <p><input type="checkbox"/> No pending litigation, arbitration or any other material events impacting the net worth and/or liquidity of the bidder.</p> <p><input type="checkbox"/> Below is a description of all pending litigation, arbitration involving the Bidder or any other material events impacting the net worth and/or liquidity of the bidder (or each Joint Venture partner if Bidder is a Joint Venture).</p>			
<b>Year</b>	<b>Matter in Dispute</b>	<b>Value of Pending Claim in \$ Equivalent</b>	<b>Value of Pending Claim as a Percentage of Net Worth</b>
<i>[insert year]</i>	Contract Identification, as applicable: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer, parties involved in the material events impacting the net worth and/or liquidity of the bidder: <i>[insert full name]</i> Address of Employer, parties involved in the material events impacting the net worth and/or liquidity of the bidder: <i>[insert street/ city/ country]</i> Matter of Dispute: <i>[indicate full description of dispute]</i> Party who initiated the dispute: <i>[indicate “Employer” or “Contractor”]</i> Status: <i>[indicate status of dispute]</i>	<i>[insert amount]</i>	<i>[insert amount]</i>

**Table 2 of this form shall only be included if Criterion 2.2.3 of Section 3 (Evaluation and Qualification Criteria) is applicable.**

**Form CON – 2: EHS Performance Declaration**

Each Bidder must fill out this form in accordance with Criterion 2.2.4 of Section 3 (Evaluation and Qualification Criteria).

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner’s name:

Joint Venture Partner: \_\_\_\_\_

In case of a Specialist Subcontractors, each Specialist Subcontractor must fill out this form and provide the Specialist Subcontractor’s name:

Specialist Subcontractor: \_\_\_\_\_

<b>Environmental and Health and Safety Performance Declaration in accordance with Section 3 (Evaluation and Qualification Criteria)</b>			
<input type="checkbox"/> <b>No suspension or termination of contract:</b> An employer has not suspended or terminated a contract and/or called the performance security for a contract for reasons related to Environmental or Health and Safety performance since the date specified in Section 3(Evaluation and Qualification Criteria), Criterion 2.5.			
<input type="checkbox"/> <b>Declaration of suspension or termination of contract:</b> The following contract(s) has/have been suspended or terminated and/or Performance Security called by an employer(s) for reasons related to Environmental or Health and Safety performance since the date specified in Section 3(Evaluation and Qualification Criteria), Criterion2.5. Details are described below:			
<input type="checkbox"/> <b>Declaration of request for replacement of Key Environment, Health and Safety Personnel:</b> The following contract(s) has/have experienced a request by the Employer to replace Environmental, Health and Safety Personnel for reasons related to Environmental or Health and Safety performance since the date specified in Section 3(Evaluation and Qualification Criteria), Criterion2.5. Details are described below:			
<input type="checkbox"/> <b>Declaration of past fatality resulted from EHS issues on site:</b> The following contract(s) has/have experienced a fatality resulted from EHS issues on site since the date specified in Section 3(Evaluation and Qualification Criteria), Criterion2.5. Details are described below:			
Year	Suspended or terminated portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and US\$ equivalent)
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Reason(s) for suspension or termination: <i>[indicate main reason(s) e.g. discharge over environmental limit, workers did not have required health and safety permits to undertake high risk work, work carried out was not adhered to approved construction methodology and quality control plan]</i>	<i>[insert amount]</i>
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Reason(s) for suspension or termination: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>
...	...	<i>[list all applicable contracts]</i>	...

**Environmental and Health and Safety Performance Declaration  
in accordance with Section 3 (Evaluation and Qualification Criteria)**

**Performance Security called by an employer(s) for reasons related to EHS performance**

<b>Year</b>	<b>Contract Identification</b>	<b>Total Contract Amount (current value, currency, exchange rate and US\$ equivalent)</b>
<i>[insert year]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Reason(s) for suspension or termination: <i>[indicate main reason(s) e.g. discharge over environmental limit, workers did not have required health and safety permits to undertake high risk work, work carried out was not adhered to approved construction methodology and quality control plan]</i>	<i>[insert amount]</i>

**Key EHS personnel replacement requested by the Employer for reasons related to EHS performance**

<b>Year</b>	<b>Contract Identification and Reasons</b>	<b>Personnel replacement action and results</b>
<i>[insert year]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Reason(s) for requesting for replacement: <i>[indicate main reason(s)]</i>	<i>[insert description]</i>

*Fatality due to EHS issues on Site*

<b>Year</b>	<b>Contract Identification</b>	<b>Follow-on actions taken by the contractor</b>
<i>[insert year]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Employer: <i>[insert full name]</i> Address of Employer: <i>[insert street/ city/ country]</i> Description of fatality event: Causation:	<i>[insert description]</i>



**Form FIN - 1: Historical Financial Performance**

Each Bidder must fill out this form.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner: \_\_\_\_\_

Financial Data for Previous 3 Years [INR] certified by a Chartered Accountant with valid UDIN			
Year 1:2022-23		Year 2: 2023-24	Year 3: 2024-25
<b>Information from Balance Sheet</b>			
<b>Total Assets (TA)</b>			
<b>Total Liabilities (TL)</b>			
<b>NetWorth = TA - TL</b>			
<b>Current Assets (CA)</b>			
<b>Current Liabilities (CL)</b>			
<b>Working Capital = CA - CL</b>			
<b>Most Recent Working Capital</b>		To be obtained for most recent year and carried forward to FIN-3 Line 1; in case of Joint Ventures, to the corresponding Joint Venture Partner's FIN-3.	
<b>Information from Income Statement</b>			
<b>Total Revenues</b>			
<b>Profits Before Taxes</b>			
<b>Profits After Taxes</b>			
<input type="checkbox"/> Attached are copies of financial statements (balance sheets including all related notes, and income statements) for the last ____ years, as indicated above, complying with the following conditions. <ol style="list-style-type: none"> <li>1) Unless otherwise required by Section 3 of the Bidding Document, all such documents reflect the standalone financial situation of legal entity or entities comprising the Bidder and not the Bidder's parent companies, subsidiaries, or affiliates.</li> <li><b>2) <u>Historical financial statements must be audited by a certified Chartered accountant</u></b></li> <li>3) Historical financial statements must be complete, including all notes to the financial statements.</li> <li>4) Historical financial statements must correspond to accounting periods already completed and audited (no statements for partial periods shall be requested or accepted).</li> </ol>			

**Form FIN - 2: Average Annual Construction Turnover**

Each Bidder must fill out this form.

The information supplied should be the Annual Turnover of the Bidder or each partner of a Joint Venture for the total certified payments received from the clients for contracts in progress or completed.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner: \_\_\_\_\_

<b>Annual Turnover Data for the Last 3 Financial Years (Construction only)</b>	
<b>Year</b>	<b>Amount in INR</b>
<b>Average Annual Construction Turnover</b>	

*\*\*Note: Annual Construction Turnover must be substantiated by documents certified by Chartered Accountant (CA) with valid UDIN*

**Form FIN – 3: Availability of Financial Resources**

Bidder must demonstrate sufficient financial resources, usually comprising of Working Capital supplemented by credit line statements or overdraft facilities and others to meet the Bidder’s financial requirements for

- (a) its current contract commitments, and
- (b) the subject contract.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner’s name:

Joint Venture Partner: \_\_\_\_\_

<b>Financial Resources</b>		
<b>No.</b>	<b>Source of financing</b>	<b>Amount</b>
1	Working Capital (to be taken from FIN-1)	
2	Credit Line <sup>a</sup>	
3	Other Financial Resources	
	Total Available Financial Resources	

<sup>a</sup> To be substantiated by a letter from the bank issuing the line of credit.

**Form FIN- 4: Financial Resources Requirement**

Bidders (or each Joint Venture partner) should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner: \_\_\_\_\_

<b>Current Contract Commitments</b>						
<b>No.</b>	<b>Name of Contract</b>	<b>Employer's Contract (Address, Tel, Fax)</b>	<b>Contract Completion Date</b>	<b>Outstanding Contract Value (X)<sup>a</sup></b>	<b>Remaining Contract Period in months (Y)<sup>b</sup></b>	<b>Monthly Financial Requirement (X / Y)</b>
1						
2						
3						
4						
Total Monthly Financial Requirements for Current Contract Commitments						..... ..

<sup>a</sup> Remaining outstanding contract value to be calculated from 28 days prior to the bid submission deadline.  
<sup>b</sup> Remaining contract period to be calculated from 28 days prior to the bid submission deadline.

*Remaining contract period to be calculated from 28 days prior to bid submission deadline.*

**Form FIN - 5: Self-Assessment Tool for Bidder's Compliance to Financial Resources**  
**(Criterion 2.3.3 of Section 3)**

This form requires the same information submitted in Forms FIN - 3 and FIN-4. All conditions of "Available Financial Resources Net of CCC  $\geq$  Requirement for the Subject Contract" must be satisfied to qualify.

**Form FIN-5A: For Single Entities**

<b>For Single Entities: (A)</b>	<b>Total Available Financial Resources from FIN - 3 (B)</b>	<b>Total Monthly Financial Requirement for Current Contract Commitments (CCC) from FIN - 4 (C)</b>	<b>Available Financial Resources Net of CCC <math>D = (B - C)</math></b>	<b>Requirement for the Subject Contract (E)</b>	<b>Results: Yes or No [D must be greater than or equal to E] (F)</b>
(Name of Bidder)					

**Form FIN-5B: For Joint Ventures**

<b>For Joint Ventures: (A)</b>	<b>Total Available Financial Resources from FIN - 3 (B)</b>	<b>Total Monthly Financial Requirement for Current Contract Commitments (CCC) from FIN - 4 (C)</b>	<b>Available Financial Resources Net of CCC <math>D = (B - C)</math></b>	<b>Requirement for the Subject Contract (E)</b>	<b>Results: Yes or No [D must be greater than or equal to E] (F)</b>
One Partner:					
(Name of Partner)				.....	
Each Partner:					
(Name of Partner 1)				.....	
(Name of Partner 2)				.....	
(Name of Partner 3)				.....	
All partners combined	$\sum D =$ Sum of available financial resources net of current contract commitments for all partners		$\sum D =$ _____	.....	

Form FIN - 5 is made available for use by the bidder as a self-assessment tool, and by the Employer as an evaluation work sheet, to determine compliance with the financial resources requirement as stated in 2.3.3. Failure to submit Form FIN-5 by the Bidder shall not lead to bid rejection.

**Form EXP – 1: Contracts of Similar Size and Nature**

Fill up one (1) form per contract. Each contract shall be supported by documents such as Signed Contract Agreement and Certificate of Completion of the Works (In case 90% of the works have been completed, a certificate to that effect shall be submitted).

The exchange rate to be used to calculate the value of the contract for conversion to a specific currency shall be the selling rate of the Borrower’s Central bank on the date of the contract.

<b>Contract of Similar Size and Nature</b>			
<b>Contract No. . . . . . of . . . . .</b>	<b>Contract Identification</b>		
<b>Award Date</b>		<b>Completion Date</b>	
<b>Total Contract Amount</b>	<b>INR</b>		
<b>If partner in a Joint Venture or Subcontractor, specify participation of total contract amount</b>	<b>Percent of Total</b>	<b>Amount</b>	
<b>Employer’s Name Address Telephone/Fax Number E-mail</b>			
<b>Description of the Similarity in Accordance with Criterion 2.4.1 of Section 3 (Evaluation and Qualification Criteria)</b>			
	<p>1. Participation as a contractor, Joint Venture partner, or Subcontractor, in at least one contract that has been satisfactorily and substantially completed within the last <b>7</b> years ending the date of bid publishing and that is similar to the proposed works, where the value of the Bidder’s participation exceeds <b>INR 2.10 Crore (INR Two Crore and Ten Lakh only)</b>. The similarity of the Bidder’s participation shall be based on: Civil works related to water resources management structures.</p> <p><i>(Note: 90 % of the contract to be considered substantially completed)</i></p>		

**Form EXP - 2: Construction Experience in Key Activities**

Fill up one (1) form per contract.

Each contract shall be supported by documents such as Signed Contract Agreement and Certificate of Completion of the Works.

Each Bidder must fill out this form.

If complied by Specialist Subcontractor, each Specialist Subcontractor must fill out this form and provide the Specialist Subcontractor's name:

Specialist Subcontractor: \_\_\_\_\_

Contract with Similar Key Activities			
<b>Contract No. . . . . of . . . . .</b>	<b>Contract Identification</b>		
<b>Award Date</b>		<b>Completion Date</b>	
<b>Total Contract Amount</b>	<b>INR</b>		
<b>If partner in a Joint Venture or Subcontractor, specify participation of total contract amount</b>	<b>Percent of Total</b>	<b>Amount</b>	
<b>Employer's Name Address Telephone Number Fax Number E-mail</b>			
Description of the Key Activities in Accordance with Criterion 2.4.2 of Section 3 (Evaluation and Qualification Criteria)			
	1. <b>For contracts executed during the period stipulated in Section-3 Clause 2.4.1, a minimum construction experience in any of the following key activities: Wetland reclamation/ Sluice gate construction/ embankment construction/ Desiltation and excavation/ Aquatic weed management/ Fishery-based eco-restoration</b>		

**Form EXP – 3: Specific Experience in Managing Environmental, Health and Safety Aspects**

**NOT APPLICABLE**

**Form EXP – 4: Environmental, Health and Safety Certification-**  
**NOT APPLICABLE**

**Form EXP – 5: Environmental, Health and Safety Documentation**  
**NOT APPLICABLE**



**Form EXP – 6: Environmental, Health and Safety Dedicated Personnel**

Please provide CV [Form PER-2] of the in-house personnel of the main contractor/Joint Venture partners for the EHS positions specified in Section 6 (Employer's Requirements):

- Environment, Health and Safety Officer

**SCHEDULES**

**Schedule of Payment Currencies-**  
**NOT APPLICABLE**

**Activity Schedule-**  
**NOT APPLICABLE**

## BILL OF QUANTITIES

To be filled Online through <https://assamtenders.gov.in>

**Name of Work: Conservation, Restoration and Rejuvenation of Khoribari Borbilla Beel in Bongaigaon District under Assam SWIFT Project**

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
1	<p><b>Weeds clearance :</b> Clearance of different types and nature of Water Hyacinth, Aquatic weeds, Taranies, Dalanies, Pitannies, repeated vegetation etc. from Beels/Tanks/Ponds/swampy and marshy areas dragging manually/ mechanically/ through machinery etc. with necessary ropes, bamboos, chains and other debries devices etc. making patches, cutting into pieces with the help of knives/sickles/sews as necessary and depositing and stocking in the marginal areas of the beels/tanks/ponds/swampy and marshy areas in a regular form of bundhs or heaps within a lead of 100 m and lift up to 2.50 m as per direction of the deptt. etc complete (pushing out the patches or pieces of vegetations may also be made through the connecting channels with the river and burning the lifted vegetation after sunshine as and when applicable).</p> <p><b>i) Thin and floating water hyacinths and other aquatic weeds etc.</b></p>	Sqm	55127.79		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
2	<p><b>DE-SILTING &amp; EXCAVATION:</b> Removal of unsuitable soil including excavation, loading and disposal upto 1000 m lead from the beds of Beels/Tanks/ Ponds/ Swampy lands to the proper grade and slopes as required and utilizing the soil in construction of embankment or repairing of existing embankment on all sides, lifting in uniform layers not exceeding 20 cm thick (excluding compaction), clearing light jungles and trees up to 50 cm girth from the site of work, dug belling, profiling, ploughing or roughening or benching the seat, breaking clods up to 25 mm cube ramming, removing roots and vegetation, dressing to the designed section complete as directed. All kind of soil. <b>The de-silted soil shall be utilised for construction peripheral bund, rearing tank bund and Approach Road</b></p>	Cum	19772.00		
3	<p><b>TURFING:</b> Furnishing and laying of the live sods of perennial turf forming grass on embankment slope, verges or other locations shown on the drawing or as directed by the Engineer including preparation of ground, fetching of sods and watering as per Technical Specification Clause 309.</p>	Sqm	11322.18		
4	<p><b>Hume pipe laying at Bund :</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.....<b>NP3 HP...600 mm dia</b></p>	Rm	20.00		
5	<p><b>EARTHWORK IN EXCAVATION:</b> Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material... (I) Ordinary soil.Upto 15.0m Depth <b>For HP Culvert</b></p>	Cum	152.09		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
6	<b>PLAIN/ REINFORCEMENT CONCRETE:</b> Plain Cement Concrete M15 (1:3:6 nominal mix) in levelling course below open foundation of Head walls as per drawings & Technical Specification Clause 1109	Cum	12.29		
7	<b>BEDDING FOR PIPE:</b> Bedding for Pipe : Type B (First Class) Bedding..Laying (First Class) bedding on well compacted sand, moorum or approved granular material as per Clause 1105 (ii)Granular material	Cum	21.31		
8	<b>LAYING OF HP PIPE:</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.. <b>1000 mm dia</b>	Rm	15.00		
9	<b>LAYING OF HP PIPE:</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.. <b>1000 mm dia</b>	Rm	15.00		
10	<b>BRICK MASONRY WORK:</b> Head Wall: Foundation :-Brick masonry work in cement mortar in foundation complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	87.13		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
11	<b>BRICK MASONRY WORK:</b> Head Wall: Substructure :-Brick masonry work in cement mortar in Substructure complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	49.93		
12	<b>PLASTERING WORK:</b> Plastering with Cement Mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification	Sqm	164.46		
13	<b>EARTH CAUSHIONING WORK:</b> Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1. (i) Private Land (for Earth Work in cushioning)	Cum	41.00		
14	<b>PROTECTION WORK:</b> Providing and laying of dry rubble flooring complete as per drawings and technical specifications Clause 1303.3	Cum	31.11		
15	<b>PROTECTION WORK:</b> Providing and laying filter material underneath pitching in slopes	Cum	3.50		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
16	<b>SITE CLEARANCE IN APPROACH ROAD :</b> Clearing and grubbing road land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201. By Manual Means-, In area of non thorny jungle	Hectare	0.48		
17	<b>CONSTRUCTION OF SUBGRADE AND EARTHEN SHOULDERS:</b> Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1. (ii)Govt. Land <b>For Approach Road</b>	Cum	119.80		
18	<b>GSB WORK:</b> Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.By Mix in Place Method (ii)For Grading II Material <b>For Approach Road</b>	Cum	718.80		
19	<b>SITE DEVELOPMENT OF PARKING AREA :</b> Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth,sides of foundation etc. complete.	Cum	1800.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
20	<b>SITE DEVELOPMENT OF PARKING AREA (GSB)</b> : Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads & lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge. With material conforming to Grade-II (size range 53 mm to 0.075 mm ) having CBR Value-25	Cum	18.00		
21	<b>SITE DEVELOPMENT OF PARKING AREA (WBM: GR - III)</b> : Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density .	Cum	9.00		
22	<b>SITE DEVELOPMENT OF PARKING AREA (ICBP)</b> : Providing and laying 60 mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	Sqm	120.00		
23	<b>EARTHWORK IN EXCAVATION:</b> Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Cum	339.03		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
24	<b>ANTI-TERMITE TREATMENT</b> :- Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion) : Along external wall where the apron is not provided using chemical emulsion @ 7.5 litres / sqm of the vertical surface of the substructure to a depth of 300mm including excavation channel along the wall & rodding etc. With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration <b>For Community Hall</b>	Rm	215.33		
25	<b>ANTI-TERMITE TREATMENT</b> :- Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion) : Along the external wall below concrete or masonry apron using chemical emulsion @ 2.25 litres per linear metre including drilling and plugging holes etc.: With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration, <b>For Fish Landing</b>	Rm	119.10		
26	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos emulsifiable concentrate of 20% litre. <b>For Community Hall, Fish Landing,</b>	Lit	295.38		
27	<b>EARTHWORK IN FILLING :</b> Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. <b>For Community Hall</b>	Cum	438.02		
28	<b>EARTHWORK IN PLINTH FILLING :</b> Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. <b>For Community Hall, Fish Landing,</b>	Cum	135.71		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
29	Brick Soling Dry brick pitching half brick thick in drains including supply of bricks and preparing the surface complete : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 . <b>For Community Hall</b>	Sqm	261.81		
30	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources). <b>For Community Hall</b>	Cum	27.42		
31	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) <b>For Fish Landing &amp; Gate</b>	Cum	21.51		
32	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources) <b>For septic Tank</b>	Cum	2.20		
33	<b>Making soak pit</b> 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5. <b>For Community Hall, Fish Landing,</b>	Each	2		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
34	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns...Footing. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	91.99		
35	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers . <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	269.60		
36	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form work for : Columns, piers, abutments, pillars, posts and struts. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	337.10		
37	<b>STEEL REINFORCEMENT:</b> Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level & above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Kg	10084.98		
38	<b>STEEL REINFORCEMENT:</b> Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level & above plinth level.. Mild steel and Medium Tensile steel bars . <b>For Septic Tank</b>	Kg	584.41		
39	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10cm length and drilling holes upto 10 mm dia. etc. complete. <b>For Fencing.</b>	Kg	1509.17		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
40	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size de rived from natural sources). <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Cum	55.90		
41	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). <b>For Fish Landing, Water Tank &amp; Fencing Gate</b>	Cum	7.48		
42	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels,bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering,finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) . <b>For Community Hall, Fish Landing</b>	Cum	18.09		
43	<b>BRICK WORK :</b> Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand). <b>For Community Hall</b>	Cum	28.58		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
44	<b>EXPOSED BRICK WALL :-</b> Brick work with common burnt clay selected F.P.S. (non modular) bricks of class designation 7.5 in exposed brick work including making horizontal and vertical grooves 10 mm wide 12 mm deep complete in cement mortar 1:6 (1 cement : 6 coarse sand). From ground level upto plinth level. <b>For Fish Landing,</b>	Cum	24.50		
45	<b>DAMP PROOF COURSE (DPC):</b> Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources) . <b>For Community Hall, Fish Landing</b>	Sqm	45.23		
46	<b>BRICK WORK :</b> Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.Cement mortar 1:4 (1 cement :4 coarse sand). <b>For Community Hall,</b>	Sqm	298.82		
47	<b>BRICK WORK :</b> Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.....Cement mortar 1:3 (1 cement :3 coarse sand). <b>For Fish Landing,</b>	Sqm	137.69		
48	<b>CEMENT PLASTER::</b> CEMENT PLASTER (IN COARSE SAND) 12 mm Cement Plaster of mix: 1:4 (1 cement: 4 coarse sand) <b>For Fish Landing, Gate</b>	Sqm	822.03		
49	<b>CEMENT PLASTER::</b> CEMENT PLASTER (IN COARSE SAND) 15 mm Cement Plaster on rough side of single or half brick wall of mix: 1:4 (1 cement: 4 coarse sand). <b>For Community Hall, Fish Landing</b>	Sqm	357.03		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
50	<b>CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT</b> 15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix : 1:3 (1 cement: 3 fine sand) . <b>For Community Hall,</b>	Sqm	29.62		
51	<b>PAINTING:</b> Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:.. - One or more coats on old work. . <b>For Fish Landing, Gate</b>	Sqm	121.57		
52	<b>PAINTING:</b> Finishing walls with textured exterior paint of required shade : New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including priming coat of exterior primer applied @ 2.20kg/10 sqm . <b>For Fish Landing,</b>	Sqm	168.55		
53	<b>TILES:</b> Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colors and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero-chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Size of Tile 600 x 600 mm . Floor Tiles. <b>For Community Hall,</b>	Sqm	188.61		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
54	<p><b>TILES:</b>  Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete..WALL TILES.  <b>For Community Hall, Fish Landing</b></p>	Sqm	153.49		
55	<p><b>TILES:</b>  Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand &amp; manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.  Glazed Vitrified tiles Matt/Antiskid finish of Size of Tile 600 x 600 mm sqm.  <b>For Community Hall, Fish Landing</b></p>	Sqm	90.23		
56	<p><b>ALUMINIUM WINDOW</b>  Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) . <b>For Community Hall,</b></p>	Sqm	14.52		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
57	<b>DOOR FRAME :</b> Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately). Second class teak wood. <b>For Community Hall,</b>	Cum	0.25		
58	Providing and fixing IS : 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete : 100x60x2.50 mm. <b>For Community Hall,</b>	Each	24.00		
59	<b>FLUSH DOOR :</b> Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws. <b>For Community Hall,</b>	Sqm	14.70		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
60	<p><b>UPVC Window :-</b>  Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape &amp; size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame &amp; sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealent over backer rod of required size and of approved quality, all complete as per approved drawing &amp; direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealent shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Three track three panels sliding window with fly proof S.S wire mesh (Two nos. glazed &amp; one no. wire mesh panels) made of (big series) frame 116 x 45 mm &amp; sash 46 x 62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension. (Area of window above 1.75 sqm). <b>For Fish Landing,</b></p>	Sqm	3.60		
61	<p><b>DOOR FITTINGS :</b> Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete. 200x10 mm <b>For Community Hall,</b></p>	Each	24		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
62	<b>DOOR FITTINGS</b> Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 100 mm . <b>For Community Hall,</b>	Each	24		
63	<b>DOOR FITTINGS</b> Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm . <b>For Community Hall,</b>	Each	6		
64	<b>PVC DOOR</b> Providing and fixing factory-made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance±1mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be Jointed with galvanized brackets and stainless-steel screws, joints mitered and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (± 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer in-charge Extruded section profile size 42x50 mm . <b>For Community Hall, Fish Landing</b>	Rm	27.15		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
65	<p><b>PVC DOOR SHUTTER</b>  Providing and fixing to existing door frames. 30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (<math>\pm</math> 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (<math>\pm</math> 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm (<math>\pm</math> 0.2 mm) wall thickness fixed to the shutter stles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (<math>\pm</math> 0.1 mm) wall thickness . The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. <b>For Community Hall, Fish Landing</b></p>	Sqm	9.00		
66	<p><b>PAINTING WORK</b>  Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. <b>For Community Hall, Fish Landing</b></p>	Sqm	998.55		
67	<p><b>PAINTING WORK</b>  Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer. <b>For Community Hall</b></p>	Sqm	876.98		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
68	<b>PAINTING WORK</b> Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats . <b>For Community Hall</b>	Sqm	876.98		
69	<b>PAINTING WORK</b> Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications : Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm . <b>For Community Hall</b>	Sqm	38.26		
70	<b>ROOFING SHEET :</b> Providing & fixing at all heights, levels and locations Mill finish Aluminium alloy roofing sheets of alloy IS designation 31500, temper Hx8 conforming to IS 737 and dimensions as per IS code 2676 with characteristics of good formability and corrosion resistance. The profile sheets shall be fixed to truss members in slope or required pitch or curvature with Hex cap headed self drilling/tapping Stainless steel screws M6, 50 mm long with 3 mm EPDM seal washer etc. all inclusive of labour, scaffolding, T&P and sundries etc. complete as per directions of the Engineer-In-Charge. (Cost of truss/frame work shall be paid separately). 0.56 mm, Aluminium troughed profile with center to center pitch of 200 mm, depth of 32 mm, overall profile width 1092 mm, cover width 1000mm. <b>For Community Hall</b>	Sqm	249.30		
71	<b>RIDGE SHEET :</b> Providing and fixing of Pre-coated colour or mill finish Aluminium Roofing Accessories in 0.71 mm thickness ,Alloy 31500 (IS designation) [Aluminium Alloy (AA) 3004 (ISO designation)] For color, coating shall be 5-7 microns epoxy primer on both sides of the sheet and polyester top coat 15-18 microns, using self drilling/tapping SS screws of size 6 x 50mm with 3mm thick EPDM seal and SS plain washer complete : Precoated/mill finish aluminium Ridges plain (500- 600mm) . <b>For Community Hall, Fish Landing</b>	Rm	26.85		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
72	<p><b>FALSE CEILING:</b>  Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts &amp; bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum plain board ceiling conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks) sqm 1145.95. <b>For Community Hall</b></p>	Sqm	117.99		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
73	<b>RAILING</b> Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works . <b>For Community Hall</b>	Kg	914.96		
74	<b>TRUSS</b> Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes . <b>For Community Hall</b>	Kg	4180.85		
75	<b>Steel truss :-</b> Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished seamless type tubes . <b>For Fish Landing &amp; Water Tank</b>	Kg	3173.83		
76	Providing and fixing bolts including nuts and washers complete.. <b>For Fish Landing &amp; Water Tank</b>	Kg	11.28		
77	<b>Providing and fixing hand rail</b> of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. .Angle Section ISA 50x50x3. <b>For Water Tank</b>	Kg	55.20		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
78	<b>Roofing sheet :-</b> Providing & fixing at all heights, levels and locations colour finish Aluminium alloy roofing sheets of alloy IS designation 31500, temper Hx8 conforming to IS 737 and dimensions as per IS code 2676 with characteristics of good formability and corrosion resistance. The profile sheets shall be fixed to truss members in slope or required pitch or curvature with Hex cap headed self drilling/tapping Stainless steel screws M6, 50 mm long with 3 mm EPDM seal washer etc. all inclusive of labour, scaffolding, T&P and sundries etc. complete as per directions of the Engineer-In-Charge. (Cost of truss/frame work shall be paid separately). 0.56 mm, Aluminium troughed profile with center to center pitch of 200 mm, depth of 32 mm, overall profile width 1092 mm, cover width 1000mm. <b>For Fish Landing</b>	Sqm	101.91		
79	<b>GRILL :-</b> Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.Fixed to openings /wooden frames with Rawl plugs screws etc. <b>For Community Hall</b>	Kg	311.77		
80	<b>EPOXY STEEL PAINT :-</b> Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. On steel work. <b>For Community Hall &amp; Fish Landing</b>	Sqm	340.25		
81	<b>PLINTH PROTECTION:</b> Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth. <b>For Community Hall</b>	Sqm	42.62		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
82	<b>ROLLING SHUTTERS :</b> Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.... 80x1.20 mm M.S. laths with 1.20 mm thick top cover. <b>For Fish Landing</b>	Sqm	17.64		
83	Providing and fixing ball bearing for rolling shutters. <b>For Fish Landing</b>	Each	4		
84	<b>Ramp Railing :-</b> Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.G.I. pipes 50mm dia. <b>For Fish Landing</b>	Kg	261.03		
85	<b>Drain Cover Slab :-</b> Providing and placing in position 100 mm thick factory made machine batched & machine mixed Precast RCC Rectangular Covers on drains of footpath of various sizes, of M-25 grade cement concrete for RCC work, including cost of centering, shuttering, reinforcement of 8 mm dia TMT bars of Fe 500 grade @ maximum 100mm c/c on both ways , neat cement punning on finished surface, properly encased on all edges with 1.6 mm thick , 100 mm wide MS sheet duly painted over priming coat , reinforcement to be welded at edges with MS sheet and providing 2 Nos. 12 mm dia bar for hooks etc i/c cost of cartage, all leads & lift, handling at site etc. all complete as per direction of Engineer-in-Charge. <b>For Fish Landing</b>	Sqm	7.21		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
86	<b>CEMENT PLASTER (IN FINE SAND):</b> 15 mm cement plaster on the rough side of single or half brick wall of mix .1:4 (1 cement: 4 fine sand). <b>For Septic tank</b>	Sqm	23.60		
87	<b>MANHOLE COVER :</b> Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality. Circular shape 450 mm internal diameter. <b>For Septic tank</b>	Each	1.00		
88	<b>WATER PROOFING :</b> Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. <b>For Septic tank</b>	Sqm	23.60		
89	<b>COLLAPSABLE GATE :</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. <b>For Community Hall</b>	Sqm	4.62		
90	<b>PCC :-</b> Plain cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources). <b>For Chainlink fence</b>	Cum	0.27		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
91	<b>CHAINLINK FENCH</b> : Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm. <b>For Chainlink fench</b>	Sqm	232.80		
92	<b>STEEL GATE</b> : Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer..... M.S. tube. <b>For Chainlink fench Gate</b>	Kg	127.42		
93	<b>STONE TILE WORK</b> : Stone tile work for wall lining upto 10 m height with special adhesive over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement with an admixture of pigment to match the stone shade...8mm thick (mirror polished and machine cut edge)..Granite stone of any colour and shade. <b>For Entrance Gate</b>	Sqm	16.20		
94	<b>WATER SUPPLY PIPES</b> :- Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 20 mm nominal dia Pipes.. <b>For Community Hall</b>	Rm	18.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
95	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - 25 mm nominal dia Pipes. <b>For Community Hall</b>	Rm	30.00		
96	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 32 mm nominal dia Pipes	Rm	20.00		
97	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal dia Pipes. <b>For Community Hall</b>	Rm	24.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
98	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia Pipes	Rm	18.00		
99	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.. External work. 25 mm nominal dia Pipes. <b>For Fish Landing</b>	Rm	10.50		
100	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.... 15 mm nominal dia Pipes <b>For Fish Landing</b>	Rm	12.40		
101	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing PTMT bib cock of approved quality and colour... 15mm nominal bore, 86 mm long, weighing not less than 88 gms. <b>For Fish Landing</b>	Each	3		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
102	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing PTMT pillar cock of approved quality and colour..15 mm nominal bore, 107 mm long, weighing not less than 110 gms. <b>For Fish Landing</b>	Each	3		
103	<b>WATER SUPPLY FITTINGS :-</b> Reducer for 22 mm X 15 mm outer Dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	2		
104	<b>WATER SUPPLY FITTINGS :-</b> Elbow 90° for 15 mm outer dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	6		
105	<b>WATER SUPPLY FITTINGS :-</b> Equal Tee for 15 mm outer dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	6		
106	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 100 mm nominal dia Pipes <b>For Community Hall</b>	Rm	36.00		
107	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.80 mm nominal dia Pipes <b>For Community Hall</b>	Rm	27.00		
108	<b>SANITARY FITTINGS : TRAPS ;</b> Bottle trap 31mm single piece moulded with height of270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms <b>For Community Hall &amp; Fish Landing</b>	Each	9		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
109	<b>SANITARY FITTINGS :</b> Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe. 32 mm dia <b>For Community Hall &amp; Fish Landing</b>	Each	6		
110	<b>SANITARY FITTINGS :</b> BIB COCK Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. 15 mm nominal bore <b>For Community Hall</b>	Each	4		
111	<b>SANITARY FITTINGS :</b> STOP COCK Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore <b>For Community Hall</b>	Each	7		
112	<b>SANITARY FITTINGS :</b> ANGLE VALVE Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore <b>For Community Hall</b>	Each	6		
113	<b>SANITARY FITTINGS :</b> PILLER COCK Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps <b>For Community Hall</b>	Each	4		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
114	<b>SANITARY FITTINGS :</b> WC PAN Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid <b>For Community Hall</b>	Each	4		
115	<b>SANITARY FITTINGS :</b> URINAL BASIN Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern <b>For Community Hall</b>	Each	3		
116	<b>SANITARY FITTINGS :</b> Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required.White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests <b>For Fish Landing</b>	Each	2		
117	<b>SANITARY FITTINGS :</b> Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : :.....100 mm diameter <b>For Fish Landing</b>	Metre	22.000		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
118	<b>SANITARY FITTINGS :</b> Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design : :.....100 mm diameter S.W. pipe <b>For Fish Landing</b>	Metre	22.000		
119	<b>SANITARY FITTINGS :</b> Providing and fixing wash basin with C.I. brackets, 15 mm PTMT pillar cock, 32 mm PTMT waste coupling of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required. White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm PTMT pillar cock. <b>For Fish Landing</b>	Each	2		
120	<b>SANITARY FITTINGS :</b> Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings. <b>For Fish Landing</b>	Each	2		
121	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour. Waste coupling 31 mm dia of 79 mm length and 62mm breadth weighing not less than 45 gms <b>For Fish Landing</b>	Each	2		
122	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.. <b>For Fish Landing</b>	Each	2		
123	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms. <b>For Fish Landing</b>	Each	2		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
124	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms. <b>For Fish Landing</b>	Each	2		
125	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT shelf 440 mm long, 124 mm width and 36mm height of approved quality and colour, weighing not less than 300 gms... <b>For Fish Landing</b>	Each	2		
126	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT urinal cock of approved quality and colour. 15 mm nominal bore, 80 mm long, 42 mm high and 30mm wide with BSP female threads weighing not less than 48gms. <b>For Fish Landing</b>	Each	2		
127	<b>SANITARY FITTINGS :</b> Providing and fixing G.I. inlet connection for flush pipe connecting with W.C. pan. <b>For Fish Landing</b>	Each	2		
128	<b>SANITARY FITTINGS :</b> Providing and fixing 100 mm sand cast Iron grating for gully trap. <b>For Fish Landing</b>	Each	2		
129	<b>SANITARY FITTINGS :</b> Providing and fixing soil, waste and vent pipes :100 mm dia...Sand cast iron S&S pipe as per IS: 1729.	Metre	12.75		
130	<b>SANITARY FITTINGS :</b> Providing and fixing plain bend of required degree... 100 mm dia...Sand cast iron S&S as per IS - 1729. <b>For Fish Landing</b>	Each	2		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
131	<b>SANITARY FITTINGS :</b> Providing and fixing collar :... 100 mm dia...Sand cast iron S&S as per IS - 1729. <b>For Fish Landing</b>	Each	2		
132	<b>MIRROR</b> Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :Rectangular shape 1500x450 mm. <b>For Community Hall &amp; Fish Landing</b>	Each	5		
133	<b>TOWEL RAIL</b> Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms. <b>For Community Hall</b>	Each	4		
134	<b>SANITARY FITTINGS :</b> Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :20 mm nominal bore. <b>For Community Hall</b>	Each	4		
135	<b>SANITARY FITTINGS :</b> Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :15 mm nominal bore. <b>For Community Hall</b>	Each	4		
136	<b>SANITARY FITTINGS :</b> Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : For 100 mm dia pipe .	Each	5		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
137	<b>SANITARY FITTINGS :</b> Providing and fixing double equal junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete :100x100x100x100 mm Sand cast iron S&S as per IS - 1729 .	Each	6		
138	<b>WATER TANK :</b> Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. <b>For Community Hall</b>	Liter	1000.00		
139	<b>ELECTRICAL PART :</b> Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. Group C. <b>For Community Hall &amp; Fish Landing</b>	Each	40		
140	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire . <b>For Community Hall</b>	Rm	85.00		
141	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire. <b>For Community Hall</b>	Rm	130.00		
142	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 6 sq. mm + 1 X 6 sq. mm earth wire. <b>For Community Hall</b>	Rm	70.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
143	Supplying and fixing PVC batten / angle holder including connections etc as required. <b>For Fish Landing</b>	Each	12		
144	<b>Ceiling Fan:</b> Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS : 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required. <b>For Community Hall &amp; Fish Landing</b>	Each	12		
145	Supplying and fixing modular type 6/6 Amp one way switch on existing modular plate and switch box including connections but excluding modular plate etc. as required. <b>For Fish Landing</b>	Each	1		
146	supply of exhaust fan 200 mm sweep. <b>For Community Hall</b>	Each	4		
147	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. Upto 450 mm sweep . <b>For Community Hall</b>	Each	4		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
148	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 A switch . <b>For Community Hall</b>	Each	38		
149	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 15/16 A switch. <b>For Community Hall</b>	Each	4		
150	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 pin 5/6 A socket outlet. <b>For Community Hall</b>	Each	4		
151	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 6 pin 15/16 A socket outlet. <b>For Community Hall</b>	Each	4		
152	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. <b>For Community Hall</b>	Each	6		
153	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 3 module. <b>For Community Hall</b>	Each	4		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
154	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 8 Module (125mmX125mm). <b>For Community Hall</b>	Each	5		
155	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 12 Module (200mmX150mm). <b>For Community Hall</b>	Each	2		
156	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.3 module . <b>For Community Hall</b>	Each	4		
157	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 8 Module. <b>For Community Hall</b>	Each	5		
158	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 12 Module. <b>For Community Hall</b>	Each	2		
159	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. <b>For Community Hall</b>	Each	8		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
160	Supplying and fixing brass batten/ angle holder including connection etc. as required. For <b>Community Hall</b>	Each	14		
161	Supplying and fixing two-module stepped type electronic fan regulator on existing modular plate and switch box including connections but excluding modular plate etc. as required. <b>For Fish Landing</b>	Each	2		
162	Installation of Exhaust Fan in the existing opening including making good the damage, connection, Testing, commissioning etc required. Upto 450mm sweep. <b>For Fish Landing</b>	Each	2		
163	Supplying and fixing suitable size GI Box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 amps & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc.. as required . <b>For Fish Landing</b>	Each	7		
164	Providing and fixing following capacity TP&N disconnecter fuse switch unit inside the existing panel board with ISI marked HRC fuses including holes in cubicle panel, making connections, etc. as required. 32 A TP&N	Each	1		
165	Providing and fixing following capacity TP&N disconnecter fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 125 A TP&N <b>.For Fish Landing</b>	Each	1		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
166	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator). 16 way, Double door . <b>For Community Hall</b>	Each	1		
167	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required. <b>For Community Hall</b>	Each	6		
168	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 A. <b>For Community Hall</b>	Each	5		
169	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required. <b>For Community Hall</b>	Each	1		
170	Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/termination with G.I. thimble etc. as required. <b>For Community Hall</b>	Rm	15.00		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
171	<p><b>LED Batten light</b> (System lumen efficacy <math>\geq 120 &lt; 135</math> lm/Watt) Supplying, installation, Testing &amp; Commissioning of LED surface mounted Batten light of following body material and construction as per IS: 10322 with driver (Replaceable) as per the requirement with Driver efficiency <math>&gt; 85\%</math>, Operating voltage AC 140-270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short &amp; Open circuit protection ,THD <math>&lt; 10\%</math>, P. F.<math>\geq 0.95</math>, IP20, CRI <math>&gt; 80</math>, Flicker free (flicker should be below 5%), life time (LED, Driver &amp; electrical circuitary), of minimum 50000 Burning Hours with, 70% of initial Lumen maintained till life ends, CCT 3000°K/4000°K /5700°K /6000°K/6500°K (As per ANSI Bin), SDCM(Standard Deviation Color Matching) <math>&lt; 3</math>, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate ( T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. complete. in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy <math>\geq 120 &lt; 135</math> lm/Watt output. LM79 &amp; LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C). Powder coated die cast /Extruded aluminium Body (Thickness <math>&gt; 1.20</math> m 36 watt. <b>For Community Hall</b></p>	Each	10		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
172	<p>Supplying of LED Recessed/ surface Down lighter (Round/ square/Rectangular) COB Type of following body material and construction as per IS: 10322 with driver as per the requirement with Driver efficiency &gt;85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range-15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short &amp; Open circuit protection, THD &lt; 10%, P. F.20.95, IP20, CRI &gt;80, UGR (Unified Glare Rating) &lt; 19, Flicker free (flicker should be below 5%), life time (LED, Driver &amp; electrical circuitary), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K/5700°K/6000K/6500°K (As per ANSI Bin), SDCM (Standard Deviation Color Matching) &lt;3, Maximum power consumption should not more than the specified rating and Fixture shall be confirming to relevant BIS standards and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing Complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 and &lt;120 lm/Watt output. LM79 &amp; LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C) Powder coated die cast /Extruded aluminium Body including trim with Aluminium Reflector. 18 watt. <b>For Community Hall</b></p>	Each	14		
173	<p>Supply and fitting fixing of 5 KWA solar panel hybrid system with 2HP motor pump. <b>For Community Hall</b></p>	Each	1		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
174	<p><b>Demarcation Pillar</b> RCC Guard Post:Supplying, fitting and fixing RCC guard post 150cm long erected 75cm above the ground and 75cm below the ground with M-15 grade (nominal mix 1:2:4 with broken stone aggregate up to 20mmsize) of cement concrete and required reinforcement tied in position with an nealed black wire including centering, moulding the top, curing including painting concrete surfaces in 3cm stripsup to0.75m from the to alternately in black and white and having 2 nos. reflective band of desired shade etc complete as per design and as directed. A) 30cmdia.RCCguardpostwithreinforcementof6nos.12mmdiaTMT main steel bars and 6mm TMT/ MS stirrups at 15cm c/c.</p>	Each	14		
175	<p><b>Katal Fishing</b> Erection of Fish Agregating Device as Katal / Jeng Fishing circular structure at Beel/ Wetland covering 0.25 Ha water area with Bamboo Bholuka or Barua 55mm to 100mm dia and 6m long vertical member placed at 3.00 m centre to centre, Jati or Bethua Bamboo 50mm to 100 mm dia and 6m long tie horizontally with vertical members (Kamis)- one row and Inclined members (strut) to support each vertical member driven 2.00 m below the ground/bed level and 3.50 m to 4.00 m above the ground/bed level tied with coonut fiber two ply twisted rope etc. manually with provision of hired country boat complete as per drawings and technical specifications as directed by Engineer in-charge.</p>	Rm	360.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
176	<p><b>Bamboo Partition structure</b>  Construction of Bamboo Screening Structure by placing and arranging of whole Bamboo in barricade type with Bamboo Bholuka or Barua 55mm to 100mm dia and 6m minimum in length, vertically placed two rows in staggered manner at 2.50 m centre to centre, driven 2.00 m below ground/bed level and 4.00 m above ground/bed level tied with Jati or Bethua bamboo 50mm to 100 mm dia and 6m long above ground level horizontally in two rows at convenient level having tied with coconut fiber two poly twisted rope etc. manually with provision of hired country boat (2 nos.), fitting and fixing of 72 ply HDPE 30mm kk mesh size net with boarder rope of 32mm dia TUF PP IR 3 strand 220 mtr : 101 kg and tie rope in every 2 meter intervals conforming to technical requirement of Textiles - Twisted Nylon Fish-Net Twines as per IS 4401-2006, complete as per drawings and technical specifications as directed by Engineer in-charge.</p>	Rm	122.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
177	<p><b>SOLAR LAMP:</b>  Supply, Installation, Testing and commissioning of a Complete solar street-lighting system, including a 160Wp crystalline silicon solar photovoltaic module supplied with a compatible module mounting structure, clamps, fasteners, and UV-resistant cable tails, with test certification conforming to IEC 61215 (Edition II)/IS 14286 and IEC 61730 from a NABL or IECQ accredited laboratory. The system shall incorporate a Lithium Iron Phosphate (LiFePO4) battery of 12.8V nominal voltage and 42 Ah capacity, equipped with an integrated Battery Management System (BMS) providing protections against over/under-voltage, over-current, short-circuit, over-temperature, and ensuring cell balancing, duly certified to IEC 62133-2011 or the latest BIS standard by a BIS-recognized lab or MNRE-accredited test centre. The MPPT charge controller, integrated with the luminaire and battery, shall operate at 12.8 V nominal, have a maximum current rating of 6A/12 A/14 A as required and provide automatic dusk-to-dawn operation, LiFePO4 charging profiles, and full electronic protection. The LED street-light luminaire shall be rated at 30W(+5%), with high-efficiency optics, a driver compatible with the MPPT output, and ingress protection of IP66 or higher, complying with relevant BIS standards, The system shall be mounted on a 6m long 2.2mm thick tubular hot-dip galvanized GI pole conforming to IS 1161 and IS 4736 complete with a single-arm bracket, MMS, and light arm to hold the luminaire and PV module, along with all necessary clamps and fasteners. The work shall include complete erection on a prepared foundation, all wiring and interconnection, functional testing (dusk-to-dawn operation) in the presence of the Engineer-in-Charge, and submission of as-built documentation. The contractor shall also provide a Comprehensive Maintenance Contract (CMC) for a period of five years from the date of commissioning covering preventive and breakdown maintenance, replacement of defective parts, and maintenance of illumination levels as specified.</p>	Nos	44		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
178	<p><b>INFORMATION BOARD:</b>Providing and fixing of typical Citizens Information Board with Logo as per MORD specifications and drawing. Two nos. 1.6mm thick MS sheet duly welded with 5mm thick steel plate on back on edges. The 4 nos. steel plate will be welded horizontally with 2 nos. 75mm x 75mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 600mm x 600mm x 750mm, 750mm below ground level. The 2 nos. steel plate will be welded vertically to 2 nos. 75mm x 75mm of 12 SWG sheet tubes posts duly welded to vertical tubes. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1</p>	Nos	2		
179	<p><b>Boring::</b>-- Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire &amp; running charges of all equipments, tools, plants &amp; machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level...All types of soil : 300 mm dia  <b>For Bore Well</b></p>	metre	50.00		
180	<p><b>Casing Pipe::</b> Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings &amp; accessories etc. all complete, for all depths, as per direction of Engineer -in-charge..... 100 mm nominal size dia  <b>For Bore Well</b></p>	metre	39.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
181	<b>Screen (RMS) pipes:</b> ...Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS: 12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge.....100 mm nominal size dia <b>For Bore Well</b>	metre	9.00		
182	<b>MS Pipe::</b> ---Supplying, assembling, lowering and fixing in vertical position in bore well, ERW (Electric Resistance Welded) FE 410 mild steel screwed and socketed/plain ended casing pipes of required dia, conforming to IS: 4270, of reputed & approved make, including painted with outside surface with two coats of anticorrosive paint of approved brand and manufacture, including required hire & labour charges, fittings & accessories, all complete, for all depths, as per direction of Engineer-in-charge.....150 mm nominal size dia having minimum wall thickness 5.00 mm <b>For Bore Well</b>	metre	3.00		
183	<b>Development of tube well:</b> Development of tube well in accordance with IS : 2800 (part I) and IS:11189, to establish maximum rate of usable water yield without sand content (beyond permissible limit), with required capacity air compressor, running the compressor for required time till well is fully developed, measuring yield of well by "V" notch method or any other approved method, measuring static level & draw down etc. by step draw down method, collecting water samples & getting tested in approved laboratory, i/c disinfection of tubewell, all complete, including hire & labour charges of air compressor, tools & accessories etc., all as per requirement and direction of Engineer-in-charge. <b>For Bore Well</b>	Hrs	10.00		
184	<b>MS cap:</b> Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well housing/ casing pipe, removable as per requirement, all complete for borewell of:.....150 mm dia <b>For Bore Well</b>	each	1		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
185	<b>Lowering of column pipe:</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.....40 mm nominal dia Pipes <b>For Bore Well</b>	metre	40.00		
186	<b>Gravel packing in tubewell:....</b> Gravel packing in tubewell construction in accordance with IS: 4097, including providing gravel fine/ medium/ coarse, in required grading & sizes as per actual requirement, all complete as per direction of Engineer-in-charge. <b>For Bore Well</b>	Cum	3.15		
187	<b>DEVELOPMENT OF GHAT/ STEPS AT BEEL SIDE::--</b> 'Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material. (I) Ordinary soil	Cum	600.00		
188	<b>PCC::</b> Plain Cement Concrete M15 (1:3:6 nominal mix) in levelling course below open foundation of Head walls as per drawings & Technical Specification Clause 1109	Cum	150.00		
189	<b>BRICK MASONRY IN FOUNDATION:...</b> Brick masonry work in cement mortar in foundation complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	155.01		
190	<b>BRICK MASONRY IN SUBSTRUCTURE:---</b> Substructure :-Brick masonry work in cement mortar in Substructure complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	5.01		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
191	<b>PLASTERING WORKS:</b> Plastering with Cement Mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification	Sqm	27.82		
192	<b>PROTECTION WORK:</b> Providing and laying of boulder apron laid in wirecrates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x100mm mesh (woven diagonally)including 10 percent extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications Clause 1301	Cum	132.00		
193	<b>PROTECTION WORK:</b> Providing and laying of dry rubble flooring complete as per drawings and technical specifications Clause 1303.3	Cum	55.64		
194	<b>PROTECTION WORK:</b> Providing and laying filter material underneath pitching in slopes	Cum	18.54		
195	<b>EMP:</b> Implementation & Monitoring of Environmental Management Plan (EMP) as the provisions in the Bidding Document Vol-2, for which the estimated cost is Rs.1,15,000/=	L.S	1		
<b>Total Amount</b>					

## **Section 5: Eligible Countries**

This list of eligible countries may be seen at

<https://www.adb.org/who-we-are/about#members>

## **Section 6: Employer's Requirements**

### **Table of Contents**

Specifications .....	6-2
Environmental, Health and Safety Management Requirement .....	6-3
Drawings .....	6-4
Supplementary Information Regarding Works to Be Procured .....	6-5
Personnel Requirements .....	6-15
Equipment Requirements.....	6-16

## **Specifications**

The Specifications of the works to be followed for all goods and materials, labours, machines and equipment to be incorporated in the Works are relevant established codes of practices for Civil, Water Supply & Sanitary, Electrical works and roads (Rural Roads) construction.

1. The following are *inter-alia* the relevant codes of practices to be followed in the works.

1. National Building Code
2. Specifications for Rural Roads (Indian Roads Congress)
3. Specifications for Buildings of Assam PWD
4. CPWD specifications
5. BIS codes
6. IRC codes
7. Good Engineering Practices

With reference to ESIA/ESMP reports, consent/permit conditions, and ADB Guidelines, specific specifications for EHS working, over and above the requirements of labour and other laws that are applicable to construction industry in India are to be followed.

2. Rates and items description are as per APWD RR SoR 2025-2026 & CPWD- DSR 2021

**(Note: Summary of the scope of work and the Supplementary Information Regarding Works to be executed is furnished separately in the Bidding Document)**

**Environment, Health and Safety Management Requirement**

**Attached separately at Vol.2**

## **Drawings**

**Attached separately in Vol-3**

## Supplementary Information Regarding Works to be Executed

### SUMMARY OF SCOPE OF WORK

#### Introduction:

The proposed assignment involves comprehensive conservation, restoration, and rejuvenation works for **Khoribari Beel under Bongaigaon District**. This initiative forms part of the broader objective of ecological improvement and sustainable management of wetlands under the SWIFT Project.

The project aims to address key environmental challenges such as habitat degradation caused by the loss of connectivity with adjacent river systems, declining water depth, and uncontrolled growth of macrophytes, all of which significantly reduce fisheries productivity and ecological health of the beel.

To this end, the restoration and management approach for Beel will include, but not be limited to, the following key activities:

- **Beel Demarcation** –Defining and securing the physical boundaries of the beel to prevent encroachment and ensure effective planning.
- **Beel Rejuvenation Measures** – Including de-weeding, desilting, and removal of aquatic vegetation to improve water quality and depth.
- **Improvement of Water Inflow and Outflow Mechanisms** –Through: Desilting of connecting channels; Construction of embankments and peripheral bunds; Installation of silt traps, and water-retaining structures.

The following works are proposed for procurement under this assignment:

#### 1. Desilting & De-weeding

Desilting and de-weeding are two critical restoration interventions in Assam's beels and wetlands under the SWIFT Project. These measures directly address the primary causes of habitat degradation — excessive silt deposition and invasive aquatic vegetation — which reduce water depth, disrupt hydrological connectivity, and lower fish productivity.

The beel has a total area of **10 Ha**. The area identified for desilting is **2.91 Ha**, which is less than 30% of the total beel area, thereby complying with the environmental and ecological guidelines for sustainable restoration.

Parameter	Specification/ Value
Area to be Desilted(Ha)	2.91
Average Depth of Desilting(m)	0.519
Total SiltVolume(m <sup>3</sup> )	15110.548
Area of Weed(sqm)	55127.79
Area to be Deweeded(sqm)	55127.79
Weed Removal Method	Manual/Mechanical
Biomass Disposal/Composting	On-sitecompost/Off-site

#### Technical Specification:

Sl . No .	Activity	Specification/ Requirement	Execution Methodology	Measureme nt	Reference Standards
1.	<b>Site Preparation</b>	Ensure access for equipment; install silt traps up stream; mark working zones with buoys/flags.	Deploy warning signage; install coir/ HDPE silt barriers near work area.	Per site	CPWD Safety Manual; MoEF& CC Wetland Guidelines
2.	<b>De-weeding- Manual</b>	Removal of floating and emergent weeds (e.g., <i>Eichhornia</i> , <i>Ipomoea</i> ) by cutting/pulling including roots.	Community-based manual harvesting; use bamboo poles, rakes, sickles.	m <sup>2</sup> of weed cleared	ICARCIF RI Manual on Aquatic Weed Contro
3.	<b>De-weeding- Mechanical</b>	Mechanical harvesting of dense floating/submerged vegetation using boat-mounted cutters or amphibious weed harvesters.	Cut, collect, and Transport weeds to drying area; avoid spillage Back into beel.	m <sup>2</sup> of weed cleared	FAO Aquatic Plant Control Guidelines
4.	<b>Weed Biomass Disposal</b>	Safe disposal at Designated drying yards, Away from waterline; reuse for	Spread in layers ≤ 30 cm thick; turn periodically for	Tonne of wet biomass	SWIFT ESMP; ICAR Composti ng



		compost/mulch if feasible.	drying; transport using tractors/trolleys.		Guidelines
5.	<b>Desilting–Lean Season Manual/Mechanical</b>	Undertake desilting during <b>lean water season (post-monsoon, pre-monsoon)</b> when water levels are low, allowing excavation without dredgers.	Use hydraulic excavators from bunds/shoreline, manual labor for shallow pockets; avoid disturbance to deeper refuge areas.	m <sup>3</sup> of silt removed	IS1200 (Part1)– Earthwork; CPWD DSR
6.	<b>Desilting – Excavation (Conventional)</b>	Excavation of silt up to approved depth from marginal/inflow/outflow zones. Avoid >30% area disturbance in one Season.	Hydraulic excavators (long-boom) or amphibious dredgers; manual excavation in sensitive areas.	m <sup>3</sup> of silt removed	IS1200 (Part 1) – Earthwork; CPWD DSR
7	<b>Desilting–Silt Transport &amp; Placement</b>	Transport excavated silt to designated dump sites or reuse in bund strengthening, island creation.	Use dumpers, tractors; compact reused silt in layers ≤ 20 cm; avoid disposal in flood-prone zones.	m <sup>3</sup> transported	IS 1498:2017; CPWD Earthwork Code
8	<b>Silt Trap Installation</b>	Install silt traps upstream to reduce re-siltation.	Construct small check bunds with coir matting or bamboo screen filled with gravel/sand.	Per unit	ICAR-CIFRI Fishery Structure Manual
9	<b>Environmental Safeguards</b>	Maintain minimum 10–25% vegetation for ecological balance; avoid disturbing breeding/nesting sites.	Monitor DO, turbidity, and pH during work; stagger interventions	Per site compliance	SWIFT ESMP; MoEF& CC Guidelines

## 2. Strengthening of Embankment cum Road

Embankment strengthening is a critical intervention under the SWIFT Project to protect restored beel areas from erosion, overtopping, and uncontrolled water exchange with surrounding lands. Many existing embankments in Assam's wetlands have deteriorated due to prolonged submergence, wave action, burrowing by fauna, and lack of regular maintenance. Strengthening measures aim to restore structural integrity, extend service life, and ensure safe water retention while maintaining ecological functions.

The beel is partially bound on all sides. An existing earthen bund provides access to the inner island area. This bund has an average width of 4.0 m and height of 2.0 m; which is sufficient to avoid submergence. However, towards the lower outlet side, the existing bund needs to be strengthened to ensure year-round accessibility.

Bund strengthening / construction are required which is also depicted in the Master Plan. The Embankment will also serve as a road as well.

Parameter	Specification/ Value
TotalLength(m)	1198
CrestWidth(m)	4.00
SideSlopes	1V: 1.5H
FillMaterial	ExcavatedearthfromDesilting

### Technical Specification:

Sl.	Item	Specification/ Requirement	Execution Method	Standards/Notes
1	Geometry	<b>Side slopes: 1V:1.5H</b> (both sides). <b>Crest width: ≥ 4.0 m</b> (inspection track). <b>Freeboard: ≥ 0.5 – 1.0m</b> above MWL/FSL.	Trim/grade to line & level; check cross-section every 25m.	Based on topo & hydrology
2	Fill Material	<b>Excavated earth from desilting</b> ; cohesive, non- organic; PI6–20; no debris/roots.	Stockpile; blend if needed; moisture condition to OMC±2%.	IS 1498; IS 2720 (soil tests)

3	Earthwork & Compaction	Place in $\leq 200\text{mm}$ loose layers; compact to $\geq 95\%$ MDD (Light Proctor).	Sheep-foot/plate compactor; extra passes at shoulders.	IS2720; CPWD Earthwork
4	Sub-grade Prep	Remove top 150 mm of soft/organic soil; bench into existing slope.	Proof-roll; replace unsuitable soil with compacted select fill.	Good practice
5	Slope Protection– Bio	Turfing with <b>Vetiver / Cynodonon</b> both slopes; 15–20 cm plug spacing; jute/coir mat (optional) for anchoring.	Plant after first rains; water & replant failures.	CPWD Horticulture
6	Berm/Drainage	Berm at mid-slope if height $>3$ m; land- side catch drain to intercept runoff.	Grade to outfalls; provide scour checks.	Good practice
7	Hume Pipes for Catchment Inflow	<b>RCC Hume pipe, NP3 class, Standard dia. (as per hydraulic design) at 30 m C/C</b> along embankment; invert to match drain bed.	Provide <b>250 mm first-class bedding</b> (granular/sand) or <b>M15 concrete cradle</b> in soft soils; headwalls/wing walls in masonry/CC; <b>trash screen</b> at U/S; <b>minimum cushion above pipe <math>\geq 1.0</math> m</b> including embankment crust.	<b>IS458 (Hume pipe)</b> ; IS 783 (culverts); CPWD DSR. Provide collars, jointing with rich mortar/bitumen; water tightness to be checked.
8	Cross-drain Details	Typical culvert width = pipe OD + side clearances; apron & cutoff walls (CC 1:3:6) where seepage risk.	Compact back fill symmetrically in 150–200mm layers.	As per standard drawing uploaded
9	Quality Control	Field density tests: <b>1 per 500 m<sup>2</sup> per layer</b> ; gradation & PI for fill; levels at 25 m intervals; video/photo log.	Record test results; rectify lows/highs.	IS2720; QA plan
10	Environmental & Safety	Work in <b>lean season</b> ; keep <b>3 m buffer</b> intact; silt fences near water; PPE & signage.	Segregate topsoil for turfing; no spoil in water.	MoEF& CC

### 3. Improvement of Embankment cum Road

The Embankment cum Road to the beel area will also serve as the primary access for the local fishing community and maintenance staff. Therefore, it is proposed construct the Embankment cum Road road with **200 mm thick Granular Sub-Base (GSB)** layer.

Parameter	Specification/ Value
TotalLength(m)	1198
CarriagewayWidth(m)	3.75
PavementType	GSB


#### Technical Specifications

Sl. No.	Item	Specification/ Requirement	Execution Method	Standards/ Notes
1	<b>Type of Work</b>	Strengthening of existing earthen approach road by providing 200 mm compacted Granular Sub-Base (GSB) layer	As per approved alignment & MoRTH guidelines	MoRTH Section 400
2	<b>Preparation of Existing Surface</b>	Remove vegetation, loose soil, and debris; shape to design camber & gradient	Manual/mechanical clearing; dressing with grader	MoRTH 300.3
3	<b>Compaction of Existing Surface</b>	Compact existing formation to $\geq 95\%$ MDD (Modified Proctor)	Vibratory roller (8–10 T); adjust moisture to OMC	IS 2720 (Part 8)
4	<b>Material for GSB</b>	Well-graded granular material conforming to MoRTH Grading I/II (Table 400-1); $PI \leq 6$ , $CBR \geq 20$	Approved quarry/crusher source; test before use	MoRTH 401.2

Sl. No.	Item	Specification/ Requirement	Execution Method	Standards/ Notes
5	<b>Layer Thickness</b>	200 mm compacted thickness	Spread in uniform layers using grader; no segregation	MoRTH 401.3
6	<b>Spreading &amp; Mixing</b>	Uniform spreading; mix with water at OMC for uniform moisture content	Mechanical spreader/grader; rotavator for mixing	MoRTH 401.4
7	<b>Compaction</b>	Each layer compacted to $\geq 98\%$ MDD; rolling from edges to centre	Vibratory roller passes until required density met	IS 2720 (Part 8)
8	<b>Camber</b>	2.5–3% crown camber for drainage	Check using camber board	IRC:SP:20
9	<b>Edge/Berm Dressing</b>	Side berms dressed and compacted to prevent edge erosion	Manual/mechanical dressing	MoRTH 300.5
10	<b>Quality Control Tests</b>	Gradation test (1 per 500 m <sup>3</sup> ), density test (1 per 500 m <sup>2</sup> ), CBR test (source approval)	Lab & field QA/QC testing	MoRTH Section 900

#### 4. Inlet & Outlet Drains

Inlet and outlet drains are essential hydraulic structures for managing water exchange between the beel and its catchment area. Properly designed earthen drains ensure controlled inflow of fresh water and regulated outflow, maintaining the ecological balance, desired water level, and water quality within the beel.




Parameter	Specification/ Value
Inletlevel(RL)	44.28
Reference Level (RL)	44.90
Outletlevel (RL)	42.75
Lengthofinlet/ouletdrainproposed (m)	NA
Lining	Earthen
OtherInlet Structures	Hume Pipe/SiltTrap

**Technical specification:**

Sl. No.	Item	Specification/ Requirement	Execution Method	Standards/ Notes
1	<b>Type &amp; Location</b>	Earthen, trapezoidal section drains for inlet and outlet; alignment as per approved drawings and site survey	Peg alignment; mark bed and slope limits	IS783:1992
2	<b>Side Slope</b>	1V:2H for stability and ease of maintenance	Trim and dress slopes to uniform gradient	CPWD Earthwork Specifications
3	<b>Bed Gradient</b>	0.05–0.10%to maintain self-cleansing velocity while avoiding erosion	Level and grade bed with survey check	IS 783; IRC:SP:13
4	<b>Excavation</b>	Earthwork in dry/moist condition; dispose excess spoil to approved locations; reuse suitable material for embankment	Manual/mechanical excavation; compact side slopes	IS1200(Part1)

5	<b>Sedimentation Tank (at Inlet)</b>	Settling basin upstream of inlet, size based on sediment load; minimum retention time: 20 minutes	Excavate basin; desilt periodically	FAO Sediment Control Guidelines; ICAR-CIFRI
6	<b>Erosion Protection</b>	Turfing with <i>Cynodon</i> /vetiver; coir/jute mat for slope stability	Plant plugs at 150–200 mm spacing; water until establishment	CPWD Horticulture DSR
7	<b>Outlet Drain–RCC Hume Pipe Provision</b>	RCC Hume pipe, NP3 class, through embankment; spacing and location as per design		IS458:1988;IS 783

### Catchment Map



### 5. Rearing Tank

Fish rearing tanks are controlled aquatic enclosures designed for breeding, nursing, and growing fish fingerlings before their release into the main beel or for market harvesting. They provide an environment where water quality, feed, and stocking density can be managed to maximize fish survival and growth rates, ensuring a sustainable and productive fishery.

RearingTankNo.	Parameter	Specification/ Value
RearingTank-1	Area	1500.00sqm
	MaximumDepth	1.5 m
RearingTank-2	Area	1500.00sqm
	MaximumDepth	1.5 m

## Technical Specifications

Sl. No.	Item	Specification/ Requirement	Execution Method	Standards/Notes
1	<b>Type &amp; Purpose</b>	Earthen tanks for nursery/grow-out rearing of Fish before release or harvest	Construct as per approved layout	NFDB& ICAR-CIFRI guidelines
2	<b>Size &amp; Shape</b>	Rectangular; 0.05–0.20ha surface area per tank (as per stocking plan)	Construct as per approved layout	Fisheries Department norms
3	<b>Depth</b>	1.2m water depth +0.3m freeboard	Excavate to design depth; level bottom	IS14220:1994 (Earthen ponds)
4	<b>Side Slopes</b>	1V:1.5H for earthen banks	Dress slopes to uniform gradient	CPWD Earthwork Specifications
5	<b>Bunds / Embankments</b>	Crest width 4.0 m; top level 0.3 m above FSL; compacted to 95% Proctor density	Layer-wise compaction ( $\leq 200$ mm layers); turf on inner slope if wave-prone	IS8237:1985
6	<b>Bund Protection</b>	Turfing with <i>Cynodon</i> /vetiver; 150–300mm stone pitching over 75–150 mm filter layer where needed		CPWDDSR 14.73
7	<b>Inlet Structure</b>	RCC/HDPE pipe (150–300 mm dia.) with fine mesh ( $\leq 5$ mm) to block predators/debris		IS458:2003; ICAR-CIFRI Weed Control Manual
8	<b>Outlet Structure</b>	RCC/HDPE pipe with fine mesh to prevent fish escape	Bamboo Barricading installed at the outlet of the beel	IS783:1992

## 6. Community Hall cum Wetland Information Centre& Fish Landing Unit

### A. Community Hall cum Wetland Information Centre

The Community Hall cum Wetland Information Centre cum Fish Landing Site is designed to serve as a **multi- purpose facility** for the local fisher community. The structure is strategically located near the beel to ensure convenient access for community gatherings as well as administrative functions.



Parameter	Specification/ Value
Building Footprint	14.76m x 13.60m
Superstructure	Columns & beams
Roofing	Truss type, roofing sheet
Flooring & Finishes	PCC/RCC

### Technical Specifications

Sl. No.	Item	Specification/Requirement	Execution Method	Standards/ Notes
1	<b>Type of Structure</b>	Single-storey RCC frame with brick masonry walls; sloped roof	As per approved drawings	IS 456:2000, IS 2212:1991
2	<b>Overall Size</b>	14.76m x 13.60m	Layout as per site plan	-
3	<b>Foundation</b>	Isolated RCC footings	Excavate, place soling, PCC, reinforcement, and concrete	IS 456:2000, IS 383:2016
4	<b>Plinth</b>	600-700mm above GL; PCC (1:4:8) under plinth wall	Level, compact, and lay PCC	CPWD Specs
5	<b>Superstructure - Walls</b>	Burnt clay bricks, class designation 75, in cement mortar (1:6)	Lay in English bond; joints $\leq$ 10 mm	IS 1077:1992, IS 2212:1991
6	<b>Columns</b>	RCC 300×300 mm (12-16mm main dia bars with 8mm dia stirrups)	Shuttering, reinforcement, concreting, curing	IS 456:2000
7	<b>Beams &amp; Lintels</b>	RCC beams / lintels M20 grade concrete	Place shuttering, reinforcement, concreting	IS 456:2000
8	<b>Roofing</b>	Steel truss with GI/ colour - coated sheeting, slope $\geq$ 1:3	Fabricate, erect, and fix sheeting with screws & washers	IS 277:2018

Sl. No.	Item	Specification/Requirement	Execution Method	Standards/ Notes
9	<b>Flooring</b>	100 mm thick cement concrete (1:2:4) with non-slip finish; fish landing area with extra slope to drain	Level, lay concrete, trowel finish	IS 2571:2021
10	<b>Doors &amp; Windows</b>	Wooden chowkath with panel shutters/ glazed windows	Fabricate, paint, and fix in position	IS 1038:1983
11	<b>Sanitary Facilities</b>	Two toilets with Indian-style WC, water supply, and drainage	Fix sanitary fixtures and connect to soak pit	IS 206:2003
12	<b>Finishing</b>	15 mm cement plaster (1:6) for walls; painting with acrylic exterior grade	Apply in two coats over primer	IS 2395:1994
13	<b>Verandah</b>	0.5m wide; RCC slab over brickwork/ columns	Construct as per plan	-
14	<b>Drainage</b>	PCC side drains for fish landing and toilet area	Grade towards soak pit / external drain	IS 4111:1979
15	<b>Quality Control</b>	Check reinforcement, concrete grade, brick strength, plaster thickness	Maintain QA/QC records	As per approved QA/QC plan

## **B. Fish landing Unit:**

The Fish Landing Unit shall serve as a **community facility** for hygienic landing, sorting, handling, temporary storage and dispatch of fish harvested from the wetland. The facility shall be **environment-friendly, flood-resilient, and accessible to fisher groups**. An 11.65m x 7.50 m, Assam type fish landing unit is proposed.

### **Components of Fish Landing Unit**

#### **Landing Platform**

- i. RCC platform, non-slip finish
- ii. Minimum size: 4.0 m × 6.0 m
- iii. Rounded edges for safety
- iv. 12" drain around the landing platform

## Water Supply & Washing Facility

- v. Potable water connection from Overhead tank
- vi. Taps with hoise points

## Drainage & Waste Disposal

- vii. Surface drains with grating
- viii. Wastewater led to Soak pit
- ix. Solid waste collection bins

## 7. Bamboo Double- Layer Barricade with Fishing Net

A 122m bamboo barricading has been proposed to prevent the inflow of floating weeds, retain fish within the beel, and allow free movement of water with minimal hydraulic obstruction.

### Technical Specification:

Providing, transporting to site, eco-friendly pre-treating, cutting to size, and installing matured bamboo (*Bambusabalcooa* – Kako / *Bambusanutans* – Bhaluka / *Bambusatulda* – Jati type) for a double-layer barricade spanning from embankment to embankment across the wetland water bed, each layer comprising horizontal and vertical members, fixed with treated coir rope, including fishing net on the inner layer, excavation/driving to embed in bed, side bracing, and all incidental works, complete as directed.

Sl. No.	Component	Specification	Remarks
1	<b>Bamboo (Outer Layer)</b>	Species: <i>Bambusabalcooa</i> (Kako)/ <i>Bambusanutans</i> (Bhaluka)/ <i>Bambusatulda</i> (Jati); matured ≥ 3 years; dia. 8–12cm (Kako/Bhaluka), 5–8cm (Jati); vertical & horizontal members at 250 mm C/C	Fixed on water-facing side of bund
2	<b>Bamboo (Inner Layer)</b>	Same species & maturity as outer layer; dia. 8–12 cm (Kako/Bhaluka), 5–8 cm (Jati); vertical & horizontal members at 150 mm C/C	Inner face fitted with fishing net
3	<b>Height of Barricade</b>	2.50–3.00m above bed, matching bund height	To suit site
4	<b>Embedment Depth</b>	0.80–1.00m into bed/ground depending on soil condition	Driven or augered
5	<b>Cross-Ties/ Spacers</b>	Treated bamboo spacers at 1.50m intervals connecting outer & inner layers	Maintain spacing and stability
6	<b>Fishing Net (Inner Layer)</b>	UV-stabilized HDPE knotless net; mesh size ≤25 mm; twin dia. ≥ 2mm; full height from bed to top of barricade	Secured to all vertical & horizontal members

Sl. No.	Component	Specification	Remarks
7	<b>Fastenings</b>	Double lashing with treated coconut coir rope; concealed backup lashing with GI wire/UV-stabilized HDPE rope at submerged joints	For durability and eco-friendliness
8	<b>Bamboo Treatment</b>	Borax-boric acid soak (5% solution) ≥ 7 days; shade dry 7-10 days; char embedment portion (1.2 m)	Eco-friendly preservation
9	<b>Coir Rope Treatment</b>	Borax-boric acid soak 24hrs; coat with linseed oil-lime paste	Extends life in wet areas
10	<b>Bracing &amp; Anchoring</b>	Diagonal bracing ≤ 3.0m intervals; side anchors tied to bund or driven piles	Resist lateral loads
11	<b>Rate Includes</b>	Supply & delivery of materials, eco-treatments, transport, labour, tools, installation, and all incidental works	Complete in all respects

## 8. Solar Street Lights

A total of 44 solar street lights are proposed for installation along the approach road, within the fish rearing tank area, and at the Community Hall cum Wetland Information Centre.

### Technical Specification:

Supply, installation, testing and commissioning (SITC) of a solar street-lighting system comprising PV module, LiFePO<sub>4</sub> battery with BMS, MPPT charge controller (integrated), 30 W LED luminaire, 6 m GI pole with accessories, complete in all respects, including a 5-year comprehensive maintenance contract (CMC).

Sl. No.	Component/ Work	Specification & Requirements	Standards / Certification
1	<b>Solar PV Module</b>	Capacity: 160 Wp (minimum at STC); Technology: Crystalline silicon; Supplied with module mounting structure (MMS), clamps, fasteners, UV-resistant cable tails.	IEC61215(Ed. II)/IS 14286, IEC 61730; Tested by NABL or IECQ accredited laboratory.

2	<b>Battery Pack</b>	Lithium Iron Phosphate (LiFePO <sub>4</sub> ), 12.8 V nominal, 42 Ah; Integrated Battery Management System (BMS) with protections (over/under-voltage, over-current, short-circuit, over-temp, cell balancing).	IEC62133-2011(or latest BIS equivalent); Test certificate from BIS-recognized lab.
3	<b>MPPT Charge Controller</b>	Type: MPPT; Integrated with luminaire & battery; System voltage: 12.8 V nominal; Current rating: 6 A / 12A / 14A (max as required); Functions: Automatic dusk-to-dawn operation, LiFePO <sub>4</sub> charging profile, full electronic protections.	
4	<b>LED Street-Light Luminaire</b>	Power: 30 W (±5%); High-efficiency optics and driver; Housing ingress protection: IP66 or higher; Suitable for uniform roadway illumination.	IP66 certified; BIS/IS 10322 compliance.
5	<b>Pole</b>	Length: 6 m; Material: Tubular hot-dip galvanized GI; Wall thickness: 2.2mm; Conforming to GI tube standard and galvanizing standard.	IS 1161 (steel tubes), IS 4736 (galvanizing).
6	<b>Accessories</b>	Single-arm bracket, MMS, light arm to hold luminaire and PV module; All clamps and fasteners included.	Manufacturer's standard; corrosion-protected.
7	<b>Erection, Testing &amp; Commissioning</b>	Installation on prepared foundation; Wiring and inter connections; Functional testing (dusk-to-dawn) in presence of Engineer-in-Charge; Submission of as- built documentation.	As per CPWD General Specifications for Electrical Works, Part-II (External).
8	<b>Comprehensive Maintenance Contract (CMC)</b>	Duration: 5 years from date of commissioning; Preventive and break down maintenance; Replacement of defective parts; Maintenance of required illumination levels.	CMC terms as per tender conditions; Performance to be certified annually.

## 9. Katal Fishing/ Jeng Fishing (Fish Aggregating Device)

Katal fishing, also called Katalmara or Jeng fishing in lower Assam, is a traditional low-cost method widely used in beel fisheries, where a mass of water hyacinth, bushes, and tree branches is enclosed within a circular inner perimeter (200–320 m) and protected by tree stumps to attract and shelter fish. An outer 4–6 m buffer zone is maintained as a no- disturbance area. Installed post-monsoon (September–October) at depths of 1.5–3.0 m, Katals are left undisturbed for 2–3 months before harvesting. The operation involves enclosing the Katal with nylon nets and bamboo matting, then gradually reducing the circle while removing vegetation and catching fish with cast nets, typically requiring 8–12 hours or more depending on size and handled by a team of 20–30 fishermen.

Provision of **2** no's of Katal Fishing is being provided.

## Technical Specification:

Sl. No.	Component/Work	Specification &Requirements
1	<b>Supplying, fitting &amp; fixing Bhaluka bamboo pole around Katal</b>	Bamboo dia: 100 mm; Height above G.L.: 5.00 m; Embedment below G.L.: 1.20m; Spacing: 4.0 m c/c; One whole bamboo= one pole; Installation as per drawing and specification
2	<b>Supplying, fitting &amp; fixing Jati bamboo cross struts</b>	Bamboo dia:75mm; Length: 6.80m; Fixed on both sides of each pole at 4.0 m c/c; One whole bamboo = one cross strut
3	<b>Supplying, fitting &amp; fixing floating horizontal Bhaluka bamboo struts / kami / logi</b>	Bamboo dia:100mm; Length: 6.80m; Installed along Katal circumference; Includes lapping
4	<b>Nylon rope for tying structure</b>	Good quality nylon rope to secure bamboo frame work
5	<b>Supplying &amp; laying jeng and tree branches</b>	For fish aggregation centre (Katal) as per direction of Fishermen Hawalder& Site Engineer
6	<b>Special skilled labour</b>	Divers/workers capable of working under and above water for Katal installation
7	<b>Watch &amp; ward (protection) of Katal</b>	(i) Chowkider shed using locally available material; (ii) Hurricane lamp-1No. (iii) Kerosene oil for 2months; (iv) Torch light with battery; (v) Monthly wages for Chowkider- cum-Guard; (vi) Cooking utensils for refreshment
8	<b>Protection of Katal/ Jeng&amp; harvesting</b>	(i) Nylon net (GoshthiJaal) breadth 1.00m; (ii) Nylon rope 20 mm dia (iii) Jute rope 40 mm dia (iv) Making/fitting fishing net including labour (v) Daughter net (Fahajal) for harvesting (vi) Fish storage kit (vii) Country boat (17' × 3.50') for watch & harvest
9	<b>Miscellaneous</b>	Any other site specific works related to Katal installation and harvesting

## 10. Overhead Tank

The capacity of a tank for a Community Hall cum Wetland Information Centre depends on:

- Daily water demand of facility (litres/person/day)
- Frequency of supply / intermittent supply regime
- Duration of expected outages
- Peak usage patterns during events

Generally, **storage should cover at least one day's average demand** plus allowance for peak demand, outages and hygiene requirements. The following are the specifications for the water storage tank with staging-

**Capacity:** 1000Litres

### **Steel Staging Details**

- **Height:5.5m**
- **Columns:**
  - 8Nos steel columns
  - Size: **Square Tube75mm x 75mm x 5mm**
- **Bracing beams:**
  - Size: **ISA50mm x 50mm x 4mm**
- **Girder (Column to column Beam):**
  - Size: **Square Tube50mm x 50mm x 4mm**
- **Foundation**
  - Isolated footing: 750 mm x 750 mm
  - PCC (1:4:8) bed below footing

### **Concrete & Reinforcement**

- **Concrete grade:**
  - RCC: **M20**
  - PCC: **1:4:8**
- **Reinforcement:**
  - Fe-500 TMT bars conforming to **IS 1786**
- **Clear cover:**
  - Footing: 50 mm

### Personel Requirements

Using Form PER-1 and PER-2 in Section 4 (Bidding Forms), the Bidder must demonstrate that it has personnel who meet the following requirements:

No.	Position	Total Work Experience [years]	Experience In Similar Work[years]
1	Project Engineer	Degree in civil engineering from a recognized university having minimum experience of 5 years	3 years in similar position
2	Project Site Engineer	Degree in civil engineering from a recognized university having experience of 3 years or Diploma in civil engineering from a recognized university having minimum experience of 5 years	2 years in similar position

Using Form EXP-6 in Section 4 (Bidding Forms), the Bidder must demonstrate that it has EHS personnel who meet the following requirements:

#### Key Personnel as determined by the EMP and other safeguard management plans

Item No.	Position/ specialization	Relevant academic qualifications	Minimum years of relevant work experience	Minimum time on-site (%FTE)
1	Environment Health and Safety Officer	Graduate with additional qualification in Environmental Science, Health and Safety	2 years in similar position	50%



## **Equipment Requirements**

Using Form EQU in Section 4 (Bidding Forms), the Bidder must demonstrate that it has the key equipment listed below:

<b>No.</b>	<b>Equipment Type and Characteristics</b>	<b>Minimum Number Required</b>
1	Dumper/ Tipper Truck (5.5 cum/10 T capacity) with trailer	1 No
2.	Hydraulic Excavator cum Loader	1 No
3.	Static Roller (8-10 T capacity)	1 no
4	FRP Boats	2 nos
5	Manual Concrete Mixture	1 No
6	Generator Set	1 No

## **Section 7: General Conditions of Contract**

### **Table of Clauses**

<b>A. General .....</b>	<b>149</b>
<b>1. Definitions</b>	<b>149</b>
<b>2. Interpretation</b>	<b>151</b>
<b>3. Language and Law</b>	<b>151</b>
<b>4. Contract Agreement</b>	<b>151</b>
<b>5. Assignment</b>	<b>151</b>
<b>6. Care and Supply of Documents</b>	<b>152</b>
<b>7. Confidential Details</b>	<b>152</b>
<b>8. Compliance with Laws</b>	<b>152</b>
<b>9. Joint and Several Liability</b>	<b>153</b>
<b>10. Project Manager's Decisions</b>	<b>153</b>
<b>11. Delegation</b>	<b>153</b>
<b>12. Communications</b>	<b>153</b>
<b>13. Sub-contracting</b>	<b>153</b>
<b>14. Other Contractors</b>	<b>153</b>
<b>15. Personnel and Equipment</b>	<b>153</b>
<b>16. Employer's and Contractor's Risks</b>	<b>154</b>
<b>17. Employer's Risks</b>	<b>154</b>
<b>18. Contractor's Risks</b>	<b>154</b>
<b>19. Insurance</b>	<b>154</b>
<b>20. Site Investigation Reports</b>	<b>155</b>
<b>21. Contractor to Construct the Works</b>	<b>155</b>
<b>22. The Works to Be Completed by the Intended Completion Date</b>	<b>155</b>
<b>23. Designs by Contractor and Approval by the Project Manager</b>	<b>155</b>
<b>24. Safety</b>	<b>155</b>
<b>25. Discoveries</b>	<b>155</b>
<b>26. Possession of the Site</b>	<b>156</b>
<b>27. Access to the Site</b>	<b>156</b>
<b>28. Instructions, Inspections, and Audits</b>	<b>156</b>
<b>29. Appointment of the Adjudicator</b>	<b>156</b>
<b>30. Procedure for Disputes</b>	<b>156</b>
<b>31. Forced Labor</b>	<b>157</b>
<b>32. Child Labor</b>	<b>157</b>
<b>33. Workers' Organizations</b>	<b>157</b>

<b>34. Nondiscrimination and Equal Opportunity</b>	<b>157</b>
<b>35. Program</b>	<b>158</b>
<b>36. Extension of the Intended Completion Date</b>	<b>158</b>
<b>37. Acceleration</b>	<b>158</b>
<b>38. Delays Ordered by the Project Manager</b>	<b>159</b>
<b>39. Management Meetings</b>	<b>159</b>
<b>40. Early Warning</b>	<b>159</b>
<b>D. Quality Control .....</b>	<b>159</b>
<b>41. Identifying Defects</b>	<b>159</b>
<b>42. Tests</b>	<b>159</b>
<b>43. Correction of Defects</b>	<b>159</b>
<b>44. Uncorrected Defects</b>	<b>160</b>
<b>E. Cost Control.....</b>	<b>160</b>
<b>45. Contract Price</b>	<b>160</b>
<b>46. Changes in the Contract Price</b>	<b>160</b>
<b>47. Variations</b>	<b>160</b>
<b>48. Cash Flow Forecasts</b>	<b>161</b>
<b>49. Payment Certificates</b>	<b>161</b>
<b>50. Payments</b>	<b>161</b>
<b>51. Compensation Events</b>	<b>162</b>
<b>52. Tax</b>	<b>162</b>
<b>53. Currencies</b>	<b>163</b>
<b>54. Price Adjustment</b>	<b>163</b>
<b>55. Retention</b>	<b>163</b>
<b>56. Liquidated Damages</b>	<b>163</b>
<b>57. Bonus</b>	<b>164</b>
<b>58. Advance Payment</b>	<b>164</b>
<b>59. Securities</b>	<b>164</b>
<b>60. Dayworks</b>	<b>164</b>
<b>61. Cost of Repairs</b>	<b>164</b>
<b>62. Definition of Force Majeure</b>	<b>165</b>
<b>63. Notice of Force Majeure</b>	<b>165</b>
<b>64. Duty to Minimize Delay</b>	<b>165</b>
<b>65. Consequences of Force Majeure</b>	<b>165</b>
<b>66. Force Majeure Affecting Subcontractor</b>	<b>166</b>
<b>67. Optional Termination, Payment and Release</b>	<b>166</b>

<b>68. Release from Performance</b>	<b>166</b>
<b>G. Finishing the Contract .....</b>	<b>167</b>
<b>69. Completion</b>	<b>167</b>
<b>70. Taking Over</b>	<b>167</b>
<b>71. Final Account</b>	<b>167</b>
<b>72. Operating and Maintenance Manuals</b>	<b>167</b>
<b>73. Termination</b>	<b>167</b>
<b>74. Fraud and Corruption</b>	<b>168</b>
<b>75. Payment upon Termination</b>	<b>170</b>
<b>76. Property</b>	<b>171</b>
<b>77. Release from Performance</b>	<b>171</b>
<b>78. Suspension of ADB Loan or Credit</b>	<b>171</b>
<b>79. Eligibility</b>	<b>171</b>

## A. General

### 1. Definitions

- 1.1 Boldface type is used to identify defined terms.
- (a) The **Accepted Contract Amount** means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
  - (b) The **Activity Schedule** is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.
  - (c) The **Adjudicator** is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in GCC 29.1[Appointment of Adjudicator] hereunder.
  - (d) **Bank** means the financing institutions named in the **Particular Conditions of Contract (PCC)**.
  - (e) **Bill of Quantities** means the priced and completed Bill of Quantities forming part of the Bid.
  - (f) **Compensation Events** are those defined in GCC 51.1[Compensation Events]hereunder.
  - (g) The **Completion Date** is the date of completion of the Works as certified by the Project Manager, in accordance with GCC 69.1 [Completion].
  - (h) The **Contract** is the Contract between the Employer and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC 2.3 below.
  - (i) The **Contractor** is the party whose Bid to carry out the Works has been accepted by the Employer.
  - (j) The **Contractor's Bid** is the completed bidding document submitted by the Contractor to the Employer.
  - (k) The **Contract Price** is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.
  - (l) **Days** are calendar days; months are calendar months.
  - (m) **Dayworks** are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
  - (n) A **Defect** is any part of the Works not completed in accordance with the Contract.
  - (o) The **Defects Liability Certificate** is the certificate issued by the Project Manager upon correction of defects by the Contractor.
  - (p) The **Defects Liability Period** is the period calculated from the Completion Date where the Contractor remains responsible for remedying defects.
  - (q) **Drawings** include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
  - (r) The **Employer** is the party who employs the Contractor to carry out the Works, as specified in the**PCC**.
  - (s) **Equipment** is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.
  - (t) **Force Majeure** means an exceptional event or circumstance: which is beyond a Party's control; which such Party could not reasonably have provided against before entering into the

Contract; which, having arisen, such Party could not reasonably have avoided or overcome; and, which is not substantially attributable to the other Party.

- (u) **In writing** or **written** means hand-written, type-written, printed, or electronically made, and resulting in a permanent record.
- (v) The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.
- (w) The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the **PCC**. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- (x) **Letter of Acceptance** means the formal acceptance by the Employer of the Bid and denotes the formation of the Contract at the date of acceptance.
- (y) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- (z) **Party** means the Employer or the Contractor, as the context requires.
- (aa) **PCC** means Particular Conditions of Contract.
- (bb) **Plant** is any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- (cc) The **Project Manager** is the person named in the **PCC** (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- (dd) **Retention Money** means the aggregate of all monies retained by the Employer pursuant to GCC 55.1 [Retention].
- (ee) **Schedules** means the document(s) entitled schedules, completed by the Contractor and submitted with the Letter of Bid, as included in the Contract. Such document may include the Bill of Quantities, data, lists, and schedules of rates and/or prices.
- (ff) The **Site** is the area defined as such in the **PCC**.
- (gg) **Site Investigation Reports** are those that were included in the bidding documents and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- (hh) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- (ii) The **Start Date** is given in the **PCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- (jj) A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- (kk) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- (ll) A **Variation** is an instruction given by the Project Manager which varies the Works.
- (mm) The **Works** are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as defined in the **PCC**.

- 2. Interpretation**
- 2.1 In interpreting these GCC, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.
- 2.2 If sectional completion is specified in the **PCC**, references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 2.3 The documents forming the Contract shall be interpreted in the following order of priority:
- (a) Contract Agreement,
  - (b) Letter of Acceptance,
  - (c) Letter of Bid,
  - (d) Particular Conditions of Contract,
  - (e) the List of Eligible Countries that was specified in Section 5 of the bidding document,
  - (f) General Conditions of Contract,
  - (g) Specifications,
  - (h) Drawings,
  - (i) Completed Activity Schedules or Bill of Quantities, and
  - (j) any other document listed in the **PCC** as forming part of the Contract.
- 3. Language and Law**
- 3.1 The language of the Contract and the law governing the Contract are stated in the **PCC**.
- 3.2 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Employer's country when
- (a) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's Country prohibits any import of goods from, or any payments to, a particular country, person, or entity. Where the Borrower's country prohibits payments to a particular firm or for particular goods by such an act of compliance, that firm may be excluded.
- 4. Contract Agreement**
- 4.1 The Parties shall enter into a Contract Agreement within 28 days after the Contractor receives the Letter of Acceptance, unless the Particular Conditions establish otherwise. The Contract Agreement shall be based upon the attached Contract forms in Section 8. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Employer.
- 5. Assignment**
- 5.1 Neither Party shall assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, either Party
- (a) may assign the whole or any part with the prior agreement of the other Party, at the sole discretion of such other Party; and
  - (b) may, as security in favor of a bank or financial institution, assign its right to any moneys due, or to become due, under the Contract.

**6. Care and Supply of Documents**

- 6.1 The Specification and Drawings shall be in the custody and care of the Employer. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawing shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
- 6.2 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Employer. Unless otherwise stated in the Contract, the Contractor shall supply to the Engineer six copies of each of the Contractor's Documents.
- 6.3 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Employer's Personnel shall have the right of access to all these documents at all reasonable times.
- 6.4 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

**7. Confidential Details**

- 7.1 The Contractor's and the Employer's Personnel shall disclose all such confidential and other information as may be reasonably required in order to verify the Contractor's compliance with the Contract and allow its proper implementation.
- 7.2 Each of them shall treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

7.3 Notwithstanding the above, the Contractor may furnish to its Subcontractor(s) such documents, data and other information it receives from the Employer to the extent required for the Subcontractor(s) to perform its work under the Contract, in which event the Contractor shall obtain from such Subcontractor(s) an undertaking of confidentiality similar to that imposed on the Contractor under this Clause.

**8. Compliance with Laws**

- 8.1 The Contractor shall, in performing the Contract, comply with applicable Laws.
- 8.2 Unless otherwise stated in the Particular Conditions,
  - (a) the Employer shall acquire and pay for all permits, approvals, and/or licenses from all local, state, or national government authorities or public service undertakings in the [Employer's Country or country where the Site is located] which (i) such authorities or undertakings require the Employer to obtain in the Employer's name, and (ii) are necessary for the execution of the Contract, including those required for the performance by both the Contractor and the Employer of their respective obligations under the Contract;
  - (b) the Contractor shall acquire and pay for all permits, approvals, and/or licenses from all local, state, or national government



authorities or public service undertakings in the [Employer's Country or country where the Site is located] which such authorities or undertakings require the Contractor to obtain in its name and which are necessary for the performance of the Contract, including, without limitation, visas for the Contractor's and Subcontractor's personnel and entry permits for all imported Contractor's Equipment. The Contractor shall acquire all other permits, approvals, and/or licenses that are not the responsibility of the Employer under Subclause 8.2(a) hereof and that are necessary for the performance of the Contract. The Contractor shall indemnify and hold harmless the Employer from and against any and all liabilities, damages, claims, fines, penalties, and expenses of whatever nature arising or resulting from the violation of such laws by the Contractor or its personnel, including the Subcontractors and their personnel, but without prejudice to Subclause 8.1 hereof.

**9. Joint and  
Several  
Liability**

9.1 If the Contractor is a Joint Venture of two or more persons, all such persons shall be jointly and severally liable to the Employer for the fulfillment of the provisions of the Contract, and shall designate one of such persons to act as a leader with authority to bind the Joint Venture. The composition or the constitution of the Joint Venture shall not be altered without the prior consent of the Employer.

**10. Project  
Manager's  
Decisions**

10.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role representing the Employer.

**11. Delegation**

11.1 The Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may cancel any delegation after notifying the Contractor.

**12. Communica-  
tions**

12.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.

**13. Sub-  
contracting**

13.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.

**14. Other  
Contractors**

14.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the **PCC**. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

**15. Personnel and  
Equipment**

15.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid to carry out the functions stated in the Schedule or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.

15.2 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating

the reasons, the Contractor shall ensure that the person leaves the Site within 7 days and has no further connection with the work in the Contract.

15.3 Should any employee of the Contractor be determined, based on reasonable evidence, to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the execution of the Works, then that employee shall be removed in accordance with Clause 15.2 above.

**16. Employer's  
and  
Contractor's  
Risks**

16.1 The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

**17. Employer's  
Risks**

17.1 From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:

(a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to

(i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works, or

(ii) negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.

(b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.

17.2 From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is an Employer's risk except loss or damage due to

(a) a Defect which existed on the Completion Date,

(b) an event occurring before the Completion Date, which was not itself an Employer's risk, or

(c) the activities of the Contractor on the Site after the Completion Date.

**18. Contractor's  
Risks**

18.1 From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risks, are Contractor's risks.

**19. Insurance**

19.1 The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the **PCC** for the following events, which are due to the Contractor's risks:

(a) loss of or damage to the Works, Plant, and Materials;

(b) loss of or damage to Equipment;

(c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and

(d) personal injury or death.

19.2 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide

for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.

19.3 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance, which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.

19.4 Alterations to the terms of an insurance shall not be made without the approval of the Project Manager.

19.5 Both parties shall comply with any conditions of the insurance policies.

## **20. Site**

### **Investigation Reports**

20.1 The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **PCC**, supplemented by any information available to the Contractor.

## **21. Contractor to Construct the Works**

21.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.

## **22. The Works to Be Completed by the Intended Completion Date**

22.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.

## **23. Designs by Contractor and Approval by the Project Manager**

23.1 The Contractor shall carry out design to the extent specified in the **PCC**. The Contractor shall promptly submit to the Employer all designs prepared by him. Within 14 days of receipt, the Employer shall notify any comments. The Contractor shall not construct any element of the permanent work designed by him within 14 days after the design has been submitted to the Employer or where the design for that element has been rejected. Design that has been rejected shall be promptly amended and resubmitted. The Contractor shall resubmit all designs commented on, taking these comments into account as necessary.

23.2 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, who is to approve them if they comply with the Specifications and Drawings..

23.3 The Contractor shall be responsible for design of Temporary Works.

23.4 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.

23.5 The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.

23.6 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.

## **24. Safety**

24.1 The Contractor shall be responsible for the safety of all activities on the Site.

## **25. Discoveries**

25.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such

- discoveries and carry out the Project Manager's instructions for dealing with them.
- 26. Possession of the Site**
- 26.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the **PCC**, the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.
- 27. Access to the Site**
- 27.1 The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.
- 28. Instructions, Inspections, and Audits**
- 28.1 The Contractor shall carry out all instructions of the Project Manager, which comply with the applicable laws where the Site is located.
- 28.2 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and subconsultants to keep accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
- 28.3 The Contractor shall permit ADB or its representative to inspect the Contractor's site, assets, accounts, records, and other documents relating to the submission of bids and contract performance and to have them audited by auditors appointed by ADB. The Contractor shall maintain all documents and records related to the bid submission and execution of the Contract for at least 5 years after completing the works contemplated in the relevant contracts or the period prescribed in applicable law, whichever is longer. The Contractor shall provide any documents necessary for the investigation of allegations of corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations and require its employees or agents with knowledge of the Contract to respond to questions from ADB.
- 28.4 ADB's right to inspect the Site and/or the Contractor's accounts and records relating to the performance of the Contract stated in Sub-Clause 28.3 and 74.2 (e) shall survive termination and/ or expiration of this Contract.
- 29. Appointment of the Adjudicator**
- 29.1 The Adjudicator shall be appointed jointly by the Employer and the Contractor, at the time of the Employer's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Employer does not agree on the appointment of the Adjudicator, the Employer will request the Appointing Authority designated in the **PCC**, to appoint the Adjudicator within 14 days of receipt of such request.
- 29.2 Should the Adjudicator resign or die, or should the Employer and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Employer and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority at the request of either party, within 14 days of receipt of such request.
- 30. Procedure for Disputes**
- 30.1 If the Contractor believes that a decision taken by the Project Manager was either outside the authority given to the Project Manager by the Contract or that the decision was wrongly taken, the decision shall be referred to the Adjudicator within 14 days of

the notification of the Project Manager's decision.

- 30.2 The Adjudicator shall give a decision in writing within 28 days of receipt of a notification of a dispute.
- 30.3 The Adjudicator shall be paid by the hour at the rate specified in the **PCC**, together with reimbursable expenses of the types specified in the **PCC**, and the cost shall be divided equally between the Employer and the Contractor, whatever decision is reached by the Adjudicator. Either party may refer a decision of the Adjudicator to an Arbitrator within 28 days of the Adjudicator's written decision. If neither party refers the dispute to arbitration within the above 28 days, the Adjudicator's decision shall be final and binding.
- 30.4 The arbitration shall be conducted in accordance with the arbitration procedures published by the institution named and in the place specified in the **PCC**.

## **B. Staff and Labor**

### **31. Forced Labor**

- 31.1 The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty. This covers any kind of involuntary or compulsory labor, such as indentured labor, bonded labor, or similar labor-contracting arrangements.

### **32. Child Labor**

- 32.1 The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where national laws have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

### **33. Workers' Organizations**

- 33.1 In countries where national law recognizes workers' rights to form and to join workers' organizations of their choosing without interference and to bargain collectively, the Contractor shall comply with national law. Where national law substantially restricts workers' organizations, the Contractor shall enable alternative means for the Contractor's Personnel to express their grievances and protect their rights regarding working conditions and terms of employment. In either case described above, and where national law is silent, the Contractor shall not discourage the Contractor's Personnel from forming or joining workers' organizations of their choosing or from bargaining collectively, and shall not discriminate or retaliate against the Contractor's Personnel who participate, or seek to participate, in such organizations and bargain collectively. The Contractor shall engage with such workers representatives. Worker organizations are expected to fairly represent the workers in the workforce.

### **34. Nondiscrimination and Equal Opportunity**

- 34.1 The Contractor shall not make employment decisions on the basis of personal characteristics unrelated to inherent job requirements. The Contractor shall base the employment relationship on the principle of equal opportunity and fair treatment, and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employment or retirement, and discipline. In countries where

national law provides for non-discrimination in employment, the Contractor shall comply with national law. When national laws are silent on nondiscrimination in employment, the Contractor shall meet this Subclause's requirements. Special measures of protection or assistance to remedy past discrimination or selection for a particular job based on the inherent requirements of the job shall not be deemed discrimination.

### **C. Time Control**

#### **35. Program**

- 35.1 Within the time stated in the **PCC**, after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
- 35.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.
- 35.3 The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the **PCC**. If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the **PCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.
- 35.4 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.

#### **36. Extension of the Intended Completion Date**

- 36.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
- 36.2 The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

#### **37. Acceleration**

- 37.1 When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.

37.2 If the Contractor's priced proposals for an acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.

**38. Delays  
Ordered by  
the Project  
Manager**

38.1 The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

**39. Management  
Meetings**

39.1 Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.

39.2 The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

**40. Early Warning**

40.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.

40.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.

**D. Quality Control**

**41. Identifying  
Defects**

41.1 The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.

**42. Tests**

42.1 If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.

**43. Correction of  
Defects**

43.1 The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the **PCC**. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.

43.2 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.

**44. Uncorrected Defects**

44.1 If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

**E. Cost Control**

**45. Contract Price**

45.1 In the case of an admeasurement contract, the Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

45.2 In the case of a lump sum contract, the Activity Schedule shall contain the priced activities for the Works to be performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for Materials on Site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule.

**46. Changes in the Contract Price**

46.1 In the case of an admeasurement contract:

(a) If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25%, provided the change exceeds 1% of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change.

(b) The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15%, except with the prior approval of the Employer.

(c) If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

46.2 In the case of a lump sum contract, the Activity Schedule shall be amended by the Contractor to accommodate changes of Program or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule.

**47. Variations**

47.1 All Variations shall be included in updated Programs, and, in the case of a lump sum contract, also in the Activity Schedule, produced by the Contractor.

47.2 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.

47.3 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.

47.4 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.

47.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

47.6 In the case of an admeasurement contract, if the work in the Variation corresponds to an item description in the Bill<sub>16</sub> of



Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in GCC46.1 [Changes in the Contract Price] or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.

**48. Cash Flow  
Forecasts**

48.1 When the Program, or, in the case of a lump sum contract, the Activity Schedule, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.

**49. Payment  
Certificates**

49.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.

49.2 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.

49.3 The value of work executed shall be determined by the Project Manager.

49.4 The value of work executed shall comprise,  
(a) in the case of an admeasurement contract, the value of the quantities of work in the Bill of Quantities that have been completed; or

(b) in the case of a lump sum contract, the value of work executed shall comprise the value of completed activities in the Activity Schedule.

49.5 The value of work executed shall include the valuation of Variations and Compensation Events.

49.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

**50. Payments**

50.1 Payments shall be adjusted for deductions for advance payments and retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 28 days of the date of each certificate. If the Employer makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.

50.2 If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.

50.3 Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.

50.4 Items of the Works for which no rate or price has been entered in shall not be paid for by the Employer and shall be deemed covered

**51. Compensation  
Events**

- by other rates and prices in the Contract.
- 51.1 The following shall be Compensation Events:
- (a) The Employer does not give access to a part of the Site by the Site Possession Date pursuant to GCC 26.1 [Possession of the Site].
  - (b) The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
  - (c) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
  - (d) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
  - (e) The Project Manager unreasonably does not approve a subcontract to be let.
  - (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to Bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
  - (g) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
  - (h) Other contractors, public authorities, utilities, or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
  - (i) The advance payment is delayed.
  - (j) The effects on the Contractor of any of the Employer's Risks.
  - (k) The Project Manager unreasonably delays issuing a Certificate of Completion.
- 51.2 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 51.3 As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the Contractor shall react competently and promptly to the event.
- 51.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.

**52. Tax**

- 52.1 The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 28 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a

result of GCC 54.1 [Price Adjustment].

### 53. Currencies

53.1 Where payments are made in currencies other than the currency of the Employer's country specified in the **PCC**, the exchange rates used for calculating the amounts to be paid shall be the exchange rates stated in the Contractor's Bid.

### 54. Price Adjustment

54.1 Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the **PCC**. If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type indicated below applies to each Contract currency:

$$P_c = A_c + B_c I_{mc} / I_{oc}$$

where:

$P_c$  is the adjustment factor for the portion of the Contract Price payable in a specific currency "c."

$A_c$  and  $B_c$  are coefficients<sup>7</sup> specified in the **PCC**, representing the nonadjustable and adjustable portions, respectively, of the Contract Price payable in that specific currency "c;" and

$I_{mc}$  is a consolidated index prevailing at the end of the month being invoiced and  $I_{oc}$  is the same consolidated index prevailing 28 days before Bid opening for inputs payable; both in the specific currency "c."

54.2 If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.

### 55. Retention

55.1 The Employer shall retain from each payment due to the Contractor the proportion stated in the **PCC** until Completion of the whole of the Works.

55.2 Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with GCC 69.1 [Completion], half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" bank guarantee.

### 56. Liquidated Damages

56.1 The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the **PCC** for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the **PCC**. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

56.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting

---

<sup>7</sup> The sum of the two coefficients  $A_c$  and  $B_c$  should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulas for all currencies, since coefficient A, for the nonadjustable portion of the payments, is a very approximate figure (usually 0.10 ~ 0.20) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency is added to the Contract Price.

the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC 50.1 [Payments].

#### **57. Bonus**

57.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day stated in the **PCC** for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.

#### **58. Advance Payment**

58.1 The Employer shall make advance payment to the Contractor of the amounts stated in the **PCC** by the date stated in the **PCC**, against provision by the Contractor of an unconditional bank guarantee in a form and by a bank acceptable to the Employer in amounts and currencies equal to the advance payment. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.

58.2 The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.

58.3 The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.

#### **59. Securities**

59.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount specified in the **PCC**, by a bank acceptable to the Employer, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a bank guarantee.

#### **60. Dayworks**

60.1 If applicable, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.

60.2 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within 2 days of the work being done.

60.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

#### **61. Cost of Repairs**

61.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

## **F. Force Majeure**

### **62. Definition of Force Majeure**

- 62.1 In this Clause, "Force Majeure" means an exceptional event or circumstance,
- (a) which is beyond a Party's control;
  - (b) which such Party could not reasonably have provided against before entering into the Contract;
  - (c) which, having arisen, such Party could not reasonably have avoided or overcome; and
  - (d) which is not substantially attributable to the other Party.
- 62.2 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:
- (a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies;
  - (b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war;
  - (c) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel;
  - (d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio-activity; and
  - (e) natural catastrophes such as earthquake, hurricane, typhoon, or volcanic activity.

### **63. Notice of Force Majeure**

- 63.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
- 63.2 The Party shall, having given notice, be excused from performance of its obligations for so long as such Force Majeure prevents it from performing them.
- 63.3 Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.

### **64. Duty to Minimize Delay**

- 64.1 Each Party shall at all times use all reasonable endeavours to minimize any delay in the performance of the Contract as a result of Force Majeure.
- 64.2 A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

### **65. Consequences of Force Majeure**

- 65.1 If the Contractor is prevented from performing its substantial obligations under the Contract by Force Majeure of which notice has been given under GCC Subclause 63 [Notice of Force Majeure], and suffers delay and/or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to GCC Subclause 30.1 [Procedure for Disputes] to
- (a) an extension of time for any such delay, if completion is or will be delayed, under GCC Subclause 36 [Extension of the Intended Completion Date]; and

- (b) if the event or circumstance is of the kind described in subparagraphs (a) to (d) of GCC Subclause 62.2 [Definition of Force Majeure] and, in the case of subparagraphs (b) to (d), occurs in the Country, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destructed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in GCC Subclause 19 [Insurance].

65.2 After receiving this notice, the Project Manager shall proceed in accordance with GCC Subclause 10 [Project Manager's Decisions] to agree or determine these matters.

#### **66. Force Majeure Affecting Subcontractor**

66.1 If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader Force Majeure events or circumstances shall not excuse the Contractor's Non-performance or entitle him to relief under this Clause.

#### **67. Optional Termination, Payment and Release**

67.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under GCC Subclause 63 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with GCC Subclause 73.5 [Termination].

67.2 Upon such termination, the Project Manager shall determine the value of the work done and issue a Payment Certificate, which shall include

- (a) the amounts payable for any work carried out for which a price is stated in the Contract;
- (b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Employer when paid for by the Employer, and the Contractor shall place the same at the Employer's disposal;
- (c) other Costs or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
- (d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
- (e) the Cost of repatriation of the Contractor's staff and labor employed wholly in connection with the Works at the date of termination.

#### **68. Release from Performance**

68.1 Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises, which makes it impossible or unlawful for either or both Parties to fulfill its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the

Contract, then upon notice by either Party to the other Party of such event or circumstance,

- (a) the Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract; and
- (b) the sum payable by the Employer to the Contractor shall be the same as would have been payable under GCC Subclause 67 [Optional Termination, Payment and Release] if the Contract had been terminated under GCC Subclause 67.

## **G. Finishing the Contract**

### **69. Completion**

69.1 The Contractor shall request the Project Manager to issue a certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the work is completed.

### **70. Taking Over**

70.1 The Employer shall take over the Site and the Works within 7 days of the Project Manager's issuing a certificate of Completion.

### **71. Final Account**

71.1 The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

### **72. Operating and Maintenance Manuals**

72.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the **PCC**.

72.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the **PCC** pursuant to GCC 72.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount stated in the **PCC** from payments due to the Contractor.

### **73. Termination**

73.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

73.2 Fundamental breaches of Contract shall include, but shall not be limited to, the following:

- (a) the Contractor stops work for 28 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
- (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 28 days;
- (c) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 84 days of the date of the Project Manager's certificate;
- (e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;

- (f) the Project Manager gives two consecutive Notices to update the Program and accelerate the works to ensure compliance with GCC Subclause 22.1 [The Works to Be Completed by the Intended Completion Date] and the Contractor fails to update the Program and demonstrate acceleration of the works within a reasonable period of time determined by the Project Manager;
- (g) the Contractor does not maintain a Security, which is required;
- (h) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the **PCC**; and
- (i) if the Contractor, in the judgment of the Employer has engaged in integrity violations in competing for or in executing the Contract, pursuant to GCC 74.1 [Fraud and Corruption].

73.3 When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under GCC 73.2 above, the Project Manager shall decide whether the breach is fundamental or not.

73.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.

73.5 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

#### **74. Fraud and Corruption**

74.1 If the Employer determines, based on reasonable evidence, that the Contractor has engaged in corrupt, fraudulent, collusive or coercive practices, or other integrity violations, including the failure to disclose any required information which constitutes a fraudulent practice, in competing for or in executing the Contract, then the Employer may, after giving 14 days notice to the Contractor, terminate the Contract and expel him from the Site, and the provisions of Clause 73 {Termination} shall apply as if such termination had been made under Sub-Clause 73.2 (i).

74.2 ADB requires Borrowers (including beneficiaries of ADB-financed activity) and their personnel, as well as firms and individuals participating in an ADB-financed activity, including but not limited to, Bidders, Suppliers, Contractors, agents, subcontractors, subconsultants, service providers, subsuppliers, manufacturers (including their respective officers, directors, employees and personnel) under ADB-financed contracts to observe the highest standard of ethics during the procurement and execution of such contracts in accordance with ADB's Anticorruption Policy (1998, as amended from time to time). In pursuance of this policy, the ADB

(a) defines, for the purposes of this provision, the terms set forth below as follows:

(viii) "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;

(ix) "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

(x) "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;



- (xi) “collusive practice” means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
- (xii) “abuse” means theft, waste, or improper use of assets related to ADB-related activity, either committed intentionally or through reckless disregard;
- (xiii) “conflict of interest” means any situation in which a party has interests that could improperly influence that party’s performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations; and
- (xiv) “integrity violation” is any act, as defined under ADB’s Integrity Principles and Guidelines(2015, as amended from time to time),which violates ADB’s Anticorruption Policy, including (i) to (vi) above and the following: obstructive practice, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB's Anticorruption Policy, including failure to adhere to the highest ethical standard.
- (f) will reject a proposal for award if it determines that the Bidder recommended for award or any of its officers, directors, employees, personnel, subconsultants, subcontractors, service providers, suppliers or manufacturers has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;
- (g) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the Borrower or of a beneficiary of ADB-financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the Borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation, including by failing to inform ADB in a timely manner at the time they knew of the integrity violations;
- (h) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB’s Anticorruption Policy and Integrity Principles and Guidelines, including declaring ineligible, either indefinitely or for a stated period of time, to participate<sup>8</sup> in ADB-financed, -administered, or -supported activities or to benefit from an ADB-financed, -administered, or -supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and
- (i) will have the right to require that a provision be included in bidding documents and in contracts financed, administered, or supported by ADB, requiring Bidders, suppliers and contractors, consultants, manufacturers, service providers and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, to permit

---

<sup>8</sup> Whether as a Contractor, Subcontractor, Consultant, Manufacturer or Supplier, or Service Provider; or in any other capacity (different names are used depending on the particular Bidding Document).

ADB or its representative to inspect the site and their assets, accounts and records and other documents relating to the bid submission and contract performance and to have them audited by auditors appointed by ADB.

74.3 All Bidders, consultants, contractors, suppliers, manufacturers, service providers, and other third parties engaged or involved in ADB-related activities and their respective officers, directors, employees and personnel are obliged to cooperate fully in any investigation when requested by ADB to do so. As determined on a case by case basis by ADB, such cooperation includes, but is not limited to, the following:

- (a) being available to be interviewed and replying fully and truthfully to all questions asked;
- (b) providing ADB with any items requested that are within the party's control including, but not limited to, documents and other physical objects;
- (c) upon written request by ADB, authorizing other related entities to release directly to ADB such information that is specifically and materially related, directly or indirectly, to the said entities or issues which are the subject of the investigation;
- (d) cooperating with all reasonable requests to search or physically inspect their person and/or work areas, including files, electronic databases, and personal property used on ADB activities, or that utilizes ADB's Information and Communications Technology (ICT) resources or systems (including mobile phones, personal electronic devices, and electronic storage devices such as external disk drives);
- (e) cooperating in any testing requested by ADB, including but not limited to, fingerprint identification, handwriting analysis, and physical examination and analysis; and
- (f) preserving and protecting confidentiality of all information discussed with, and as required by, ADB.

74.4 All Bidders, consultants, contractors and suppliers shall require their officers, directors, employees, personnel, agents to ensure that, in its contracts with its subconsultants, Subcontractors and other third parties engaged or involved in ADB-related activities, such subconsultants, Subcontractors and other third parties similarly are obliged to cooperate fully in any investigation when requested by ADB to do so.

74.5 The Contractor undertakes that no fees, gratuities, rebates, gifts, commissions or other payments, other than those shown in the bid, have been given or received in connection with the procurement process or in the contract execution.<sup>9</sup>

75.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as indicated in the **PCC**. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be

## **75. Payment upon Termination**

a debt payable to the Employer.

75.2 If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.

**76. Property**

76.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer if the Contract is terminated because of the Contractor's default.

**77. Release from Performance**

77.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterward to which a commitment was made.

**78. Suspension of ADB Loan or Credit**

78.1 In the event that ADB suspends the Loan or Credit to the Employer, from which part of the payments to the Contractor are being made,

(a) the Employer is obligated to notify the Contractor, with copy to the Project Manager, of such suspension within 7 days of having received ADB's suspension notice.

(b) if the Contractor has not received sums due it within the 28 days for payment provided for in GCC50.1 [Payments], the Contractor may immediately issue a 14-day termination notice.

**79. Eligibility**

79.1 The Contractor shall have the nationality of an eligible country as specified in Section 5 (Eligible Countries) of the bidding document. The Contractor shall be deemed to have the nationality of a country if the Contractor is a citizen or is constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract including related services.

79.2 The materials, equipment, and services to be supplied under the Contract shall have their origin in eligible source countries as specified in Section 5 (Eligible Countries) of the bidding document and all expenditures under the Contract will be limited to such materials, equipment, and services. At the Employer's request, the Contractor may be required to provide evidence of the origin of materials, equipment, and services.

79.3 For purposes of GCC 79.2, "origin" means the place where the materials and equipment are mined, grown, produced, or manufactured, and from which the services are provided. Materials and equipment are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that differs substantially in its basic characteristics or in purpose or utility from its components.



## Section 8: Particular Conditions of Contract

The following Particular Conditions of Contract shall supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

<b>A. General</b>	
<b>GCC 1.1 (d)</b>	The financing institutions is <b>The Asian Development Bank</b>
<b>GCC 1.1 (r)</b>	The Employer is <b>ARIAS Society, Khanapara, Assam</b>
<b>GCC 1.1 (w)</b>	The Intended Completion Date for the whole of the Works shall be <b>12 Months</b>
<b>GCC 1.1 (cc)</b>	The Project Manager is <b>District Fishery Development Officer, Bongaigaon, Assam</b>
<b>GCC 1.1 (ff)</b>	The Site is located at <b>Khoribari Borbilla Beel</b> under Bongaigaon District and is defined in drawings <b>furnished at Vol-3 of the Bidding Document</b>
<b>GCC 1.1 (ii)</b>	The Start Date shall be <b>Date of issue of Notice to Proceed with the work</b>
<b>GCC 1.1 (mm)</b>	<b>The Works consist of :- Conservation, Restoration and Rejuvenation works of the 'of Khoribari Borbilla Beel under Bongaigaon District under the Assam SWIFT Project including works related to desilting &amp; de-weeding, embankment strengthening, construction of inlet and outlet drains, rearing tank, improvement of approach road, community and auction shed, pen culture, installation of solar lights, katal fishing / jeng fishing (Fish Aggregating Device).</b>
<b>GCC 2.2</b>	Sectional Completions are: <b>Not Applicable</b>
<b>GCC 2.3(j)</b>	The following documents also form part of the Contract: <ol style="list-style-type: none"> <li>1. <b>Construction Methodology:</b> Construction methodology as submitted by the Bidder and revised as per comments of employer given in letter of acceptance, if any.</li> <li>2. <b>Quality control:</b> Quality control procedures and assurance plans given in the bid by the Bidder and amended as per comments of Employer given in letter of acceptance, if any.</li> <li>3. <b>Environmental, Health and Safety (EHS):</b>(i) Environmental, Health, and Safety Management Plan (EHSMP), with monitoring plan, that reflects the bidder's understanding of key EHS risks, outlines proposed strategies to address them, and demonstrates readiness to manage these risks effectively. The EHSMP will be further developed into a detailed site-specific EHSMP after contract awarding, subject to review and approval by Project Manager or Employer;(ii) most recent initial environmental examination report for Assam SWIFT Project disclosed in ADB website; (iii) Code of Conduct that will apply to its employees and subcontractors, to ensure compliance with its EHS obligations under the contract.</li> </ol>
<b>GCC 3.1</b>	The language of the contract is <b>English</b> The law that applies to the Contract is the law of <b>India</b>
<b>GCC 8 2.(c)</b>	Ensures the Contractor complies with all applicable national and state environmental laws and regulations. This includes adherence to environmental clearance requirements, pollution control standards, labor and occupational health laws, and biodiversity protection rules. In addition, the Contractor shall align with the international environmental treaties and conventions to which India is a party,
<b>GCC 11.1</b>	The Project Manager <b>may</b> delegate any of his duties and responsibilities.
<b>GCC 14.1</b>	Schedule of other contractors: <b>Not Applicable</b>
<b>GCC 19.1</b>	The minimum insurance amounts and deductibles shall be: <ol style="list-style-type: none"> <li>(a) for loss or damage to the Works, Plant and Materials: <b>Equal to contract amount</b></li> <li>(b) for loss or damage to Equipment: <b>10% of the contract amount</b></li> </ol>

	<p>(c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract <b>5% of the contract amount</b></p> <p>(d) for personal injury or death:</p> <p>(i) of the Contractor's employees: In accordance with the statutory requirements applicable in India</p> <p>(ii) of other people: In accordance with the statutory requirements applicable in India</p>
<b>GCC 20.1</b>	Site Investigation Reports are: <b>Detailed Progress Report shall be shared with the contractor.</b>
<b>GCC 23.1</b>	The following shall be designed by the Contractor: <b>As indicated in the scope of works</b>
<b>GCC 24.1</b>	<p>The Contractor is responsible for providing site workers with safe and healthy working conditions and establish an operating system to prevent accidents, injuries, and disease. This includes the establishment of preventive measures to avoid, and where avoidance is not possible, to minimize, adverse impacts and risks of the construction site work to the health and safety of local communities Within 28 days from the date of the Letter of Acceptance, the Contractor shall submit a detailed Site Specific Environmental, Health and Safety Management Plan (SSEHSMP) for the Employer or Project Manager's no objection showing how it intends to comply with environmental, health and safety laws and regulations and other specific requirements prescribed in the Contract, addressing the monitoring and mitigation measures set forth in the Initial Environmental Examination (IEE) and the Environmental Management Plan ("EMP") of the project as well as related Supplementary Information attached in Section 6- Employer's Requirements. Work shall not commence on the Site until the no objection of SSEHSMP has been obtained from the Project Manager or Employer. Such confirmation of no objection by the Project Manager or Employer shall not relieve the Contractor of any of his obligations or responsibilities under the Contract.</p> <p>The Contractor is required to provide all personnel on site including Employer's Personnel and visitors with personal protective equipment in accordance with the Contractor's SSEHSMP. The Contractor should ensure that his Subcontractors comply with the SSEHSMP and provide all such necessary equipment to their personnel.</p> <p>Where unanticipated health and safety hazards, or environmental risks or impacts become apparent during the Contract, the Contractor is required to update the SSEHSMP to outline the potential impacts to site works and associated mitigation measures for the Project Manager's approval.</p> <p>In the event of a significant injury involving medical treatment or hospitalization and fatal accident the Contractor shall notify the Project Manager immediately by verbal communication and submit a formal report as soon as practicable after its occurrence. For all accidents, whether fatal or not, the Contractor shall also notify the appropriate local authorities in accordance with the Laws of the Country.</p>
<b>GCC 26.1</b>	The Site Possession Date(s) shall be: <b>On the date of commencement of work</b>
<b>GCC 29.1</b>	Appointing Authority for the Adjudicator: <b>Chairman, Institute of Engineers (India), Assam State Centre</b>
<b>GCC 30.3</b>	<p>The Adjudicator shall be paid by the hour at the rateof: <b>Rs. 2,000.00/- (Rupees Two Thousand only)</b></p> <p>The reimbursable expenses are:</p> <ol style="list-style-type: none"> <li>1. Reasonable Travel expenses</li> <li>2. Reasonable Accommodation costs</li> <li>3. Meals and refreshments during work-related activities.</li> </ol>

<b>GCC 30.4</b>	<p>Institution whose arbitration procedures shall be used: <i>[select from below]</i></p> <p>(a) <b>Contracts with foreign contractors:</b>  International arbitration shall be conducted in accordance with the rules of UNCITRAL. If no rules have been specified, then Rules of the Singapore International Arbitration Centre (SIAC) shall apply.  Arbitration shall be administered by <b>Singapore International Arbitration Centre (SIAC)</b>. If no institution has been specified, then SIAC shall be the institution to administer the arbitration.  The place of arbitration shall be: <b>Singapore</b>.</p> <p>(b) <b>Contracts with domestic contractors:</b>  Arbitration shall be conducted in accordance with the laws of the Employer's country.</p>
-----------------	---

<b>GCC 34.2</b>	<p>The following sentence shall apply:  Respectful Work Environment</p> <p>The Contractor shall ensure that its employees and Subcontractors observe the highest ethical standards and refrain from any form of bullying, discrimination, misconduct and harassment, including sexual harassment and shall, at all times, behave in a manner that creates an environment free of unethical behavior, bullying, misconduct and harassment, including sexual harassment. The Contractor shall take appropriate action against any employees or Subcontractors, including suspension or termination of employment or sub-contract, if any form of unethical or inappropriate behavior is identified.</p> <p>The Contractor shall conduct training programs for its employees and sub-contractors to raise awareness on and prevent any form of bullying, discrimination, misconduct and harassment including sexual harassment, and to promote a respectful work environment. The Contractor shall keep an up to date record of its employees and Subcontractors who have attended and completed such training programs and provide such records to the Employer or the Engineer at their first written request.</p>
-----------------	---

**C. Time Control**

<b>GCC 35.1</b>	The Contractor shall submit for approval a Program for the Works within <b>14</b> days from the date of the Letter of Acceptance.
-----------------	---

<b>GCC 35.3</b>	<p>The period between Program updates is <b>14</b> days.</p> <p>The amount to be withheld for late submission of an updated Program is <b>Rs 1 (One) Lakh only</b></p>
-----------------	--

**D. Quality Control**

<b>GCC 43.1</b>	The Defects Liability Period is: <b>365</b> days.
-----------------	---

**E. Cost Control**

<b>GCC 53.1</b>	The currency of the Employer's country is: <b>Indian rupees (INR)</b>
-----------------	---

<b>GCC 54.1</b>	<p>The Contract <b>not</b> subject to price adjustment in accordance with GCC Clause 54, and the following information regarding coefficients <b>do not</b> apply.</p> <p>The coefficients and indexes for adjustment of prices in local and foreign currencies shall be as specified in the Table(s) of Adjustment Data submitted together with the Letter of Bid.</p>
-----------------	---

<b>GCC 55.1</b>	The proportion of payments retained is: <b>6% from each bill subject to the maximum of 5% of final contract price.</b>
-----------------	--

<b>GCC 56.1</b>	<p>The liquidated damages for the whole of the Works are <b>0.05 %</b> per day.</p> <p>The maximum amount of liquidated damages for the whole of the Works</p>
-----------------	--

	is <b>10%</b> of the final Contract Price.
<b>GCC 57.1</b>	<b>Not Applicable</b>
<b>GCC 58.1</b>	The Advance Payments shall be <b>10%</b> and shall be paid to the Contractor no later than <b>15 Days</b> .

<b>GCC 58.3</b>	Repayment of the Advance Payments shall be: <b>15%</b> from each payment certificate.
-----------------	---

<b>GCC 59.1</b>	The Performance Security amount is <b>5% percent of the Contract Price</b> .
-----------------	--

**G. Finishing the Contract**

<b>GCC 72.1</b>	The date by which operating and maintenance manuals are required is <b>28 Days of issue of certificate of completion of whole of work</b> The date by which “as built” drawings are required is <b>28 days of issue of certificate of completion of whole of the work</b> .
-----------------	--

<b>GCC 72.2</b>	The amount to be withheld for failing to produce “as built” drawings and/or operating and maintenance manuals by the date required in GCC 72.1 is <b>Rs. 2.00 Lakh (Rupees two lakh) only</b>
-----------------	---

<b>GCC 73.2 (h)</b>	The maximum number of days is: <b>365 Days</b>
---------------------	--

<b>GCC 75.1</b>	The percentage to apply to the value of the work not completed, representing the Employer’s additional cost for completing the Works, is <b>20%</b>
-----------------	---



**Section 9: Contract Forms**

**Table of Forms**

**Notice of Intention for Award of Contract ..... 9-178**

**Letter of Acceptance ..... 9-137**

**Contract Agreement..... 9-180**

**Performance Security ..... 9-181**

**Advance Payment Security ..... 9-182**

**Notice of Intention for Award of Contract**

[on letterhead paper of the Employer]

[date of notification]

To: [name of the Bidder]
Attention: [insert name of the Bidder's authorized representative]
Address: [insert address of the Bidder's authorized representative]
Telephone/Fax numbers: [insert telephone/fax numbers of the Bidder's authorized representative]
E-mail Address: [insert e-mail address of the Bidder's authorized representative]

This is to notify you of our intention to award the contract [insert name of the contract and identification number, as given in the Bid Data Sheet]. You have [insert number of days as specified in ITB 41.1 of the BDS] days from the date of this notification to (i) request for a debriefing in relation to the evaluation of your Bid; and/or (ii) submit a bidding-related complaint in relation to the intention for award of contract, in accordance with the procedures specified in ITB 46.1.

The summary of the evaluation are as follows:

**1. List of Bidders**

Table with 3 columns: Name of Bidder, Bid Price as Read Out at Opening, Evaluated Bid Price

**2. Reason/s Why Your Bid Was Unsuccessful**

.....
.....

**3. The Successful Bidder**

Table with 2 columns: Field Name, Value. Fields include Name of Bidder, Address, Accepted Contract Amount, Duration of Contract, Scope of the Contract Awarded, Amount Performance Security Required.

Authorized Signature: .....
Name and Title of Signatory: .....
Name of Agency: .....

**Letter of Acceptance**

**Letter of Acceptance**

*[on letterhead paper of the Employer]*

*[date]*

To: *[Name and address of the contractor]*

Subject: Contract No. *[please specify]*

This is to notify you that your Bid dated *[date]* for execution of the *[name of the contract and identification number, as given in the Bid Data Sheet]* for the Accepted Contract Amount of the equivalent of *[amount in words and figures and name of currency]*, as corrected and modified in accordance with the Instructions to Bidders is hereby accepted by our Agency.

You are requested to furnish the Performance Security within 28 days in accordance with the Conditions of Contract and any additional security required as a result of the evaluation of your bid, using for that purpose the Performance Security Form included in Section 9 (Contract Forms) of the Bidding Document.

*[Choose one of the following statements:]*

We accept that *[insert the name of adjudicator proposed by the Bidder]* be appointed as the Adjudicator.

*[or]*

We do not accept that *[insert the name of the adjudicator proposed by the Bidder]* be appointed as the Adjudicator, and by sending a copy of this Letter of Acceptance to *[insert name of the appointing authority]*, the Appointing Authority, we are hereby requesting such Authority to appoint the Adjudicator in accordance with GCC 29.1.

Authorized Signature:

Name and Title of Signatory:

Name of Agency:

Attachment: Contract Agreement

**Contract Agreement**

THIS AGREEMENT made the [date]dayof [month], [year], between [name of the Employer] (hereinafter “the Employer”), of the one part, and [name of the contractor] (hereinafter “the Contractor”), of the other part:

WHEREAS the Employer desires that the Works known as [name of the contract] should be executed by the Contractor, and has accepted a Bid by the Contractor for the execution and completion of these Works and the remedying of any defects therein,

The Employer and the Contractor agree as follows:


1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other Contract documents.  
 Letter of Acceptance,  
 Letters of Technical Bid and Price Bid,  
 Addenda Nos. [insert addenda number if any]<sup>10</sup>  
 Particular Conditions of Contract,  
 List of Eligible Countries that was specified in Section 5 of the bidding document,  
 General Conditions of Contract,  
 Specifications,  
 Drawings,  
 Completed Activity Schedules or Bill of Quantities, and  
 any other documents shall be added here.<sup>11</sup>
3. In consideration of the payments to be made by the Employer to the Contractor as indicated in this Agreement, the Contractor hereby covenants with the Employer to execute the Works and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of [name of the borrowing country]on the day, month and year indicated above.

Signed by .....  
for and on behalf of the Employer  
in the presence of:  
Witness, Name, Signature, Address, Date

Signed by.....  
for and on behalf the Contractor  
in the presence of:  
Witness, Name, Signature, Address, Date

<sup>10</sup> Information contained in the addenda and or addendum should preferably be included in the contract documents to avoid potential ambiguities during contract implementation. If however, unavoidable priority should be decided depending on the nature of information provided in the addenda/addendum.

<sup>11</sup> Tables of Adjustment Data may be added if the contract provides for price adjustment (see GCC 54.1). Also, the most recent IEE disclosed in ADB website, EHSMP prepared by the contractor during bidding phase, and Code of Conduct as per GCC 2.3 

**Performance Security**

[Bank’s name, and address of issuing branch or office]

**Beneficiary:** ..... [Name and address of the Employer].....

**Date:** .....

**Performance Guarantee No.:** .....

We have been informed that [name of the contractor](hereinafter called “the Contractor”) has entered into Contract No. [reference number of the contract]dated [date] with you, for the execution of [name of contract and brief description of works](hereinafter called “the Contract”).

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Contractor, we [name of the bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in words]<sup>12</sup> [amount in figures] such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein.

This guarantee shall expire, no later than the [date]day of [month], [year]<sup>13</sup>, and any demand for payment under it must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revisions, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded. <sup>14</sup>

.....  
[Signature(s) and seal of bank (where appropriate)]



*If the bank issuing performance security is located outside the Employer’s country, it shall be counter-guaranteed or encashable by a bank in the Employer’s country.*

<sup>12</sup> The guarantor shall insert an amount representing the percentage of the contract price specified in the contract and denominated either in the currency(ies) of the contract or in any freely convertible currency acceptable to the Employer. If the bank issuing the performance security is located outside the country of the employer, it shall have a correspondent financial institution located in the country of the Employer.

<sup>13</sup> Insert the date 28 days after the defect liability period. The Employer should note that in the event of an extension of the time for completion of the contract, the employer would need to request an extension of this guarantee from the guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee. In preparing this guarantee, the employer might consider adding the following text to the form, at the end of the penultimate paragraph: “The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [6 months][1 year], in response to the Employer’s written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.”

<sup>14</sup> Or the employer may use “Uniform Rules for Demand Guarantees (URDG), ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded” as appropriate.

**Advance Payment Security**

[Bank’s name, and address of issuing branch or office]

**Beneficiary:** ..... [Name and address of the Employer] .....  
**Date:** .....  
**Advance Payment Guarantee No.:** .....

We have been informed that [name of the contractor] (hereinafter called “the Contractor”) has entered into Contract No. [reference number of the contract] [dated [date] with you, for the execution of [name of contract and brief description of works] (hereinafter called “the Contract”).

Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sum [name of the currency and amount in words]<sup>15</sup> [amount in figures] is to be made against an advance payment guarantee.

At the request of the Contractor, we [name of the bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [name of the currency and amount in words]<sup>16</sup> [amount in figures] upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor:

- (a) used the advance payment for purposes other than the costs of mobilization and cash flow support in respect of the Works; or
- (b) has failed to repay the advance payment when it has become due and payable in accordance with the conditions of the Contract, specifying the amount payable by the Contractor.

It is a condition for any claim and payment under this guarantee to be made that the advance payment referred to above must have been received by the Contractor on its account number [contractor’s account number] at [name and address of the bank].

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that eighty percent (80%) of the Contract Price has been certified for payment, or on the [date] day of [month], [year]<sup>17</sup>, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revisions, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.<sup>18</sup>

[Signature(s) and seal of bank (where appropriate)]



*If the bank issuing advance payment security is located outside the Employer’s country, it shall be counter-guaranteed or encashable by a bank in the Employer’s country.*

<sup>15</sup> The guarantor shall insert an amount representing the amount of the advance payment denominated either in the currency(ies) of the advance payment as specified in the Contract, or in any freely convertible currency acceptable to the Employer.

<sup>16</sup> Footnote 1.

<sup>17</sup> Insert the expected expiration date of the time for completion. The Employer should note that in the event of an extension of the time for completion of the contract, the Employer would need to request an extension of this guarantee from the guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee. In preparing this guarantee, the Employer might consider adding the following text to the form, at the end of the penultimate paragraph: “The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [6 months][1 year], in response to the Employer’s written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.”

<sup>18</sup> Or the employer may use “Uniform Rules for Demand Guarantees (URDG), ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded” as appropriate.

**BILL OF QUANTITIES**

**ANNEXURE-1**

**Name of Work: Conservation, Restoration and Rejuvenation of Khoribari Borbilla Beel in Bongaigaon District under Assam SWIFT Project**

**(TO BE FILLED UP ONLINE)**

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
1	<p><b>Weeds clearance :</b> Clearance of different types and nature of Water Hyacinth, Aquatic weeds, Taranies, Dalanies, Pitannies, repeated vegetation etc. from Beels/Tanks/Ponds/swampy and marshy areas dragging manually/ mechanically/ through machinery etc. with necessary ropes, bamboos, chains and other debries devices etc. making patches, cutting into pieces with the help of knives/sickles/sews as necessary and depositing and stocking in the marginal areas of the beels/tanks/ponds/swampy and marshy areas in a regular form of bundhs or heaps within a lead of 100 m and lift up to 2.50 m as per direction of the deptt. etc complete (pushing out the patches or pieces of vegetations may also be made through the connecting channels with the river and burning the lifted vegetation after sunshine as and when applicable).</p> <p><b>i) Thin and floating water hyacinths and other aquatic weeds etc.</b></p>	Sqm	55127.79		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
2	<p><b>DE-SILTING &amp; EXCAVATION:</b> Removal of unsuitable soil including excavation, loading and disposal upto 1000 m lead from the beds of Beels/Tanks/ Ponds/ Swampy lands to the proper grade and slopes as required and utilizing the soil in construction of embankment or repairing of existing embankment on all sides, lifting in uniform layers not exceeding 20 cm thick (excluding compaction), clearing light jungles and trees up to 50 cm girth from the site of work, dug belling, profiling, ploughing or roughening or benching the seat, breaking clods up to 25 mm cube ramming, removing roots and vegetation, dressing to the designed section complete as directed. All kind of soil. <b>The de-silted soil shall be utilised for construction peripheral bund, rearing tank bund and Approach Road</b></p>	Cum	19772.00		
3	<p><b>TURFING:</b> Furnishing and laying of the live sods of perennial turf forming grass on embankment slope, verges or other locations shown on the drawing or as directed by the Engineer including preparation of ground, fetching of sods and watering as per Technical Specification Clause 309.</p>	Sqm	11322.18		
4	<p><b>Hume pipe laying at Bund :</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.....<b>NP3 HP...600 mm dia</b></p>	Rm	20.00		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
5	<b>EARTHWORK IN EXCAVATION:</b> Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material... (I) Ordinary soil.Upto 15.0m Depth <b>For HP Culvert</b>	Cum	152.09		
6	<b>PLAIN/ REINFORCEMENT CONCRETE:</b> Plain Cement Concrete M15 (1:3:6 nominal mix) in levelling course below open foundation of Head walls as per drawings & Technical Specification Clause 1109	Cum	12.29		
7	<b>BEDDING FOR PIPE:</b> Bedding for Pipe : Type B (First Class) Bedding..Laying (First Class) bedding on well compacted sand, moorum or approved granular material as per Clause 1105 (ii)Granular material	Cum	21.31		
8	<b>LAYING OF HP PIPE:</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.. <b>1000 mm dia</b>	Rm	15.00		
9	<b>LAYING OF HP PIPE:</b> Providing and laying reinforced cement concrete pipe NP3 for culverts on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation, protection works, backfilling, concrete and masonry works in head walls and parapets Clause 1106.. <b>1000 mm dia</b>	Rm	15.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
10	<b>BRICK MASONRY WORK:</b> Head Wall: Foundation :-Brick masonry work in cement mortar in foundation complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	87.13		
11	<b>BRICK MASONRY WORK:</b> Head Wall: Substructure :-Brick masonry work in cement mortar in Substructure complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	49.93		
12	<b>PLASTERING WORK:</b> Plastering with Cement Mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification	Sqm	164.46		
13	<b>EARTH CAUSHIONING WORK:</b> Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1. (i) Private Land (for Earth Work in cushioning)	Cum	41.00		
14	<b>PROTECTION WORK:</b> Providing and laying of dry rubble flooring complete as per drawings and technical specifications Clause 1303.3	Cum	31.11		
15	<b>PROTECTION WORK:</b> Providing and laying filter material underneath pitching in slopes	Cum	3.50		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
16	<p><b>SITE CLEARANCE IN APPROACH ROAD :</b>  Clearing and grubbing road land including uprooting wild vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per Technical Specification Clause 201. By Manual Means-, In area of non thorny jungle</p>	Hectare	0.48		
17	<p><b>CONSTRUCTION OF SUBGRADE AND EARTHEN SHOULDERS:</b>  Construction of subgrade and earthen shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with lead upto 1000 m as per Technical Specification Clause 303.1.  (ii)Govt. Land  <b>For Approach Road</b></p>	Cum	119.80		
18	<p><b>GSB WORK:</b>  Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.By Mix in Place Method  (ii)For Grading II Material  <b>For Approach Road</b></p>	Cum	718.80		
19	<p><b>SITE DEVELOPMENT OF PARKING AREA :</b> Excavating, supplying and filling of local earth (including royalty) by mechanical transport upto a lead of 5km also including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth,sides of foundation etc. complete.</p>	Cum	1800.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
20	<p><b>SITE DEVELOPMENT OF PARKING AREA (GSB) :</b> Construction of granular sub-base by providing close graded Material conforming to specifications, mixing in a mechanical mix plant at OMC, carriage of mixed material by tippers to work site, for all leads &amp; lifts, spreading in uniform layers of specified thickness with motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density, complete as per specifications and directions of Engineer-in-Charge. With material conforming to Grade-II (size range 53 mm to 0.075 mm ) having CBR Value-25</p>	Cum	18.00		
21	<p><b>SITE DEVELOPMENT OF PARKING AREA (WBM: GR - III) :</b> Laying, spreading and compacting stone aggregate of specified sizes to WBM specifications in uniform thickness, hand picking, rolling with 3 wheeled road/vibratory roller 8-10 tonne capacity in stages to proper grade and camber, applying and brooming requisite type of screening / binding material to fill up interstices of coarse aggregate, watering and compacting to the required density .</p>	Cum	9.00		
22	<p><b>SITE DEVELOPMENT OF PARKING AREA (ICBP) :</b> Providing and laying 60 mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design &amp; shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.</p>	Sqm	120.00		
23	<p><b>EARTHWORK IN EXCAVATION:</b> Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b></p>	Cum	339.03		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
24	<b>ANTI-TERMITE TREATMENT</b> :- Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion) : Along external wall where the apron is not provided using chemical emulsion @ 7.5 litres / sqm of the vertical surface of the substructure to a depth of 300mm including excavation channel along the wall & rodding etc. With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration <b>For Community Hall</b>	Rm	215.33		
25	<b>ANTI-TERMITE TREATMENT</b> :- Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion) : Along the external wall below concrete or masonry apron using chemical emulsion @ 2.25 litres per linear metre including drilling and plugging holes etc.: With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration, <b>For Fish Landing</b>	Rm	119.10		
26	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos emulsifiable concentrate of 20% litre. <b>For Community Hall, Fish Landing,</b>	Lit	295.38		
27	<b>EARTHWORK IN FILLING :</b> Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. <b>For Community Hall</b>	Cum	438.02		
28	<b>EARTHWORK IN PLINTH FILLING :</b> Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete. <b>For Community Hall, Fish Landing,</b>	Cum	135.71		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
29	Brick Soling Dry brick pitching half brick thick in drains including supply of bricks and preparing the surface complete : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 . <b>For Community Hall</b>	Sqm	261.81		
30	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources). <b>For Community Hall</b>	Cum	27.42		
31	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) <b>For Fish Landing &amp; Gate</b>	Cum	21.51		
32	<b>PLAIN CEMENT CONCRETE (CAST -IN- SITU):</b> Plain cement concrete Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources) <b>For septic Tank</b>	Cum	2.20		
33	<b>Making soak pit</b> 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5. <b>For Community Hall, Fish Landing,</b>	Each	2		
34	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns...Footing. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	91.99		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
35	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers . <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	269.60		
36	<b>SHUTTERING:</b> Centering and shuttering including strutting, propping etc. and removal of form work for : Columns, piers, abutments, pillars, posts and struts. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Sqm	337.10		
37	<b>STEEL REINFORCEMENT:</b> Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level & above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.. <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Kg	10084.98		
38	<b>STEEL REINFORCEMENT:</b> Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level & above plinth level.. Mild steel and Medium Tensile steel bars . <b>For Septic Tank</b>	Kg	584.41		
39	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10cm length and drilling holes upto 10 mm dia. etc. complete. <b>For Fencing.</b>	Kg	1509.17		
40	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size de rived from natural sources). <b>For Community Hall, Fish Landing, Water Tank &amp; Fencing Gate</b>	Cum	55.90		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
41	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). <b>For Fish Landing, Water Tank &amp; Fencing Gate</b>	Cum	7.48		
42	<b>REINFORCED CEMENT CONCRETE (CAST -IN- SITU):</b> Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels,bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering,finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) . <b>For Community Hall, Fish Landing</b>	Cum	18.09		
43	<b>BRICK WORK :</b> Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand). <b>For Community Hall</b>	Cum	28.58		
44	<b>EXPOSED BRICK WALL :-</b> Brick work with common burnt clay selected F.P.S. (non modular) bricks of class designation 7.5 in exposed brick work including making horizontal and vertical grooves 10 mm wide 12 mm deep complete in cement mortar 1:6 (1 cement : 6 coarse sand). From ground level upto plinth level. <b>For Fish Landing,</b>	Cum	24.50		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
45	<b>DAMP PROOF COURSE (DPC):</b> Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources) . <b>For Community Hall, Fish Landing</b>	Sqm	45.23		
46	<b>BRICK WORK :</b> Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.Cement mortar 1:4 (1 cement :4 coarse sand). <b>For Community Hall,</b>	Sqm	298.82		
47	<b>BRICK WORK :</b> Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.....Cement mortar 1:3 (1 cement :3 coarse sand). <b>For Fish Landing,</b>	Sqm	137.69		
48	<b>CEMENT PLASTER::</b> CEMENT PLASTER (IN COARSE SAND) 12 mm Cement Plaster of mix: 1:4 (1 cement: 4 coarse sand) <b>For Fish Landing, Gate</b>	Sqm	822.03		
49	<b>CEMENT PLASTER::</b> CEMENT PLASTER (IN COARSE SAND) 15 mm Cement Plaster on rough side of single or half brick wall of mix: 1:4 (1 cement: 4 coarse sand). <b>For Community Hall, Fish Landing</b>	Sqm	357.03		
50	<b>CEMENT PLASTER WITH A FLOATING COAT OF NEAT CEMENT</b> 15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix : 1:3 (1 cement: 3 fine sand) . <b>For Community Hall,</b>	Sqm	29.62		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
51	<b>PAINTING:</b> Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:.. - One or more coats on old work. . <b>For Fish Landing, Gate</b>	Sqm	121.57		
52	<b>PAINTING:</b> Finishing walls with textured exterior paint of required shade : New work (Two or more coats applied @ 3.28 ltr/10 sqm) over and including priming coat of exterior primer applied @ 2.20kg/10 sqm . <b>For Fish Landing,</b>	Sqm	168.55		
53	<b>TILES:</b> Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colors and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero-chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Size of Tile 600 x 600 mm . Floor Tiles. <b>For Community Hall,</b>	Sqm	188.61		
54	<b>TILES:</b> Providing and fixing Ist quality ceramic glazed wall tiles conforming toIS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete..WALL TILES. <b>For Community Hall, Fish Landing</b>	Sqm	153.49		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
55	<p><b>TILES:</b> Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand &amp; manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed Vitrified tiles Matt/Antiskid finish of Size of Tile 600 x 600 mm sqm. <b>For Community Hall, Fish Landing</b></p>	Sqm	90.23		
56	<p><b>ALUMINIUM WINDOW</b> Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) . <b>For Community Hall,</b></p>	Sqm	14.52		
57	<p><b>DOOR FRAME :</b> Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia &amp; length (hold fast lugs or dash fastener shall be paid for separately). Second class teak wood. <b>For Community Hall,</b></p>	Cum	0.25		
58	<p>Providing and fixing IS : 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete : 100x60x2.50 mm. <b>For Community Hall,</b></p>	Each	24.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
59	<b>FLUSH DOOR :</b> Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws. <b>For Community Hall,</b>	Sqm	14.70		
60	<b>UPVC Window :-</b> Providing and fixing factory made uPVC white colour sliding glazed window upto 1.50 m in height dimension comprising of uPVC multi-chambered frame with in-built roller track and sash extruded profiles duly reinforced with 1.60 ± 0.2 mm thick galvanized mild steel section made from roll forming process of required length (shape & size according to uPVC profile), appropriate dimension of uPVC extruded glazing beads and uPVC extruded interlocks, EPDM gasket, wool pile, zinc alloy (white powder coated) touch locks with hook, zinc alloy body with single nylon rollers (weight bearing capacity to be 40 kg), G.I fasteners 100 x 8 mm size for fixing frame to finished wall and necessary stainless steel screws etc. Profile of frame & sash shall be mitred cut and fusion welded at all corners, including drilling of holes for fixing hardware's and drainage of water etc. After fixing frame the gap between frame and adjacent finished wall shall be filled with weather proof silicon sealent over backer rod of required size and of approved quality, all complete as per approved drawing & direction of Engineer-in-Charge. (Single / double glass panes, wire mesh and silicon sealent shall be paid separately). Variation in profile dimension in higher side shall be accepted but no extra payment on this account shall be made. Three track three panels sliding window with fly proof S.S wire mesh (Two nos. glazed & one no. wire mesh panels) made of (big series) frame 116 x 45 mm & sash 46 x 62 mm both having wall thickness of 2.3 ± 0.2 mm and single glazing bead / double glazing bead of appropriate dimension. (Area of window above 1.75 sqm). <b>For Fish Landing,</b>	Sqm	3.60		
61	<b>DOOR FITTINGS :</b> Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868 ) transparent or dyed to required colour or shade, with necessary screws etc. complete. 200x10 mm <b>For Community Hall,</b>	Each	24		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
62	<b>DOOR FITTINGS</b> Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 100 mm . <b>For Community Hall,</b>	Each	24		
63	<b>DOOR FITTINGS</b> Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 300x16 mm . <b>For Community Hall,</b>	Each	6		
64	<b>PVC DOOR</b> Providing and fixing factory-made uPVC door frame made of uPVC extruded sections having an overall dimension as below (tolerance±1mm), with wall thickness 2.0 mm (± 0.2 mm), corners of the door frame to be Jointed with galvanized brackets and stainless-steel screws, joints mitered and Plastic welded. The hinge side vertical of the frames reinforced by galvanized M.S. tube of size 19 X 19 mm and 1mm (± 0.1 mm) wall thickness and 3 nos. stainless steel hinges fixed to the frame complete as per manufacturer's specification and direction of Engineer in- chargeExtruded section profile size 42x50 mm . <b>For Community Hall, Fish Landing</b>	Rm	27.15		
65	<b>PVC DOOR SHUTTER</b> Providing and fixing to existing door frames. 30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (± 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm (± 0.2 mm) wall thickness fixed to the shutter stles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (± 0.1 mm) wall thickness . The panels filled vertically and tie bar at two places by inserting horizontally 6 mm	Sqm	9.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
	galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. <b>For Community Hall, Fish Landing</b>				
66	<b>PAINTING WORK</b> Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. <b>For Community Hall, Fish Landing</b>	Sqm	998.55		
67	<b>PAINTING WORK</b> Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer. <b>For Community Hall</b>	Sqm	876.98		
68	<b>PAINTING WORK</b> Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats . <b>For Community Hall</b>	Sqm	876.98		
69	<b>PAINTING WORK</b> Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications : Two or more coats applied on walls @ 1.25 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm . <b>For Community Hall</b>	Sqm	38.26		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
70	<p><b>ROOFING SHEET :</b> Providing &amp; fixing at all heights, levels and locations Mill finish Aluminium alloy roofing sheets of alloy IS designation 31500, temper Hx8 conforming to IS 737 and dimensions as per IS code 2676 with characteristics of good formability and corrosion resistance. The profile sheets shall be fixed to truss members in slope or required pitch or curvature with Hex cap headed self drilling/tapping Stainless steel screws M6, 50 mm long with 3 mm EPDM seal washer etc. all inclusive of labour, scaffolding, T&amp;P and sundries etc. complete as per directions of the Engineer-In-Charge. (Cost of truss/frame work shall be paid separately). 0.56 mm, Aluminium troughed profile with center to center pitch of 200 mm, depth of 32 mm, overall profile width 1092 mm, cover width 1000mm. <b>For Community Hall</b></p>	Sqm	249.30		
71	<p><b>RIDGE SHEET :</b> Providing and fixing of Pre-coated colour or mill finish Aluminium Roofing Accessories in 0.71 mm thickness ,Alloy 31500 (IS designation) [Aluminium Alloy (AA) 3004 (ISO designation)] For color, coating shall be 5-7 microns epoxy primer on both sides of the sheet and polyester top coat 15-18 microns, using self drilling/tapping SS screws of size 6 x 50mm with 3mm thick EPDM seal and SS plain washer complete : Precoated/mill finish aluminium Ridges plain (500- 600mm) . <b>For Community Hall, Fish Landing</b></p>	Rm	26.85		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
72	<p><b>FALSE CEILING:</b>  Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts &amp; bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum plain board ceiling conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks) sqm 1145.95. <b>For Community Hall</b></p>	Sqm	117.99		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
73	<b>RAILING</b> Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works . <b>For Community Hall</b>	Kg	914.96		
74	<b>TRUSS</b> Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes . <b>For Community Hall</b>	Kg	4180.85		
75	<b>Steel truss :-</b> Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished seamless type tubes . <b>For Fish Landing &amp; Water Tank</b>	Kg	3173.83		
76	Providing and fixing bolts including nuts and washers complete.. <b>For Fish Landing &amp; Water Tank</b>	Kg	11.28		
77	<b>Providing and fixing hand rail</b> of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer. .Angle Section ISA 50x50x3. <b>For Water Tank</b>	Kg	55.20		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
78	<b>Roofing sheet :-</b> Providing & fixing at all heights, levels and locations colour finish Aluminium alloy roofing sheets of alloy IS designation 31500, temper Hx8 conforming to IS 737 and dimensions as per IS code 2676 with characteristics of good formability and corrosion resistance. The profile sheets shall be fixed to truss members in slope or required pitch or curvature with Hex cap headed self drilling/tapping Stainless steel screws M6, 50 mm long with 3 mm EPDM seal washer etc. all inclusive of labour, scaffolding, T&P and sundries etc. complete as per directions of the Engineer-In-Charge. (Cost of truss/frame work shall be paid separately). 0.56 mm, Aluminium troughed profile with center to center pitch of 200 mm, depth of 32 mm, overall profile width 1092 mm, cover width 1000mm. <b>For Fish Landing</b>	Sqm	101.91		
79	<b>GRILL :-</b> Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings / wooden frames with Rawl plugs screws etc. <b>For Community Hall</b>	Kg	311.77		
80	<b>EPOXY STEEL PAINT :-</b> Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. On steel work. <b>For Community Hall &amp; Fish Landing</b>	Sqm	340.25		
81	<b>PLINTH PROTECTION:</b> Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth. <b>For Community Hall</b>	Sqm	42.62		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
82	<b>ROLLING SHUTTERS :</b> Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.... 80x1.20 mm M.S. laths with 1.20 mm thick top cover. <b>For Fish Landing</b>	Sqm	17.64		
83	Providing and fixing ball bearing for rolling shutters. <b>For Fish Landing</b>	Each	4		
84	<b>Ramp Railing :-</b> Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer.G.I. pipes 50mm dia. <b>For Fish Landing</b>	Kg	261.03		
85	<b>Drain Cover Slab :-</b> Providing and placing in position 100 mm thick factory made machine batched & machine mixed Precast RCC Rectangular Covers on drains of footpath of various sizes, of M-25 grade cement concrete for RCC work, including cost of centering, shuttering, reinforcement of 8 mm dia TMT bars of Fe 500 grade @ maximum 100mm c/c on both ways , neat cement punning on finished surface, properly encased on all edges with 1.6 mm thick , 100 mm wide MS sheet duly painted over priming coat , reinforcement to be welded at edges with MS sheet and providing 2 Nos. 12 mm dia bar for hooks etc i/c cost of cartage, all leads & lift, handling at site etc. all complete as per direction of Engineer-in-Charge. <b>For Fish Landing</b>	Sqm	7.21		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
86	<b>CEMENT PLASTER (IN FINE SAND):</b> 15 mm cement plaster on the rough side of single or half brick wall of mix .1:4 (1 cement: 4 fine sand). <b>For Septic tank</b>	Sqm	23.60		
87	<b>MANHOLE COVER :</b> Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality. Circular shape 450 mm internal diameter. <b>For Septic tank</b>	Each	1.00		
88	<b>WATER PROOFING :</b> Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. <b>For Septic tank</b>	Sqm	23.60		
89	<b>COLLAPSABLE GATE :</b> Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer. <b>For Community Hall</b>	Sqm	4.62		
90	<b>PCC :-</b> Plain cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources). <b>For Chainlink fence</b>	Cum	0.27		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
91	<b>CHAINLINK FENCH</b> : Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm. <b>For Chainlink fench</b>	Sqm	232.80		
92	<b>STEEL GATE</b> : Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer..... M.S. tube. <b>For Chainlink fench Gate</b>	Kg	127.42		
93	<b>STONE TILE WORK</b> : Stone tile work for wall lining upto 10 m height with special adhesive over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand), including pointing in white cement with an admixture of pigment to match the stone shade...8mm thick (mirror polished and machine cut edge)..Granite stone of any colour and shade. <b>For Entrance Gate</b>	Sqm	16.20		
94	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 20 mm nominal dia Pipes.. <b>For Community Hall</b>	Rm	18.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
95	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - 25 mm nominal dia Pipes. <b>For Community Hall</b>	Rm	30.00		
96	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold-water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 32 mm nominal dia Pipes	Rm	20.00		
97	<b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal dia Pipes. <b>For Community Hall</b>	Rm	24.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
98	<p><b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &amp; cold water supply, including all CPVC plain &amp; brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes &amp; fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.</p> <p>Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia Pipes</p>	Rm	18.00		
99	<p><b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &amp; cold water supply including all CPVC plain &amp; brass threaded fittings This includes jointing of pipes &amp; fittings with one step CPVC solvent cement, trenching, refilling &amp; testing of joints complete as per direction of Engineer in Charge.. External work. 25 mm nominal dia Pipes. <b>For Fish Landing</b></p>	Rm	10.50		
100	<p><b>WATER SUPPLY PIPES :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &amp; cold water supply, including all CPVC plain &amp; brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes &amp; fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.... 15 mm nominal dia Pipes <b>For Fish Landing</b></p>	Rm	12.40		
101	<p><b>WATER SUPPLY FITTINGS :-</b> Providing and fixing PTMT bib cock of approved quality and colour... 15mm nominal bore, 86 mm long, weighing not less than 88 gms. <b>For Fish Landing</b></p>	Each	3		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
102	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing PTMT pillar cock of approved quality and colour..15 mm nominal bore, 107 mm long, weighing not less than 110 gms. <b>For Fish Landing</b>	Each	3		
103	<b>WATER SUPPLY FITTINGS :-</b> Reducer for 22 mm X 15 mm outer Dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	2		
104	<b>WATER SUPPLY FITTINGS :-</b> Elbow 90° for 15 mm outer dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	6		
105	<b>WATER SUPPLY FITTINGS :-</b> Equal Tee for 15 mm outer dia SS pipe of grade 316L as per IS 6911:2017 and conforming to EN-10312 standard. <b>For Fish Landing</b>	Each	6		
106	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 100 mm nominal dia Pipes <b>For Community Hall</b>	Rm	36.00		
107	<b>WATER SUPPLY FITTINGS :-</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.80 mm nominal dia Pipes <b>For Community Hall</b>	Rm	27.00		
108	<b>SANITARY FITTINGS : TRAPS ;</b> Bottle trap 31mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling, 77 mm breadth with 25 mm minimum water seal, weighing not less than 260 gms <b>For Community Hall &amp; Fish Landing</b>	Each	9		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
109	<b>SANITARY FITTINGS :</b> Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe. 32 mm dia <b>For Community Hall &amp; Fish Landing</b>	Each	6		
110	<b>SANITARY FITTINGS :</b> BIB COCK Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. 15 mm nominal bore <b>For Community Hall</b>	Each	4		
111	<b>SANITARY FITTINGS :</b> STOP COCK Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15 mm nominal bore <b>For Community Hall</b>	Each	7		
112	<b>SANITARY FITTINGS :</b> ANGLE VALVE Providing and fixing C.P. brass angle valve for basin mixer and geyserpoints of approved quality conforming to IS:8931 15mm nominal bore <b>For Community Hall</b>	Each	6		
113	<b>SANITARY FITTINGS :</b> PILLER COCK Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps <b>For Community Hall</b>	Each	4		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
114	<b>SANITARY FITTINGS :</b> WC PAN Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid <b>For Community Hall</b>	Each	4		
115	<b>SANITARY FITTINGS :</b> URINAL BASIN Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern <b>For Community Hall</b>	Each	3		
116	<b>SANITARY FITTINGS :</b> Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required.White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests <b>For Fish Landing</b>	Each	2		
117	<b>SANITARY FITTINGS :</b> Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : .....100 mm diameter <b>For Fish Landing</b>	Metre	22.000		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
118	<b>SANITARY FITTINGS :</b> Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) up to haunches of S.W. pipes including bed concrete as per standard design : :.....100 mm diameter S.W. pipe <b>For Fish Landing</b>	Metre	22.000		
119	<b>SANITARY FITTINGS :</b> Providing and fixing wash basin with C.I. brackets, 15 mm PTMT pillar cock, 32 mm PTMT waste coupling of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required. White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm PTMT pillar cock. <b>For Fish Landing</b>	Each	2		
120	<b>SANITARY FITTINGS :</b> Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings. <b>For Fish Landing</b>	Each	2		
121	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour. Waste coupling 31 mm dia of 79 mm length and 62mm breadth weighing not less than 45 gms <b>For Fish Landing</b>	Each	2		
122	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.. <b>For Fish Landing</b>	Each	2		
123	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms. <b>For Fish Landing</b>	Each	2		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
124	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms. <b>For Fish Landing</b>	Each	2		
125	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT shelf 440 mm long, 124 mm width and 36mm height of approved quality and colour, weighing not less than 300 gms... <b>For Fish Landing</b>	Each	2		
126	<b>SANITARY FITTINGS :</b> Providing and fixing PTMT urinal cock of approved quality and colour. 15 mm nominal bore, 80 mm long, 42 mm high and 30mm wide with BSP female threads weighing not less than 48gms. <b>For Fish Landing</b>	Each	2		
127	<b>SANITARY FITTINGS :</b> Providing and fixing G.I. inlet connection for flush pipe connecting with W.C. pan. <b>For Fish Landing</b>	Each	2		
128	<b>SANITARY FITTINGS :</b> Providing and fixing 100 mm sand cast Iron grating for gully trap. <b>For Fish Landing</b>	Each	2		
129	<b>SANITARY FITTINGS :</b> Providing and fixing soil, waste and vent pipes :100 mm dia...Sand cast iron S&S pipe as per IS: 1729.	Metre	12.75		
130	<b>SANITARY FITTINGS :</b> Providing and fixing plain bend of required degree... 100 mm dia...Sand cast iron S&S as per IS - 1729. <b>For Fish Landing</b>	Each	2		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
131	<b>SANITARY FITTINGS :</b> Providing and fixing collar :... 100 mm dia...Sand cast iron S&S as per IS - 1729. <b>For Fish Landing</b>	Each	2		
132	<b>MIRROR</b> Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :Rectangular shape 1500x450 mm. <b>For Community Hall &amp; Fish Landing</b>	Each	5		
133	<b>TOWEL RAIL</b> Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms. <b>For Community Hall</b>	Each	4		
134	<b>SANITARY FITTINGS :</b> Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :20 mm nominal bore. <b>For Community Hall</b>	Each	4		
135	<b>SANITARY FITTINGS :</b> Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :15 mm nominal bore. <b>For Community Hall</b>	Each	4		
136	<b>SANITARY FITTINGS :</b> Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : For 100 mm dia pipe .	Each	5		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
137	<b>SANITARY FITTINGS :</b> Providing and fixing double equal junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete :100x100x100x100 mm Sand cast iron S&S as per IS - 1729 .	Each	6		
138	<b>WATER TANK :</b> Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. <b>For Community Hall</b>	Liter	1000.00		
139	<b>ELECTRICAL PART :</b> Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. Group C. <b>For Community Hall &amp; Fish Landing</b>	Each	40		
140	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire . <b>For Community Hall</b>	Rm	85.00		
141	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire. <b>For Community Hall</b>	Rm	130.00		
142	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 6 sq. mm + 1 X 6 sq. mm earth wire. <b>For Community Hall</b>	Rm	70.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
143	Supplying and fixing PVC batten / angle holder including connections etc as required. <b>For Fish Landing</b>	Each	12		
144	<b>Ceiling Fan:</b> Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS : 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required. <b>For Community Hall &amp; Fish Landing</b>	Each	12		
145	Supplying and fixing modular type 6/6 Amp one way switch on existing modular plate and switch box including connections but excluding modular plate etc. as required. <b>For Fish Landing</b>	Each	1		
146	supply of exhaust fan 200 mm sweep. <b>For Community Hall</b>	Each	4		
147	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. Upto 450 mm sweep . <b>For Community Hall</b>	Each	4		
148	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 A switch <b>For Community Hall</b>	Each	38		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
149	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 15/16 A switch. <b>For Community Hall</b>	Each	4		
150	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 3 pin 5/6 A socket outlet. <b>For Community Hall</b>	Each	4		
151	Supplying and fixing following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 6 pin 15/16 A socket outlet. <b>For Community Hall</b>	Each	4		
152	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. <b>For Community Hall</b>	Each	6		
153	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 3 module. <b>For Community Hall</b>	Each	4		
154	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 8 Module (125mmX125mm). <b>For Community Hall</b>	Each	5		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
155	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. 12 Module (200mmX150mm). <b>For Community Hall</b>	Each	2		
156	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.3 module . <b>For Community Hall</b>	Each	4		
157	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 8 Module. <b>For Community Hall</b>	Each	5		
158	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 12 Module. <b>For Community Hall</b>	Each	2		
159	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. <b>For Community Hall</b>	Each	8		
160	Supplying and fixing brass batten/ angle holder including connection etc. as required. <b>For Community Hall</b>	Each	14		
161	Supplying and fixing two-module stepped type electronic fan regulator on existing modular plate and switch box including connections but excluding modular plate etc. as required. <b>For Fish Landing</b>	Each	2		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
162	Installation of Exhaust Fan in the existing opening including making good the damage, connection, Testing, commissioning etc required. Upto 450mm sweep. <b>For Fish Landing</b>	Each	2		
163	Supplying and fixing suitable size GI Box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 amps & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc.. as required . <b>For Fish Landing</b>	Each	7		
164	Providing and fixing following capacity TP&N disconnecter fuse switch unit inside the existing panel board with ISI marked HRC fuses including holes in cubicle panel, making connections, etc. as required. 32 A TP&N	Each	1		
165	Providing and fixing following capacity TP&N disconnecter fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 125 A TP&N . <b>For Fish Landing</b>	Each	1		
166	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator). 16 way, Double door . <b>For Community Hall</b>	Each	1		
167	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required. <b>For Community Hall</b>	Each	6		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
168	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 A. <b>For Community Hall</b>	Each	5		
169	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required. <b>For Community Hall</b>	Each	1		
170	Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/termination with GI thimble etc. as required. <b>For Community Hall</b>	Rm	15.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
171	<p><b>LED Batten light</b> (System lumen efficacy <math>\geq 120 &lt; 135</math> lm/Watt) Supplying, installation, Testing &amp; Commissioning of LED surface mounted Batten light of following body material and construction as per IS: 10322 with driver (Replaceable) as per the requirement with Driver efficiency <math>&gt; 85\%</math>, Operating voltage AC 140-270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short &amp; Open circuit protection ,THD <math>&lt; 10\%</math>, P. F.<math>\geq 0.95</math>, IP20, CRI <math>&gt; 80</math>, Flicker free (flicker should be below 5%), life time (LED, Driver &amp; electrical circuitary), of minimum 50000 Burning Hours with, 70% of initial Lumen maintained till life ends, CCT 3000°K/4000°K /5700°K /6000°K/6500°K (As per ANSI Bin), SDCM(Standard Deviation Color Matching) <math>&lt; 3</math>, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate ( T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. complete. in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy <math>\geq 120 &lt; 135</math> lm/Watt output. LM79 &amp; LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C). Powder coated die cast /Extruded aluminium Body (Thickness <math>&gt; 1.20</math> m 36 watt. <b>For Community Hall</b></p>	Each	10		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
172	<p>Supplying of LED Recessed/ surface Down lighter (Round/ square/Rectangular) COB Type of following body material and construction as per IS: 10322 with driver as per the requirement with Driver efficiency &gt;85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range-15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short &amp; Open circuit protection, THD &lt; 10%, P. F.20.95, IP20, CRI &gt;80, UGR (Unified Glare Rating) &lt; 19, Flicker free (flicker should be below 5%), life time (LED, Driver &amp; electrical circuitary), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K/5700°K/6000K/6500°K (As per ANSI Bin), SDCM (Standard Deviation Color Matching) &lt;3, Maximum power consumption should not more than the specified rating and Fixture shall be confirming to relevant BIS standards and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing Complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 and &lt;120 lm/Watt output. LM79 &amp; LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C) Powder coated die cast /Extruded aluminium Body including trim with Aluminium Reflector. 18 watt. <b>For Community Hall</b></p>	Each	14		
173	<p>Supply and fitting fixing of 5 KWA solar panel hybrid system with 2HP motor pump. <b>For Community Hall</b></p>	Each	1		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
174	<p><b>Demarcation Pillar</b>  RCC Guard Post:Supplying, fitting and fixing RCC guard post 150cm long erected 75cm above the ground and 75cm below the ground with M-15 grade (nominal mix 1:2:4 with broken stone aggregate up to 20mmsize) of cement concrete and required reinforcement tied in position with an nealed black wire including centering, moulding the top, curing including painting concrete surfaces in 3cm stripsup to0.75m from the to alternately in black and white and having 2 nos. reflective band of desired shade etc complete as per design and as directed.  A) 30cmdia.RCCguardpostwithreinforcementof6nos.12mmdiaTMT main steel bars and 6mm TMT/ MS stirrups at 15cm c/c.</p>	Each	14		
175	<p><b>Katal Fishing</b>  Erection of Fish Agregating Device as Katal / Jeng Fishing circular structure at Beel/ Wetland covering 0.25 Ha water area with Bamboo Bholuka or Barua 55mm to 100mm dia and 6m long vertical member placed at 3.00 m centre to centre, Jati or Bethua Bamboo 50mm to 100 mm dia and 6m long tie horizontally with vertical members (Kamis)- one row and Inclined members (strut) to support each vertical member driven 2.00 m below the ground/bed level and 3.50 m to 4.00 m above the ground/bed level tied with coconut fiber two ply twisted rope etc. manually with provision of hired country boat complete as per drawings and technical specifications as directed by Engineer in-charge.</p>	Rm	360.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
176	<p><b>Bamboo Partition structure</b>  Construction of Bamboo Screening Structure by placing and arranging of whole Bamboo in barricade type with Bamboo Bholuka or Barua 55mm to 100mm dia and 6m minimum in length, vertically placed two rows in staggered manner at 2.50 m centre to centre, driven 2.00 m below ground/bed level and 4.00 m above ground/bed level tied with Jati or Bethua bamboo 50mm to 100 mm dia and 6m long above ground level horizontally in two rows at convenient level having tied with coconut fiber two poly twisted rope etc. manually with provision of hired country boat (2 nos.), fitting and fixing of 72 ply HDPE 30mm kk mesh size net with boarder rope of 32mm dia TUF PP IR 3 strand 220 mtr : 101 kg and tie rope in every 2 meter intervals conforming to technical requirement of Textiles - Twisted Nylon Fish-Net Twines as per IS 4401-2006, complete as per drawings and technical specifications as directed by Engineer in-charge.</p>	Rm	122.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
177	<p><b>SOLAR LAMP:</b>  Supply, Installation, Testing and commissioning of a Complete solar street-lighting system, including a 160Wp crystalline silicon solar photovoltaic module supplied with a compatible module mounting structure, clamps, fasteners, and UV-resistant cable tails, with test certification conforming to IEC 61215 (Edition II)/IS 14286 and IEC 61730 from a NABL or IECQ accredited laboratory. The system shall incorporate a Lithium Iron Phosphate (LiFePO4) battery of 12.8V nominal voltage and 42 Ah capacity, equipped with an integrated Battery Management System (BMS) providing protections against over/under-voltage, over-current, short-circuit, over-temperature, and ensuring cell balancing, duly certified to IEC 62133-2011 or the latest BIS standard by a BIS-recognized lab or MNRE-accredited test centre. The MPPT charge controller, integrated with the luminaire and battery, shall operate at 12.8 V nominal, have a maximum current rating of 6A/12 A/14 A as required and provide automatic dusk-to-dawn operation, LiFePO4 charging profiles, and full electronic protection. The LED street-light luminaire shall be rated at 30W(+5%), with high-efficiency optics, a driver compatible with the MPPT output, and ingress protection of IP66 or higher, complying with relevant BIS standards. The system shall be mounted on a 6m long 2.2mm thick tubular hot-dip galvanized GI pole conforming to IS 1161 and IS 4736 complete with a single-arm bracket, MMS, and light arm to hold the luminaire and PV module, along with all necessary clamps and fasteners. The work shall include complete erection on a prepared foundation, all wiring and interconnection, functional testing (dusk-to-dawn operation) in the presence of the Engineer-in-Charge, and submission of as-built documentation. The contractor shall also provide a Comprehensive Maintenance Contract (CMC) for a period of five years from the date of commissioning covering preventive and breakdown maintenance, replacement of defective parts, and maintenance of illumination levels as specified.</p>	Nos	44		



Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
178	<p><b>INFORMATION BOARD:</b>Providing and fixing of typical Citizens Information Board with Logo as per MORD specifications and drawing. Two nos. 1.6mm thick MS sheet duly welded with 5mm thick steel plate on back on edges. The 4 nos. steel plate will be welded horizontally with 2 nos. 75mm x 75mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 600mm x 600mm x 750mm, 750mm below ground level. The 2 nos. steel plate will be welded vertically to 2 nos. 75mm x 75mm of 12 SWG sheet tubes posts duly welded to vertical tubes. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colou. All sections of framed posts and steel tube will be painted with primer and two coats of epoxy paint as per drawing Clause 1701 and Annexure 1700.1</p>	Nos	2		
179	<p><b>Boring::</b>-- Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire &amp; running charges of all equipments, tools, plants &amp; machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level...All types of soil : 300 mm dia <b>For Bore Well</b></p>	metre	50.00		
180	<p><b>Casing Pipe::</b> Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings &amp; accessories etc. all complete, for all depths, as per direction of Engineer -in-charge..... 100 mm nominal size dia <b>For Bore Well</b></p>	metre	39.00		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
181	<b>Screen (RMS) pipes:</b> ...Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS: 12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge.....100 mm nominal size dia <b>For Bore Well</b>	metre	9.00		
182	<b>MS Pipe:</b> ---Supplying, assembling, lowering and fixing in vertical position in bore well, ERW (Electric Resistance Welded) FE 410 mild steel screwed and socketed/plain ended casing pipes of required dia, conforming to IS: 4270, of reputed & approved make, including pipes painted with outside surface with two coats of anticorrosive paint of approved brand and manufacture, including required hire & labour charges, fittings & accessories, all complete, for all depths, as per direction of Engineer-in-charge.....150 mm nominal size dia having minimum wall thickness 5.00 mm <b>For Bore Well</b>	metre	3.00		
183	<b>Development of tube well:</b> Development of tube well in accordance with IS : 2800 (part I) and IS:11189, to establish maximum rate of usable water yield without sand content (beyond permissible limit), with required capacity air compressor, running the compressor for required time till well is fully developed, measuring yield of well by "V" notch method or any other approved method, measuring static level & draw down etc. by step draw down method, collecting water samples & getting tested in approved laboratory, i/c disinfection of tubewell, all complete, including hire & labour charges of air compressor, tools & accessories etc., all as per requirement and direction of Engineer-in-charge. <b>For Bore Well</b>	Hrs	10.00		
184	<b>MS cap:</b> Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well housing/ casing pipe, removable as per requirement, all complete for borewell of:.....150 mm dia <b>For Bore Well</b>	each	1		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
185	<b>Lowering of column pipe:</b> Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.....40 mm nominal dia Pipes <b>For Bore Well</b>	metre	40.00		
186	<b>Gravel packing in tubewell:</b> ....Gravel packing in tubewell construction in accordance with IS: 4097, including providing gravel fine/ medium/ coarse, in required grading & sizes as per actual requirement, all complete as per direction of Engineer-in-charge. <b>For Bore Well</b>	Cum	3.15		
187	<b>DEVELOPMENT OF GHAT/ STEPS AT BEEL SIDE::</b> -- 'Earthwork in excavation for structures as per drawing and technical specifications Clause 305.1 including setting out, construction of shoring and bracing, removal of stumps and other deleterious material and disposal upto a lead of 50 m, dressing of sides and bottom and backfilling in trenches with excavated suitable material. (I) Ordinary soil	Cum	600.00		
188	<b>PCC::</b> Plain Cement Concrete M15 (1:3:6 nominal mix) in levelling course below open foundation of Head walls as per drawings & Technical Specification Clause 1109	Cum	150.00		
189	<b>BRICK MASONRY IN FOUNDATION:</b> ...Brick masonry work in cement mortar in foundation complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	155.01		
190	<b>BRICK MASONRY IN SUBSTRUCTURE:</b> ---Substructure :-Brick masonry work in cement mortar in Substructure complete excluding pointing and plastering as per drawing and technical specifications Clauses 600,1202&1203 i. Brick masonry in 1:3 cement mortar	Cum	5.01		

Sl. No.	Item Description	Unit	Total Quantity	Rate inclusive of all Taxes	Amount (Rs.)
191	<b>PLASTERING WORKS:</b> Plastering with Cement Mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification	Sqm	27.82		
192	<b>PROTECTION WORK:</b> Providing and laying of boulder apron laid in wirecrates with 4mm dia GI wire conforming to IS:280 and IS:4826 in 100mm x 100mm mesh (woven diagonally) including 10 percent extra for laps and joints laid with stone boulders weighing not less than 25kg each as per drawing and technical specifications Clause 1301	Cum	132.00		
193	<b>PROTECTION WORK:</b> Providing and laying of dry rubble flooring complete as per drawings and technical specifications Clause 1303.3	Cum	55.64		
194	<b>PROTECTION WORK:</b> Providing and laying filter material underneath pitching in slopes	Cum	18.54		
195	<b>EMP:</b> Implementation & Monitoring of Environmental Management Plan (EMP) as the provisions in the Bidding Document Vol-2, for which the estimated cost is Rs.1,15,000/=	L.S	1		
<b>Total Amount</b>					

# ENVIRONMENTAL MANAGEMENT PLAN

## ANNEXURE-2

### Introduction

The Environmental Management Plan (EMP) (see Table 1.1) Khoribari Borbari Beel under Bongaigaon District of the SWIFT Project, provides a structured framework for minimizing environmental impacts and ensuring sustainable wetland management. It outlines mitigation and monitoring measures with defined roles, responsibilities, and timelines for effective implementation by the Department of Fisheries (DoF), contractors, and regulatory bodies. The EMP is aligned with the project's Detailed Engineering Report (DER) and includes site-specific measures to address environmental and human health risks throughout the project lifecycle. This EMP has been developed based on the Initial Environmental Examination (IEE) prepared in accordance with the Asian Development Bank's Safeguard Policy Statement (SPS), 2009.<sup>19</sup>

### Objectives of the EMP

The primary objectives of the EMP are to:

- Identify and implement mitigation, avoidance, and compensation measures for potential environmental impacts;
- Ensure compliance with ADB's Safeguard Policy Statement (SPS, 2009) and applicable national/state regulations;
- Define institutional arrangements and monitoring responsibilities; and
- Promote environmental sustainability of the subproject.
- Reference in developing a site-specific environment, health, and safety management plan (SSEHSMP) based on the EMP, customized to address the specific environmental, health, and safety risks and conditions of the project site.

The EMP comprises:

- Mitigation and enhancement measures;
- Environmental monitoring during construction and operation;
- Capacity building and training;
- Implementation timeline and budget; and
- Integration into all project phases.

The EMP spans the 12-month construction phase and requires its inclusion in bidding documents and contracts. It must be accessible at all worksites and will be revised, as needed, during implementation. Non-compliance will be considered a breach of safeguard obligations and may result in contractual penalties or corrective actions. The Contractor is responsible for implementing all relevant measures under the EMP, while the Employer and its consultants shall supervise and monitor compliance as part of the project's environmental safeguards oversight.

### Environmental Monitoring Plan (EMP)

Environmental monitoring (Table 1.2 in Volume 2) is a vital tool for effective environmental management, as it provides the necessary data to support informed decision-making. To ensure that the mitigation measures and Environmental Management Plan (EMP) are effectively implemented during the construction and operation phases of the subproject, a well-designed and consistently followed Environmental Monitoring Plan (EMoP) is essential.

The primary objectives of the environmental monitoring program are to:

- Assess the effectiveness of the mitigation measures outlined in the EMP;
- Evaluate the adequacy of the environmental assessment process;
- Recommend ongoing improvements to the environmental management approach based on monitoring results and revise the EMP and monitoring strategies accordingly;
- Enhance environmental quality through proper and timely implementation of mitigation measures; and

---

<sup>19</sup>See most recent IEE here <https://www.adb.org/projects/57042-001/main>

- Ensure compliance with applicable environmental regulations and community-related commitments.

To determine the effectiveness of the environmental management program, regular monitoring of key environmental parameters will be carried out. Three types of monitoring will be undertaken under the EMP:

**EMP Implementation Monitoring:** To be carried out by the contractor during the construction phase (for contractor-led components) and by the Beel Development Committee (BDC) during the operations phase, as per the project design.

**Environmental Quality Monitoring:** To be undertaken by a contractor-appointed testing agency or laboratory accredited by the National Accreditation Board for Testing and Calibration Laboratories (NABL) and/or the Ministry of Environment, Forest and Climate Change (MoEFCC), Government of India, as specified in the EMP.

**EMP Compliance Monitoring:** To assess whether the EMP measures are being properly implemented by the contractor or the BDC, conducted by the Environmental Safeguard Officer of the PMU and the Environmental Safeguards Coordinator (ESC) of the CPIU.

Table 1.2 in Volume 2 presents the environmental monitoring program, specifying the type of monitoring, parameters to be assessed, monitoring frequency, monitoring locations, and responsible institutions for implementation and supervision during the pre-construction, construction, and operation phases. Monitoring costs have been estimated based on experience from similar projects in Assam and prevailing market rates.

Monitoring results will be compared against EMP requirements, site-specific management plans, and applicable environmental performance standards. Any non-compliance will be highlighted in the environmental monitoring reports. Contractual staff will assist the DoF in reviewing and assessing both the internal monitoring results submitted by contractors and BDCs, and the outcomes of the external environmental quality monitoring to ensure alignment with defined performance standards.

### **Performance Monitoring Indicators**

Key physical, biological, and social components influencing the environment at subproject sites serve as overarching performance indicators for evaluating environmental performance. In addition to these broad indicators, specific environmental parameters have been selected for regular monitoring due to their regulatory relevance, the existence of standardized assessment procedures, and the availability of technical expertise, as outlined in the Environmental Monitoring Plan (EMoP).

These specific environmental parameters can be quantitatively measured over time and serve as targeted performance indicators for monitoring subproject impacts, especially at critical locations. The selected parameters include:

- Water quality, assessed against Surface Water Quality Standards (IS:2296 - Class B) and the Wetland Health Report Card framework developed by the Ministry of Environment, Forest and Climate Change (MoEFCC), Government of India, with supplementary parameters from CIFRI guidelines to capture factors affecting fish health.
- Ambient air quality, monitored using CPCB's National Ambient Air Quality Standards (NAAQS) and WHO guidelines for PM<sub>2.5</sub>, PM<sub>10</sub>, CO, NO<sub>x</sub>, and SO<sub>2</sub>.
- Ambient noise levels, measured in reference to CPCB Ambient Noise Standards and WHO limits.
- Extent of water hyacinth removal (de-weeding) from beel areas.

- Volume of silt removed from peripheral areas, inlets, and outlets of beel.
- Increase in water availability during the lean season, indicating improved hydrology.
- Increase in fish production and rejuvenation of native fish species populations.
- Improved sanitation and solid waste management around beel areas, particularly at fish landing sites, aggregation zones, and auction centers.
- Adoption of eco-friendly tourism practices, such as waste minimization, sustainable infrastructure, and environmental education initiatives.

### **Compliance monitoring**

EMP compliance monitoring involves the systematic assessment of the implementation progress and effectiveness of the environmental mitigation measures outlined in the EMP. This evaluation will be conducted regularly by the contractor and the CPIU. The PMU will compile and report the status of EMP implementation, including contractor environmental performance and overall project environmental compliance, through quarterly project progress reports and annual environmental monitoring reports.

**More details are furnished in the detailed EMP provided in the Vol.-2, which is an integral part of the Bidding Document**